



THEHKLINE

HK® is a name synonymous with superior quality and performance based innovation, founded over the years on a No Compromise® attitude. When Heckler & Koch looked to adding knives to the line, the criteria was unchanged.

Benchmade takes pride in offering a complete line of knives under the HK brand. The knives presented on these pages were designed, engineered and built to deliver the same high-speed, low-drag performance HK is known for.

If you know Benchmade knives, you are going to want to see these designs, and if you are new here, you are in for it. Patented functional technologies like AXIS® locking mechanisms, push-button autos with integrated safety, and the lightning fast Nitrous™ assist opener.

Manufacturing tolerances on par with the aerospace industry provide a go together fit and finish, unparalleled throughout the professional use knife world. Back it up with service and a lifetime warranty that proves you stand behind what you do - that's a No Compromise attitude.

Few things in this world that are worthwhile ever come easy, and the reputations of Heckler & Koch and Benchmade are living proof. A world-renowned reputation for industry leading qualities was built over years of determination to do the right thing —

NO COMPROMISE®





DESIGNER LOCKING MECHANISM

BLADE STYLE & OPENER

BLADE LENGTH BLADE THICKNESS OPEN

BLADE STEEL

CLOSED WEIGHT HANDLE SPECS

HANDLE THICKNESS

BLADE CONFIGURATIONS

Benchmade

Monolock

Modified Clip-Point; Ambidextrous Round Hole Opener

AUS8 Stainless Steel (58-60HRC) 2.80" (7.11cm)

0.115" (2.92mm) 6.87" (17.46cm) 4.10" (10.41cm)

2.92oz (82.78g)

One Piece 420J Stainless Steel Handle Assembly, Movable Steel Carry-Clip, Glass Breaker

0.30" (0.76cm) 14440SB \$40



DESIGNER LOCKING MECHANISM

BLADE STYLE & OPENER **BLADE STEEL**

BLADE LENGTH BLADE THICKNESS

OPEN CLOSED WEIGHT

HANDLE SPECS

HANDLE THICKNESS

BLADE CONFIGURATIONS

Mike Snody

Modified Locking-Liner

Modified Clip-Point; Ambidextrous Thumb Studs 440C Stainless Steel (58-60HRC)

2.97" (7.54cm)

0.150" (3.81mm)

6.84" (17.37cm) 3.90" (9.90cm) 3.40oz (96.39g)

Black Molded Thermoplastic, Removable Steel Carry-Clip

0.52" (1.32cm) 14300 \$60, 14300\$ \$60



DESIGNER	Mike Snody
LOCKING MECHANISM	AXIS® Lock
BLADE STYLE & OPENER	Modified Drop-Point w/Recurve; Dual Thumb Studs
BLADE STEEL	154CM Stainless Steel (58-61HRC)
BLADE LENGTH	2.95" (7.52cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	6.80" (17.27cm)
CLOSED	3.85" (9.77cm)
WEIGHT	3.08oz (87.32g)
HANDLE SPECS	Contoured Black G10 Scales, Double 410 Stainless Steel Liners, Movable Steel Carry-Clip
HANDLE THICKNESS	0.49" (1.24cm)
BLADE CONFIGURATIONS	14210 \$160, 14210\$ \$160, 14210\$BT \$170, 14210\$BK-701 (Foliage Green) \$190, 14210\$BK-702 (Sand) \$190
COLOR VARIANCES:	14210SBK-701 (Foliage Green)
	14210SBK-702 (Sand)



DESIGNER	Mike Snody
LOCKING MECHANISM	Auto AXIS® w/Integrated Safety
BLADE STYLE & OPENER	Modified Clip-Point, Modified Tanto, Ambidextrous Thumb Studs
BLADE STEEL	154CM Stainless Steel (58-61HRC)
BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.150" (3.81mm)
OPEN	8.19" (20.80cm)
CLOSED	4.50" (11.43cm)
WEIGHT	5.30oz (150.25g)
HANDLE SPECS	Machined G10 Scales, Double 410 Stainless Steel Liners, Movable Steel Carry-Clip
HANDLE THICKNESS	0.49" (1.24cm)
BLADE CONFIGURATIONS	14200SBK-701 (Foliage Green) \$210, 14200SBK-702 (Sand) \$210, 14250SBK-701 (Foliage Green) \$210, 14250SBK-701 (Sand) \$210



DESIGNER	Benchmade
LOCKING MECHANISM	Modified Locking-Liner w/Nitrous™ Assist Opener
BLADE STYLE & OPENER	Modified Clip-Point w/ Recurve; Ambidextrous Thumb Studs
BLADE STEEL	154CM Stainless Steel (58-61HRC)
BLADE LENGTH	3.40" (8.63cm)
BLADE THICKNESS	0.10" (2.54mm)
OPEN	8.00" (17.27cm)
CLOSED	4.60" (11.68cm)
WEIGHT	2.70oz (76.54g)
HANDLE SPECS	Black G10 Scales, Dual 6AL-4V Titanium Liners, Removable Steel Carry-Clip
HANDLE THICKNESS	0.43" (1.09cm)
BLADE CONFIGURATIONS	14460 \$140, 14460S \$140, 14460BT \$150, 14460SBT \$150





DESIGNEN	Mike Silvuy
LOCKING MECHANISM	AXIS® Lock
BLADE STYLE & OPENER	Modified Drop-Point w/ Recurve; Ambidextrous Thumb Studs
BLADE STEEL	154CM Stainless Steel (58-61HRC)
BLADE LENGTH	3.40" (8.40cm)
BLADE THICKNESS	0.150" (3.81mm)
OPEN	8.19" (20.80cm)
CLOSED	4.50" (11.43cm)
WEIGHT	4.96oz (140.61g)
HANDLE SPECS	Flat Black G10 Scales, Double 410 Stainless Steel Liners, Movable Steel Carry-Clip
HANDLE THICKNESS	0.49" (1.24cm)
BLADE CONFIGURATIONS	14205 \$180, 14205\$ \$180, 14205BT \$190, 14205SBT \$190, 14255 \$180, 14255\$ \$180, 14255BT \$190, 14255SBT \$190





DESIGNER	Mike Snody
LOCKING MECHANISM	Auto AXIS® w/Integrated Safety
BLADE STYLE & OPENER	Modified Clip-Point, Modified Tanto, AXIS Button Release w/Auto Open
BLADE STEEL	154CM Stainless Steel (58-61HRC)
BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.150" (3.81mm)
OPEN	8.19" (20.80cm)
CLOSED	4.50" (11.43cm)
WEIGHT	5.30oz (150.25g)
HANDLE SPECS	Machined Black G10 Scales, Double 410 Stainless Steel Liners, Movable Steel Carry-Clip
HANDLE THICKNESS	0.49" (1.24cm)
BLADE CONFIGURATIONS	14905SBT \$245, 14905BT \$245, 14900SBK-701
	(Foliage Green) \$265, 14900SBK-702 (Sand) \$265, 14455SBT \$245, 14455SBT \$245, 14450SBK-701 (Foliage Green) \$265, 14450SBK-702 (Sand) \$265
COLOR VARIANCES:	14450SBK-701 (Foliage Green)
	14450SBK-702 (Sand)





LOCKING MECHANISM	Button Auto w/Integrated Safety
BLADE STYLE & OPENER	Hollowground Modified Spear-Point; Push Button w/Auto Open
BLADE STEEL	440C Stainless Steel (58-60HRC)
BLADE LENGTH	3.75" (9.53cm), 2.89" (7.34cm)
BLADE THICKNESS	0.124" (3.15mm), 0.120" (3.05mm)
OPEN	8.42" (21.39cm), 6.69" (16.99cm)
CLOSED	4.68" (11.98cm), 3.88" (9.86cm)
WEIGHT	4.14oz (117.37g), 2.60oz (73.71g)
HANDLE SPECS	Machined 6061 T-6 Aluminum, Black Anodized, Movable Steel Carry-Clip
HANDLE THICKNESS	.525" (1.33cm), 0.50" (1.27cm)
BLADE CONFIGURATIONS	14700 \$135, 14700\$ \$140, 14700BX \$140, 14700SBX \$140, 14700SBX \$140, 14700SBX-701 (Foliage Green) \$160, 147508BX-702 (Sand) \$160, 14750\$ \$120, 14750BX \$120, 14750BX \$125, 14750SBX \$125, 14750SBX-701 (Foliage Green) \$145, 14750SBX-702 (Sand) \$145
COLOR VARIANCES:	14750SBX-701 (Foliage Green)
	14750SBX-702 (Sand)







SHEATH

Mike Snody DESIGNER Modified Drop-Point w/ Recurve BLADE STYLE **BLADE STEEL** 440C Stainless Steel (58-60HRC) BLADE LENGTH 3.62" (9.19cm) **BLADE THICKNESS** 0.15" (3.82mm) OVERALL LENGTH 7.62" (19.35cm) WEIGHT 8.30oz (235.30g) Full Tang; Molded Black Thermoplastic Scales HANDLE SPECS HANDLE THICKNESS 0.57" (1.46cm)

Snap-Fit Molded Kydex® Thermoplastic, Movable Belt Loop Carry 14100 \$90, 14100S \$90, BLADE CONFIGURATIONS

14100BT \$100, 14100SBT \$100

SPECIAL SERVICES



Lifesharp® Service

There's never a dull moment with a HK... That's right! We will gladly resharpen your HK knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). If you prefer us to sharpen your blade, or if you may have neglected to maintain your edge for a while, simply ship your knife to us. We'll not only sharpen it, we will also inspect the knife for any warrantied repairs and "tune" the knife for optimum performance. Simply ship the knife to the Benchmade address, postage paid and insured. Please enclose your return shipping address with \$5.00 to cover return shipping charges.

THE WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.

NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVEREDS

This Warranty does not cover normal wear, resharpening of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's HK Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, prybar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. HK or Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. HK's knives carry no warranty except as expressly contained herein. HK and Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is Federally regulated (refer to catalog inside cover for Federal Statutes), always check permissibility within your state or locality as non-Federal personnel may be precluded from ownership or use by State laws. NO EXCEPTIONS WILL BE MADE.

SHIPPING OF AUTOMATIC KNIVES

All AUTOMATIC knives shipped by Benchmade will be done via the following couriers, UPS, FedEx, etc. and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via alternate couriers, UPS, FedEx, etc. This is in accordance with the policies of the U.S. Postal Service. Thank you.

ARE HK ASSIST

The way that the HK assist opener knives are designed and built, they are not considered an automatic or switchblade under Federal interpretations. The Optimiser® and new Nitrous™ assist mechanisms must be initiated with the user manually overcoming the pull of the torsion bar or, split liner systems to activate the assist function. This is done through the use manually or, physically having to engage the blade first before opening. And, as an added safety feature, the HK assist openers must have their blades rotated open to an approximately 20° to 30° open angle BEFORE the assist engages. This eliminates the need and complication of a secondary safety mechanism.

Even though the HK assist opener models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

The purchase, use and ownership of knives is subject to a wide variety of local laws and regulations. It is impossible for Benchmade Knife Company to know or interpret all of these laws. It is the responsibility of the buyer to be aware of the laws which govern them in their specific area wherever that may be. We encourage the responsible ownership and use of knives as one of mankinds oldest tools. Be smart and be safe.

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. This catalog is produced annually. Check website for the latest information.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All Pricing and produc specifications are subject to possible change without print paties.

The following are trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Nitrous, Blitz, Ally. The following are egistered trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: AXIS: BenchKote (BK); BK1: BT2: ComboEdge: LiteSharp, NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Safety Lock for Automatic Folding Knife: U.S. Patent No. 5, 822. 865: Blade Lock Mechanism for Folding Knife (Modified Locking Liner) - U.S. Patent No. 5, 755, 035; Pocket Knife With Lock (AXIS Lock)- U.S. Patent No. 5, 737, 841.

Other Patents Pending.



OREGON CITY, OR Permit no. 25

PRSRT STD US POSTAGE

300 BEAVERCREEK ROAD OREGON CITY, OR 97045