

# BENCHMADE®

2010 PROFESSIONAL CATALOG





**Answering the call to service is not for everyone. Your compass only points forward, guided by a spirited will to give, and driven by undaunted dedication to protect at all costs. It takes a unique individual to put it all on the line so that another may have the freedom to choose. For you, it is not about the glory, it goes much deeper than that. Only you can understand the true meaning of failure is not an option. Anything less just won't cut it.**

Benchmade recognizes the fact that we get to go home at night thanks to you, and those that have served before you. Most of us will never have walked in your shoes. That is why we dedicate our every effort to make the best tools we possibly can for you. Know that each is built with you in mind.

**We will never forget.**

NOTICE: PROCUREMENT OF AUTOMATIC KNIVES IS REGULATED BY LAW. NO EXCEPTIONS WILL BE MADE. IT IS THE PURCHASERS RESPONSIBILITY TO CHECK THE CURRENT LEGAL PERMISSIBILITY WITHIN YOUR STATE AND/OR LOCALITY.

Although automatic opening knives are not subject to prohibitive legislation in Oregon\*, many states are not so fortunate. Federal law prohibits shipment of automatic knives across state lines, with the following exceptions: (1) to civilian or Armed Forces supply or procurement officers and employees of the Federal Government ordering, procuring, or purchasing such knives in connection with the activities of the Federal Government; (2) to supply or procurement officers of the National Guard, the Air National Guard, or militia of the State, Territory or the District of Columbia ordering, procuring, or purchasing such knives in connection with the activities of such organization; (3) to supply or procurement officers or employees of the municipal government of the District of Columbia or of the government of any State or Territory; (4) to manufacturers of such knives or bona fide dealers therein in connection with any shipment made pursuant of an order from any person designated in paragraphs (1), (2), and (3).

\*Not to be carried concealed.



# 2010 PRODUCT MATRIX

Visit [benchmade.com](http://benchmade.com) for up-to-date information on current product availability.



## AUTOMATICS

pgs 4-15



## FOLDERS


pgs 16-30



## FOLDERS (CON'T)


## FIXED BLADES

pgs 31-37



## PENS

pgs 42-43



## HOOKS

pgs 38-41

## ICON LEGEND



Ambidextrous carry



Patented **AXIS**<sup>®</sup>  
locking mechanism



Reversible carry-clip



**MOLLE**<sup>™</sup> COMPATIBLE

# THE BENCHMADE DIFFERENCE

Professionals need to seek out reliable information on their knives through user testimonials, available technical data, and reputable product reviews. The demanding world in which you work presents many challenges, some predictable and some not. When it comes to your choice of cutting tools, make sure you're getting the best tool for the job by considering mechanism, materials and the manufacturing process.



## It's not just a knife. It's a Benchmade.

### **Expect more.**

Our edged tools combine innovation, high technology and a hand-crafted finish.

### **We stand behind our products and craftsmanship.**

All Benchmade products are covered by our limited lifetime warranty and LifeSharp service.

### **The 3 M's set Benchmade apart.**

**MATERIALS:** Premium blade steels and strong, durable handle materials are built to last.

**MECHANISMS:** Patented locking mechanisms like our AXIS® lock provide reliability and enhanced function.

**MANUFACTURING:** Ultra-modern laser cutters and CNC machining centers offer the precision and control usually reserved for the aerospace industry.

# NSN/GSA PROCUREMENT

**For those of you currently active in the armed forces or law enforcement sectors and interested in purchasing a Benchmade knife, here are the options available to you for procurement.**

- Visit our Dealer Locator at [BENCHMADE.COM](http://BENCHMADE.COM) and enter your zip code to find your nearest dealer.
- Purchase certain Benchmade knives through the National Stocking System. (See below)
- Benchmade knives are offered by General Services Administration Federal Supply Service. Visit [GSAADVANTAGE.GOV](http://GSAADVANTAGE.GOV).
- Email us at [military@benchmade.com](mailto:military@benchmade.com) and you will be in direct contact with Benchmade's Fed/Gov Sales Department. Please be ready to email or fax your active military or law enforcement ID information to Benchmade and we will do our best to provide you with the tools you want, and most importantly deserve.



**5000SBK AUTO-PRESIDIO®**  
NSN 4220-01-546-0478  
page 10



**550SBKHG**  
NSN 5110-01-452-2215  
page 25



**550SHG**  
NSN 5110-01-451-0707  
page 25



**912SBKD2**  
NSN 5110-01-432-6191  
page 30



**140SBK NIMRAVUS®**  
NSN 1095-01-466-8569  
page 35



**7BLKW HOOK**  
NSN 4240-01-543-9618  
page 40



**8BLKW HOOK**  
NSN 4240-01-568-3219  
page 41





**AUTOS**

**BENCHMADE**

BENCHMADE DESIGN — MADE IN THE U.S.A.



## Another Auto AXIS® destined to become a classic.

- Auto AXIS® pull release with integrated safety
- 154CM stainless steel blade (58-61HRC)
- Black G10 handle scales and tip-up reversible clip



BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.125" (3.175mm)
OPEN	9.76" (24.79cm)
CLOSED	5.76" (14.64cm)
WEIGHT	7.30oz (207.83g)
HANDLE THICKNESS	0.60" (15.18mm)

### Configurations/MSRP

8600SBK \$275

# 3350 Mini-Infidel®

NEW

MCHENRY DESIGN — MADE IN THE U.S.A.

MOLLE  
COMPATIBLE



Our popular Infidel® out-the-front auto now comes in a slightly smaller package.

- Double action out-the-front auto
- Double edge spear-point blade with ambidextrous thumb-slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061 T-6 aluminum handle with removable deep pocket carry-clip
- Integrated cleaning port



BLADE LENGTH	3.10" (7.87cm)
BLADE THICKNESS	0.09" (2.28mm)
OPEN	7.10" (21.35cm)
CLOSED	4.00" (10.16cm)
WEIGHT	3.40oz (100.55g)
HANDLE THICKNESS	0.54" (13.71mm)

## Configurations/MSRP

3350	\$380
3350BK	\$395



# 3300/3310 Infidel®

MCHENRY DESIGN — MADE IN THE U.S.A.

MOLLE  
COMPATIBLE



## The Infidel's® out-the-front mechanism is smooth and rock solid.

- › Double action out-the-front auto
- › Double edge spear-point or utility drop-point blade with ambidextrous thumb-slide
- › 3300: D2 tool steel blade (60-62HRC); 3310 features a S30V premium stainless steel blade (58-60HRC)
- › Black anodized, machined 6061 T-6 aluminum handle with removable deep pocket carry-clip
- › Integrated cleaning port



	<b>3300</b>	<b>3310</b>
<b>BLADE LENGTH</b>	3.91" (9.93cm)	3.95" (9.9 cm)
<b>BLADE THICKNESS</b>	0.118" (2.99mm)	0.118" (2.99 mm)
<b>OPEN</b>	8.91" (22.63cm)	8.95" (22.7 cm)
<b>CLOSED</b>	5.00" (12.70cm)	5.00" (12.70 cm)
<b>WEIGHT</b>	4.90oz (138.91g)	4.90oz (128.91g)
<b>HANDLE THICKNESS</b>	0.59" (14.90mm)	0.59" (14.90 mm)

### Configurations/MSRP

3300	\$450
3300BK	\$465
3310	\$450
3310S	\$450
3310BK	\$465
3310SBK	\$465

LERCH DESIGN — MADE IN THE U.S.A.

## The perfect small, tactical gentleman's auto.

- › Push button auto with integrated safety
- › Clip-point blade
- › S30V premium stainless steel (58-60HRC)
- › Machined aluminum handle with G10 onlay



BLADE LENGTH	1.98" (5.02cm)
BLADE THICKNESS	0.10" (2.54mm)
OPEN	5.03" (12.77cm)
CLOSED	3.06" (18.03cm)
WEIGHT	2.10oz (62.10g)
HANDLE THICKNESS	0.35" (8.88mm)

### Configurations/MSRP

3150	\$160
3150BK	\$175

# 9555 Auto-Rift®

NEW

OSBORNE DESIGN — MADE IN THE U.S.A.



## Our classic Benchmade Rift® gets a boost with the auto AXIS® pull release for one-handed operation.

- Auto AXIS® pull release with integrated safety
- Reverse tanto blade style
- 154CM stainless steel blade (58-61HRC)
- Black G10 handle scales with 420J stainless steel liners and a removable carry-clip



BLADE LENGTH	3.67" (9.32cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	8.27" (21.00cm)
CLOSED	4.60" (11.68cm)
WEIGHT	4.80oz (136.08g)
HANDLE THICKNESS	0.56" (14.28mm)

### Configurations/MSRP

9555	\$235
9555S	\$235
9555BK	\$250
9555SBK	\$250

Note: Also available as a manual. See page 18.



# 5000 Auto-Presidio® 5500 Mini-Auto-Presidio® 5300 Auto-Presidio® Tanto

PARDUE DESIGN — MADE IN THE U.S.A.  
NSN: 4220-01-546-0478 (5000SBK)

MOLLE  
COMPATIBLE



**You'll have a sure grip with the Auto-Presidio® series.**

- › Auto AXIS® pull release with integrated safety
- › 154CM stainless steel blade (58-61HRC); 5000/5500 feature a drop-point; 5300 features a tanto blade
- › Black anodized, machined 6061 T-6 aluminum handle with double 420J liners and a removable steel carry-clip



5300SBK

5000SBK



5500SBK



5000T (red handle color)



Sheath front



Sheath back  
w/ malice clip

	5000/5300	5500
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.175mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	5.60oz (158.76g)	3.70oz (104.89g)
HANDLE THICKNESS	0.64" (1.63cm)	0.50" (1.26cm)

### Configurations/MSRP

5000	\$235
5000SBK	\$250
5000T	\$140
5300	\$235
5300SBK	\$250
5500	\$210
5500S	\$210
5500SBK	\$225

Note: Also available as a manual. See page 19.

# 5220 Auto Presidio® Ultra

## 5270 Mini-Auto Presidio® Ultra

PARDUE DESIGN — MADE IN U.S.A.



These tactical, lightweight autos deliver strength and speed in any situation.

- Auto AXIS® pull release with integrated safety
- 440C stainless steel (58-60HRC) drop-point blade
- Noryl GTX handle with reversible tip-up carry-clip



	5220	5270
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.175mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	4.80oz (136.07g)	3.10oz (87.88g)
HANDLE THICKNESS	0.64" (16.30mm)	0.50" (12.60mm)

### Configurations/MSRP

5220	\$200
5220S	\$200
5220BK	\$215
5220SBK	\$215
5270	\$180
5270S	\$180
5270BK	\$195
5270SBK	\$195

Note: Also available as a manual. See page 20.

# 9051/9052 AFO II

BENCHMADE DESIGN — MADE IN THE U.S.A.

**MOLLE**  
COMPATIBLE



The AFO II push button auto has become a proven tool used in all branches of the Armed Forces.

- Push-button automatic with integrated safety
- 9051 features a drop-point blade; 9052 features a tanto blade
- 154CM Stainless Steel blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with open backspacer, steel glass breaker and reversible steel carry-clip



BLADE LENGTH	3.56" (9.0cm)
BLADE THICKNESS	0.125" (3.175mm)
OPEN	8.51" (21.6cm)
CLOSED	4.95" (12.6cm)
WEIGHT	5.8oz (164.42g)
HANDLE THICKNESS	0.60" (15.23mm)

## Configurations/MSRP

9051	\$230
9051S	\$230
9051BK	\$245
9051SBK	\$245
9052	\$230
9052S	\$230
9052BK	\$245
9052SBK	\$245



# 9100 Auto Stryker® 9500 Mini-Auto Stryker®

BENCHMADE DESIGN — MADE IN THE U.S.A.

You'll appreciate the Auto-Stryker® for its tanto blade shape strength and sharpness.

- Push-button automatic with integrated safety
- 154CM stainless steel (58-61HRC) tanto blade
- Black anodized, machined 6061 T-6 aluminum handle with steel carry-clip



	9100	9500
BLADE LENGTH	3.70" (9.40cm)	2.95" (7.49cm)
BLADE THICKNESS	0.120" (3.05mm)	0.100" (2.54mm)
OPEN	8.25" (20.96cm)	7.21" (18.31cm)
CLOSED	4.68" (11.89cm)	4.26" (10.82cm)
WEIGHT	3.90oz (110.56g)	2.90oz (82.21g)
HANDLE THICKNESS	0.50" (12.70mm)	0.47" (11.90mm)

### Configurations/MSRP

9100SBK	\$245
9500SBK	\$205

# 2550 Mini Reflex™

BENCHMADE DESIGN — MADE IN THE U.S.A.

## Test your reflexes with this small, push-button auto.

- Push-button auto with integrated safety
- 154CM stainless steel (58-61HRC) utility drop-point blade
- Black anodized, machined 6061 T-6 Aluminum handle with steel carry-clip



BLADE LENGTH	3.16" (8.03cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	7.32" (18.59cm)
CLOSED	4.16" (10.57cm)
WEIGHT	2.70oz (76.54g)
HANDLE THICKNESS	0.47" (11.90mm)

### Configurations/MSRP

2550	\$190
2550SBK	\$205

# 3550

PARDUE DESIGN — MADE IN THE U.S.A.

The spearpoint blade shape of this small auto offers enhanced tip qualities.

- Push-button auto with Integrated Safety
- 154CM Stainless Steel (58-61HRC) spear-point blade
- Black anodized, machined 6061 T-6 aluminum handle with steel carry-clip



BLADE LENGTH	2.98" (7.57cm)
BLADE THICKNESS	0.090" (2.29mm)
OPEN	7.10" (18.03cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.80oz (79.38g)
HANDLE THICKNESS	0.47" (11.90mm)

## Configurations/MSRP

3550	\$190
3550SBK	\$205



# FOLDERS



BENCHMADE

# 580 Barrage® / 585 Mini-Barrage®

OSBORNE DESIGN — MADE IN THE U.S.A.



These spring assisted models combine speed and strength in one complete package.

- AXIS® Assist locking mechanism
- Drop-point blade with ambidextrous dual thumb-stud opener
- 154cm stainless steel blade (58-61HRC)
- Valox handle with 420J stainless steel liners and reversible bright split arrow clip



2009  
Knife of the Year



	580	585
BLADE LENGTH	3.60" (9.1cm)	2.91" (7.4cm)
BLADE THICKNESS	0.121" (3.07mm)	0.100" (2.54mm)
OPEN	8.35" (21.2cm)	6.91" (17.6cm)
CLOSED	4.75" (12.1cm)	4.00" (10.2cm)
WEIGHT	4.20oz (119.07g)	3.40oz ( 96.3g)
HANDLE THICKNESS	0.65" (16.51mm)	0.57" (14.47mm)

#### Configurations/MSRP

580	\$135
580S	\$135
580BK	\$150
580SBK	\$150
585	\$125
585S	\$125
585BK	\$140
585SBK	\$140

# 950 Rift™

OSBORNE DESIGN — MADE IN THE U.S.A.



Reverse tanto for toughness, large-bellied blade for utility cutting, and textured G10 handle scales help you get a firm grip on any situation.

- › AXIS® locking mechanism
- › Reverse tanto blade with ambidextrous dual thumb-stud opener
- › 154CM stainless steel blade (58-61HRC)
- › G10 handle scales with 420J stainless steel liners and a reversible tip-up carry-clip



950SBK



950-1

BLADE LENGTH	3.67" (9.32cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	8.27" (21.00cm)
CLOSED	4.60" (11.68cm)
WEIGHT	4.80oz (136.08g)
HANDLE THICKNESS	0.56" (14.28mm)

## Configurations/MSRP

950	\$180
950SBK	\$195
950-1	\$180
950SBK-1	\$195

# 520/523 Presidio® / 525 Mini-Presidio®

PARDUE DESIGN — MADE IN THE U.S.A.



**A multi-directional positive grip defines these tough, reliable folders.**

- ▶ AXIS® locking mechanism
- ▶ 520 and 525 feature a drop-point blade, 523 features a tanto blade; ambidextrous dual thumb-stud opener
- ▶ 154CM stainless steel blade (58-61HRC)
- ▶ Black anodized, machined 6061 T-6 aluminum handle with 420J stainless steel liners and a reversible steel carry-clip



	520/523	525
BLADE LENGTH	3.42" (8.69cm)	2.97" (7.59cm)
BLADE THICKNESS	0.125" (3.17mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	5.62oz (159.32g)	3.70oz (104.89g)
HANDLE THICKNESS	0.64" (16.25mm)	0.55" (13.84mm)

## Configurations/MSRP

520	\$180
520SBK	\$195
520T	\$120
523	\$180
523SBK	\$195
525	\$165
525S	\$165
525SBK	\$180



# 522 Presidio® Ultra

## 527 Mini-Presidio® Ultra

PARDUE DESIGN — MADE IN U.S.A.



**These tactical, lightweight folders deliver strength and speed in any situation.**

- AXIS® locking mechanism
- Hollow ground drop-point blade with ambidextrous dual thumb-stud opener
- 440C stainless steel blade (58-60HRC)
- Noryl GTX handles with reversible tip-up clip



522SBK

527SBK



Benchmade is pleased to partner with USA Shooting to help in their mission of preparing American athletes to win Olympic medals and promote shooting sports throughout the U.S. A portion of the proceeds from every unit sold will be donated to the USA Shooting Team. For more info, please visit [www.usashooting.org](http://www.usashooting.org). **527BK-USA \$105 527SBK-USA \$105**

NEW



	522	527
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.59cm)
BLADE THICKNESS	0.125" (3.175mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	4.8oz (136.07g)	3.1oz (87.88g)
HANDLE THICKNESS	0.64" (16.25mm)	0.55" (13.84mm)

### Configurations/MSRP

522	\$100
522S	\$100
522BK	\$115
522SBK	\$115
527	\$90
527S	\$90
527BK	\$105
527SBK	\$105



# 530

PARDUE DESIGN — MADE IN THE U.S.A.



## Thin is in with this sub two ounce folder.

- AXIS® locking mechanism
- Modified spear-point blade with ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Grivory® handle scales with 420J liners and a reversible steel carry-clip



BLADE LENGTH	3.25" (8.25cm)
BLADE THICKNESS	0.09" (2.28mm)
OPEN	7.42" (18.85cm)
CLOSED	4.17" (10.59cm)
WEIGHT	1.88oz (53.28g)
HANDLE THICKNESS	0.37" (9.39mm)

### Configurations/MSRP

530	\$100
530SBK	\$115

LUM DESIGN — MADE IN THE U.S.A.



## Bob Lum's first AXIS® Lock design embodies strength and smoothness.

- › AXIS® locking mechanism
- › Modified clip-point blade with ambidextrous dual thumb-stud opener
- › 154CM stainless steel blade (58-61HRC)
- › Black G10 handle scales with 420J stainless steel liners



BLADE LENGTH	4.16" (10.56cm)
BLADE THICKNESS	0.121" (3.07mm)
OPEN	9.63" (24.46cm)
CLOSED	5.47" (13.89cm)
WEIGHT	3.80oz (107.73g)
HANDLE THICKNESS	0.65" (16.51mm)

### Configurations/MSRP

741	\$180
741S	\$180
741BK	\$195
741SBK	\$195

# 710

MCHENRY DESIGN — MADE IN THE U.S.A.



**Our first folder to ever feature the AXIS® lock, the 710 is flat out a terrific piece of sports cutlery.**

- AXIS® locking mechanism
- Modified clip-point blade with dual thumb-stud opener
- D2 tool steel blade (60-62HRC)
- Black G10 handle scales with 410 stainless steel liners and a reversible tip-up carry-clip



BLADE LENGTH	3.90" (9.90cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.80" (22.34cm)
CLOSED	4.90" (12.44cm)
WEIGHT	4.50oz (128.0g)
HANDLE THICKNESS	0.48" (12.20mm)

#### Configurations/MSRP

710D2	\$165
710SBKD2	\$180

# 111H20 Folder / 110H20 Fixed

NEW

BENCHMADE DESIGN — MADE IN THE U.S.A.



**Our new water knives offer great corrosion resistance, cutting ability and edge retention.**

- AXIS® locking mechanism on folder; Blunt tip on fixed blade
- N680 (57-60HRC) highly corrosion resistant blade steel
- 111H20: Modified sheepsfoot blade style with ambidextrous thumb-stud opener and Grivory® handle scales
- 110H20: Santoprene® handle, plastic molded sheath with single push-button lock release and PFD compatible clip



111H20 Folder

110H20 Fixed

	<b>110H20 Fixed</b>
<b>BLADE LENGTH</b>	3.43" (8.71cm)
<b>BLADE THICKNESS</b>	0.116" (2.94mm)
<b>OVERALL LENGTH</b>	7.56" (19.20cm)
<b>WEIGHT</b>	3.10oz (91.67g)
<b>SHEATH WEIGHT</b>	1.10oz (32.53g)
<b>HANDLE THICKNESS</b>	0.47" (11.93mm)

	<b>111H20 Folder</b>
<b>BLADE LENGTH</b>	3.45" (8.76cm)
<b>BLADE THICKNESS</b>	0.114" (2.90mm)
<b>OPEN</b>	8.30" (20.32cm)
<b>CLOSED</b>	4.62" (11.73cm)
<b>WEIGHT</b>	4.90oz (139.50g)
<b>HANDLE THICKNESS</b>	0.522" (13.26mm)

## Configurations/MSRP

110H20-BLK	\$100
110SH20-BLK	\$100
110H20-YEL	\$100
110SH20-YEL	\$100
111H20-BLK	\$120
111SH20-BLK	\$120
111H20-YEL	\$120
111SH20-YEL	\$120



# GRIPTILIAN®

PARDUE DESIGN — MADE IN THE U.S.A.



**AXIS® lock reliability, textured molded handle scales and premium blade steel make the Griptilian® the ultimate light-weight carry. All of our Griptilian® models feature the following:**

- AXIS® locking mechanism with dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Valox® handle with 420J stainless steel liners and a reversible steel carry-clip

	<b>550HG, 551, 553</b>	<b>555HG, 556, 557</b>
<b>BLADE LENGTH</b>	3.45" (8.76cm)	2.91" (7.38cm)
<b>BLADE THICKNESS</b>	0.115" (2.92mm)	0.100" (2.54mm)
<b>OPEN</b>	8.07" (20.50cm)	6.78" (17.21cm)
<b>CLOSED</b>	4.62" (11.73cm)	3.87" (9.82cm)
<b>WEIGHT</b>	3.25oz (92.13g)	2.56oz (72.57g)
<b>HANDLE THICKNESS</b>	0.64" (16.29mm)	0.51" (12.95mm)



# 550HG / 555HG

## Thumb-hole

Hollow ground modified sheepsfoot blade with ambidextrous functioning thumb-hole opener.



### Configurations/MSRP

550HG	\$105	550T	\$80	555SBKHGOD	\$110
550SHG	\$105	(440C Stainless Steel)		555SHG-BLU	\$95
550SBKHG	\$120	555HG	\$95	555SHG-YEL	\$95
550SBKHGOD	\$120	555SHG	\$95	555HG-PNK	\$95
550SBKHGNS	\$125	555SBKHG	\$110	555SHG-PNK	\$95

# 551 / 556

## Thumb-stud

Modified drop-point blade with ambidextrous thumb-stud opener.



The 551H20 features a corrosion resistant X15 T.N Stainless Steel blade(58-60HRC).

### Configurations/MSRP

551	\$105	551SBK-ORG	\$120	556	\$95	556S-BLU	\$95
551S	\$105	551SBKSN	\$125	556S	\$95	556-YEL	\$95
551SBK	\$120	551H20	\$125	556SBK	\$110	556S-YEL	\$95
551SBKOD	\$120	551SH20	\$125	556SBKOD	\$110	556-PNK	\$95
551-ORG	\$105	551T		556-BLU	\$95	556S-PNK	\$95
551S-ORG	\$105	(440C Stainless Steel)	\$80				

**553 / 557**

**Tanto**

Tanto blade with ambidextrous thumb-stud opener.



553S

557SBK

Sand



Olive Drab



**Configurations/MSRP**

553	\$105	557	\$95
553S	\$105	557S	\$95
553SBK	\$120	557SBK	\$110
553SBKOD	\$120	557SBKOD	\$110
553SBKSN	\$125	557SBKSN	\$115

# 551 H2O

**GRIP TILIAN THAT RESISTS CORROSION  
FROM FRESH OR SALT WATER.**



Designed specifically for Coast Guard  
and other maritime professionals.

See page 26 for details.

SIBERT DESIGN — MADE IN THE U.S.A.

**A stout titanium monolock designed by Shane Sibert.  
Overbuilt? Absolutely!**

- › Titanium mono-lock mechanism
- › Tactical drop-point blade with ambidextrous dual thumb-stud opener
- › M390 super steel blade (60-62HRC)
- › Titanium and G10 handles with titanium tip-down carry clip



BLADE LENGTH	3.40" (8.63cm)
BLADE THICKNESS	0.164" (4.16mm)
OPEN	6.90" (17.52cm)
CLOSED	3.80" (9.65cm)
WEIGHT	5.50oz (156.58g)
HANDLE THICKNESS	0.61" (15.50mm)

**Configurations/MSRP**

755	\$235
755BK	\$250

# 760BK LFTI™

LUM DESIGN — MADE IN THE U.S.A.

**Legendary designer Bob Lum's legacy continues with this rock steady Ti-Monolock.**

- Titanium Mono-lock
- Tanto blade with ambidextrous thumb-studs
- CPM-M4 tool steel blade (60-62HRC)
- Sandblasted finish handle with tip-down carry-clip



BLADE LENGTH	4.00" (10.2cm)
BLADE THICKNESS	0.15" (9.81mm)
OPEN	9.00 (22.9cm)
CLOSED	5.00" (12.70cm)
WEIGHT	5.00" (147.89g)
HANDLE THICKNESS	0.45" (11.43mm)

#### Configurations/MSRP

760BK	\$270
760SBK	\$270



# 912D2/913D2 Nitrous™ Stryker® 906D2/907D2 Mini-Nitrous™ Stryker®

BENCHMADE DESIGN — MADE IN THE U.S.A.

NSN# 5110-01-432-6191 (912SBKD2)

The Nitrous™ Stryker® family features multiple blade styles and sizes.

- Modified locking-liner with Nitrous™ Assist mechanism
- D2 tool steel blade (60-62HRC); 912/906 feature a modified tanto; 913/907 feature a modified spear-point
- Ambidextrous thumb-stud opener
- Black G10 handle scales with titanium liners



	912/913	906/907
BLADE LENGTH	3.70" (9.00cm)	3.00" (7.62cm)
BLADE THICKNESS	0.125" (3.18mm)	0.100" (2.54mm)
OPEN	8.25" (20.96cm)	7.25" (18.42cm)
CLOSED	4.68" (11.89cm)	4.25" (10.80cm)
WEIGHT	3.80oz (108.02g)	2.80oz (79.38g)
HANDLE THICKNESS	0.48" (12.04mm)	0.45" (11.35mm)

### Configurations/MSRP

912D2	\$150
912SBKD2	\$165
913D2	\$150
913SBKD2	\$165
906D2	\$140
906SBKD2	\$155
907D2	\$140
907SBKD2	\$155





**FIXED**

**BENCHMADE**

# 172 Tomahawk

NEW

KILLIAN DESIGN — MADE IN THE U.S.A.

**MOLLE**  
COMPATIBLE

The 1095 blade material and contoured G10 handle makes this tomahawk a very dynamic tool.

- 1095 carbon blade steel (57-60HRC)
- Full-tang handle with G10 scale
- Wedged end for prying
- Apple seed mill bevel for increased edge life



HEAD LENGTH	7.50" with 3.50" edge face
SPIKE LENGTH	3.50" (8.90cm)
BLADE THICKNESS	0.360" (9.14mm)
OVERALL LENGTH	16.25" (41.27cm)
WEIGHT	36.8oz (1047.69g)
HANDLE THICKNESS	0.96" (24.38mm)

#### Configurations/MSRP

172BK \$325

# 150BKSN Marc Lee "Glory" Knife

KILLIAN DESIGN — MADE IN THE U.S.A.

**MOLLE**  
COMPATIBLE

**This knife honors the fearless actions and heroic behavior of Petty Officer Second Class Marc Alan Lee, the first Navy SEAL to be killed in Iraq since the war began in 2003.**

- 154CM (58-61-HRC) stainless steel re-curve blade
- Machined G10 handle applied with coyote brown BK1
- Multi-function nylon soft sheath

*Marc Lee was part of a dedicated Naval Special Warfare team fighting the insurgency in Iraq, supporting the U.S. in its efforts to bring peace and stability to that country. His valorous conduct, exemplary leadership, and extraordinary self-sacrifice for his fellow service members have earned him the highest respect and gratitude of his fellow SEALs, the Navy, and our nation. A portion of the proceeds from every knife sold will be donated to the Marc Lee Foundation—visit [marcleefoundation.org](http://marcleefoundation.org) for more details.*

**MARC LEE  
GLORY  
FOUNDATION**



BLADE LENGTH	7.30" (18.5cm)
BLADE THICKNESS	0.19" (4.83mm)
OVERALL LENGTH	12.50" (31.8cm)
WEIGHT	10.10oz (286.33g)
HANDLE THICKNESS	0.75" (19.05mm)
SHEATH WEIGHT	4.80oz (136.07g)

#### Configurations/MSRP

150BKSN \$350

# 147BK Nim Cub II™

BENCHMADE DESIGN — MADE IN THE U.S.A.

**MOLLE**  
COMPATIBLE

**This compact fixed blade was designed in collaboration with elite military airborne personnel.**

- › 15.4CM (58-61HRC) stainless steel modified tanto blade
- › Noryl GTX handle with textured finish
- › Ambidextrous molded nylon friction fit sheath
- › Parachutist retention strap



BLADE LENGTH	3.50" (8.9cm)
BLADE THICKNESS	0.115" (2.92mm)
OVERALL LENGTH	7.87" (20.0cm)
WEIGHT	3.20oz (90.72g)
HANDLE THICKNESS	0.59" (14.90mm)
SHEATH WEIGHT	1.10oz (31.18g)

#### Configurations/MSRP

147BK	\$135
147SBK	\$135

# 140/141 Nimravus®

BENCHMADE DESIGN — MADE IN THE U.S.A.  
 NSN# 1095-01-466-8569 (140SBK)

**NSN**  
 PRODUCT

**MOLLE**  
 COMPATIBLE

The Nimravus fixed blade has a large finger groove for added control.

- 154CM Stainless Steel blade (58-61HRC); 140 features a drop-point blade; 141 features a modified tanto blade
- Full-tang, anodized machined 6061 T-6 aluminum handle
- Includes multi-function nylon sheath



Other sheath options available separately. See page 47.

	140	141
BLADE LENGTH	4.50" (11.43cm)	4.50" (11.43cm)
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)
OVERALL LENGTH	9.45" (24.00cm)	9.45" (24.00cm)
WEIGHT	6.20oz (174.95g)	5.86oz (161.13g)
HANDLE THICKNESS	0.58" (14.79mm)	0.58" (14.79mm)
SHEATH WEIGHT	5.00oz (141.75g)	5.00oz (141.75g)

### Configurations/MSRP

140BK	\$175
140SBK	\$175
140SBKSN	\$190
140SBKADC	\$190
140T (440C Stainless Steel)	\$130
141BK	\$175
141SBK	\$175
141SBKSN	\$190
141SBKADC	\$190



# 158 CSKII

BENCHMADE DESIGN — MADE IN THE U.S.A.

**MOLLE**  
COMPATIBLE

**Tactile soft surfaced handle grip and thick blade construction provides added tool strength under tough circumstances.**

- Combat/survival clip-point blade
- Black powder coated 1095 carbon steel blade (57-60HRC)
- Black Santoprene® handle
- Includes multi-function black leather sheath



BLADE LENGTH	6.00" (15.24cm)
BLADE THICKNESS	0.180" (4.57mm)
OVERALL LENGTH	10.75" (27.31cm)
WEIGHT	7.50oz (212.62g)
HANDLE THICKNESS	0.88" (20.29mm)
SHEATH WEIGHT	6.50oz (184.27g)

### Configurations/MSRP

158BK	\$100
158SBK	\$100

# 175CBK

BENCHMADE DESIGN — MADE IN THE U.S.A.

## A versatile push dagger designed for durability and strength.

- › 440C (58-60HRC) stainless steel double edge spear-point with chisel ground edge
- › Vinyl coated handle, full-tang
- › Molded Kydex®/thermoplastic sheath with reversible belt-clip to fit up to a 2-inch duty belt



BLADE LENGTH	2.50" (6.35cm)
BLADE THICKNESS	0.125" (3.175mm)
OVERALL LENGTH	5.47" (13.893cm)
WEIGHT	2.32oz (65.77g)
HANDLE THICKNESS	0.25" (6.35mm)

### Configurations/MSRP

175BK \$90

# RESCUE HOOKS

Flak jackets, tubular webbing, leather boots, Kevlar, seatbelts, and para-cords are just some of the materials you can cut through quickly and reliably in an emergency situation. All hooks made alongside our knives in the U.S.A.



## 9CB HOOK

NEW

BENCHMADE DESIGN - MADE IN THE U.S.A.

This new safety cutter has the ability to cut up to 1/2" diameter of rope and features a retractable safety blade cover. A carabineer clip and bottle opener completes the package.

- › Grivory® handle material
- › Premium stainless blade steel
- › Carabineer clip and bottle opener



BLADE OPENING	0.055" (1.39mm)
OVERALL LENGTH	5.19" (13.18cm)
WEIGHT	0.80oz (22.77g)
HANDLE THICKNESS	0.522" (13.26mm)

### Configurations/MSRP

9CB-BLK	\$25
9CB-YEL	\$25

# 5 HOOK

BENCHMADE DESIGN - MADE IN THE U.S.A.

**MOLLE**  
COMPATIBLE

**Unparalleled rapid response cut ability with a safe deployment design.**

- 440C stainless steel (58-60HRC)
- Black oxide or satin finish
- Finger hole 1.12" (2.85cm)
- Soft sheath is nylon webbing with Velcro® closure and MOLLE® compatible
- Hard sheath is molded Delrin® snap-fit



standard  
hard sheath

standard  
soft sheath



Black 5 Hook also available.  
O2 wrench available in satin finish only



5BLKWADC Sheath



5BLKWSN Sheath

BLADE OPENING	0.50" (1.27cm)
BLADE THICKNESS	0.115" (2.92mm)
OVERALL LENGTH	2.90" (7.37cm)
WEIGHT	1.20oz (33.97g)
HANDLE THICKNESS	0.26" (6.85mm)
SOFT SHEATH WT	0.60oz (16.97g)
HARD SHEATH WT	0.36oz (10.21g)

## Configurations/MSRP

5 (Hard Sheath)	\$30
5BLK (Hard Sheath)	\$30
5W (Soft Sheath)	\$30
5BLKW (Black Soft Sheath)	\$30
5BLKWSN (Coyote Soft Sheath)	\$30
5BLKWADC (Foliage Green Soft Sheath)	\$30

# 7 Hook

BENCHMARK DESIGN — MADE IN THE U.S.A.  
NSN# 4240-01-543-9618 (7BLKW)

**MOLLE**  
COMPATIBLE

The 7 Hook offers a handle with vinyl coating for enhanced grip.

- 440C stainless steel (58-60HRC); 7H20 features X15-TN stainless steel (58-60HRC)
- Black powder coat finish with vinyl handle coating
- Nylon webbing pouch with Velcro® closure and retention band

ONE CHANCE  
ONE CUT.



H20 7Hooks feature corrosion resistant steel to withstand fresh and saltwater applications.



7BLKWADC



7BLKWSN

BLADE OPENING	0.50" (12.67mm)
BLADE THICKNESS	0.093" (2.36mm)
OVERALL LENGTH	4.30" (10.92cm)
WEIGHT	1.50oz (42.97g)
HANDLE THICKNESS	0.26" (6.85mm)
SHEATH WEIGHT	1.60oz (45.36g)

### Configurations/MSRP

7BLKW (Black Sheath)	\$30
7BLKWADC (Foliage Green Sheath)	\$30
7BLKWSN (Coyote Brown Sheath)	\$30
7H20W	\$50
7BH20W	\$50

7BLKW NSN: 4240-01-543-9618



# 8 HOOK

BENCHMADE DESIGN - MADE IN THE U.S.A.  
 NSN# 4240-01-568-3219 (8BLKW)

NSN  
 PRODUCT

**MOLLE**  
 COMPATIBLE

## The larger handle area offers a safe deployment design for a heavy gloved grip.

- 440C stainless steel (58-60HRC)
- Full-Tang handle with black powder coat finish
- Soft sheath: nylon webbing pouch with Velcro® closure and retention band  
 Hard sheath: molded nylon friction fit with secondary lanyard snap closure



8 Hook variations for Medic or Explosive Ordnance Disposal professionals.

BLADE OPENING	0.50" (1.27cm)
BLADE THICKNESS	0.093" (2.36mm)
OVERALL LENGTH	6.50" (16.51cm)
WEIGHT	1.50oz (42.97g)
HANDLE THICKNESS	0.114" (2.89mm)
SHEATH WEIGHT	hard .6oz; soft .4oz

### Configurations/MSRP

8BLK	\$30
8BLKW	\$30
8BLKWADC	\$30
8BLKWSN	\$30

# 1100 PEN SERIES

BENCHMADE DESIGN — MADE IN THE U.S.A.

With all the different color and material variations, you're sure to find an 1100 pen to fit your needs. Featuring the new 1101 with a carbide tip for glass breaking capability.

- › Ergonomic knurling pattern
- › Anodized aluminum or stainless steel body
- › Cap securely snaps open or closed
- › Fisher ink cartridges- refills available at [www.benchmade.com](http://www.benchmade.com)

## ALUMINUM



1100-1 (Blue Ink)



1100-2 (Black Ink)

NEW



1101-1 (Blue Ink)

1101-2 (Black Ink and Tip)



Carbide tip breaks glass



1100-5 (Blue Ink)

1100-6 (Black Ink)



1100-7 (Blue Ink)



1100-8 (Black Ink)



1100-9 (Blue Ink)

1100-10 (Black Ink)

## STAINLESS STEEL



1100-3 (Blue Ink)

1100-4 (Black Ink)

PEN THICKNESS	0.50" (1.27cm)
OPEN W/OUT CAP	5.10" (12.97cm)
CLOSED W/ CAP	5.33" (13.54cm)
ALUMINUM WEIGHT	1.30oz (36.85g)
STAINLESS WEIGHT	3.20oz (90.72g)

### Configurations/MSRP

Aluminum	\$120
-Carbide tip	\$130
Stainless Steel	\$180

(See above for colors, SKUs and ink colors)

**Low profile, slim tactical sizing and non-reflective anodized components for tactical applications.**

- › CNC machined aluminum body
- › Screw cap
- › Fisher ink cartridges- refills available at [www.benchmade.com](http://www.benchmade.com)



**1150**



**1155**

PEN THICKNESS	0.39" (1.00cm)
OPEN W/OUT CAP	4.38" (11.13cm)
CLOSED W/ CAP	4.56" (11.58cm)
WEIGHT	0.50oz (14.17g)

**Configurations**  
MSRP \$100

1150-1	Blue Ink
1150-2	Black Ink
1155-1	Blue Ink
1155-2	Black Ink

**These classy pens make the perfect gentleman's gift.**

- › CNC machined aluminum with heavy knurl pattern
- › Cap securelts snaps open or closed
- › Fisher ink cartridges- refills available at [www.benchmade.com](http://www.benchmade.com)



**1200**



**1210**



	<b>1200</b>
PEN THICKNESS	0.39" (1.00cm)
OPEN W/OUT CAP	5.03" (13.80cm)
CLOSED W/ CAP	5.98" (15.17cm)
WEIGHT	0.95oz (26.93g)

	<b>1210</b>
PEN THICKNESS	0.58" (1.47cm)
OPEN W/OUT CAP	5.78" (14.70cm)
CLOSED W/ CAP	6.00" (15.26cm)
WEIGHT	1.30oz (36.85g)

**Configurations**  
MSRP \$150

1200-1	Silver / Blue ink
1200-2	Silver / Black Ink
1200-3	Black / Blue Ink
1500-4	Black / Black Ink
1210-1	Blue Ink
1210-2	Black Ink

# HOUDINI™

## AUTOMOTIVE ESCAPE TOOLS

THE RESCUE TOOL THAT COULD SAVE YOUR LIFE.

### WINDOW BREAKER

Spring-loaded tempered glass punch lets you safely exit your vehicle.



### SEATBELT CUTTER

Quickly frees you, even when you're upside down.



### LED FLASHLIGHT

5-lumen lamp lights the way with approximately 10 hours of runtime.



### SAFETY WHISTLE

(only available on 30100)  
Signals for help up to a 1/4 mile away.



**BREAK. CUT. ESCAPE.**

[WWW.HOUDINITOOL.COM](http://WWW.HOUDINITOOL.COM)



**HOUDINI**  
30100

**HOUDINI PRO**  
30210 & 30200



JOURNAL OF EMERGENCY MEDICAL SERVICES  
HOT PRODUCT OF 2009

PRODUCT	PART #	MSRP
Houdini Pro	30200 (yellow)	\$40.00
Houdini Pro	30210 (black)	\$40.00
Houdini Keychain	30100	\$25.00

Part # 30200 & 30210 formerly  
Benchmade ERT 10105-YEL & 10105-BLK





## SPECIAL SERVICES

There's more to Benchmade than just great knives. We also offer you the service and support to back up or enhance the performance of our knives. From the finest customer service in the industry to branded clothing and specialty items — it's all available for you to take advantage of. And if you find that something is missing or needs improvement, we want to hear about it.



We will gladly resharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We'll not only sharpen it, we will also inspect the knife for any warranted repairs and "tune" the knife for optimum performance. Ship the knife to the Benchmade address, postage paid and insured. Please enclose your return shipping address with \$5.00 to cover return shipping charges.



### LASER MARKING

Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed either on the blade, or in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit [www.benchmade.com/lasermark](http://www.benchmade.com/lasermark). Basic set-up charges and quantity restrictions do apply.



# EXTRAS/ATTACHMENTS

**NEW**



## Folding tool kit

Keep your Benchmade knife in tune with this 12 piece folding tool kit plus sharpener. Carry case included.

985995F Folding Tool .....\$35.00



## Blue Box

Various bit sizes with a bit holder/extension; molded plastic case which doubles as the handle.

981084F Blue Box..... \$20.00




## Bluelube™ Bluelube™ Cleaner

Clean, lubricate and protect your Benchmade.

983901F – BLUELUBE™ Cleaner (4oz bottle)..... \$10.00

983900F – BLUELUBE™ (1.25oz bottle w/ nozzle)..... \$8.00



## Benchmade Knife Sharpeners

### A. The Tactical Pro Sharpener

Easy everyday carry with a ceramic honing surface. Length 3.00"

983902F – Tactical Pro Sharpener ..... \$25.00

### B. The Mini-Tactical Pro

Smaller version of the Tactical Pro. Length 2.00"

983903F – Mini-Tactical Pro Sharpener ..... \$20.00

### C. Combo Sharpener

Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt-carry. Length 5.75"

985547F – Combo Edge Sharpener.....\$30.00

## Sheath Accessories

We offer several carry accessories so you can modify your Benchmade sheaths to suit your carry needs.

(NOTE: Some items are limited to model specific applications, and individual lash tabs not pictured).

D. 981607F – Metal-Clip w/lash tab (fits Model 5, 100, 140, 141, 145, 160, 175, 10510)..... \$10.00

E. 981608F – Molded Belt-Loop w/bridge (fits Model 100, 140, 141, 145) ..... \$15.00

F. 981609F – Tek-Lok®, large size..... \$10.00

G. 981610F – Perma-Clips® for large Tek-Lok (set of 2).... \$4.00

H. 981611F – Carry-Strap w/4-way lash-tab ..... \$10.00

981612F – Lash-Tab, sewn onto clothing or gear (not shown).....\$5.00



## Folder Pouch/Soft Sheaths

Snap-buckle closure flap, can be worn as a belt carry, or lashed to a shoulder strap with the Velcro® lash straps. Made in China.

I. 983170F – Folder Pouch, Black..... \$15.00

All soft sheaths are 1680 denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

J. 981086F – Soft Sheath, Small (1.625" W x 5" D), black..... \$10.00

981087F – Soft Sheath, Large (2" W x 5.25" D), black..... \$10.00

981717F – Soft Sheath, 4" Bali-Song Series, black..... \$10.00


K. 985899F Bali-Song® Sheath fits 4" models ..... \$35.00



## 5 Hook/7 Hook/8 Hook Sheaths (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the Malice® clip (sold separately). Made in USA.

- |  |  |
|--|--|
| <b>MOLLE 5 Hook Pouch</b> .....\$8.00  | <b>MOLLE 8 Hook Molded Sheath</b> .. \$15.00 |
| A. 981494F – Black                     | G. 985913F – Black                           |
| B. 983856F – Foliage Green             | 985914F – Foliage Green (not shown)          |
| C. 983855F – Coyote                    | 985915F – Coyote (not shown)                 |
| <b>MOLLE 7 Hook Pouch</b> .....\$10.00 | <b>MOLLE 8 Hook Pouch</b> .....\$12.00       |
| D. 984166F – Black                     | H. 985398F – Black                           |
| E. 984205F – Foliage Green             | 98570F – Foliage Green (not shown)           |
| F. 984204F – Coyote                    | 985569F – Coyote (not shown)                 |



## MOLLE® COMPATIBLE

Benchmade does not currently manufacture any MOLLE® mounting vests. We simply produce the finest systems for mounting our knives to them, or wherever and however you choose to carry your knife.

## Knife Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the Malice® clip (included). Heavy stitch and elasticized fit offer a true fit. Made in USA.

- MOLLE Folder Pouch** ..... \$20.00  
 983466F - Black  
 983853F - Foliage Green  
 983467F - Coyote



## 140/141 Fixed Sheath (MOLLE® Compatible)

Sheaths come standard with Malice® clip and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure snugs the handle. Made in USA.

- MOLLE® Fixed Soft Sheath** ..... \$50.00  
 983468F - Black  
 983854F - Foliage Green  
 983469F - Coyote



## 155/158 Fixed Sheath Kit

Based on the 140/141 soft sheaths. Built tough enough for any mission. Made in USA.

- MOLLE Fixed Sheath** ..... \$60.00  
 984143F – Black  
 984145F – Coyote (not shown)  
 984144F – Foliage Green (not shown)



## Malice® Clips

Injection molded connecting-clip to attach sheaths to Molle® systems, or to use as a belt loop style carry. Clips securely closed with a snap-lock.

- 983551F – Large Malice® Clip (4.75" size) ..... \$2.00  
 983550F – Small Malice® Clip (3" size) ..... \$1.50



# ALL NEW CLOTHING FOR 2010



## Get a Grip

Long Sleeve, White  
M, L, XL, 2XL ..... \$30.00



## It's Not Just a Knife

Long Sleeve, Black  
M, L, XL, 2XL ..... \$30.00



Front detail Back

## Tribal Butterfly

Long Sleeve, Black  
M, L, XL, 2XL ..... \$30.00



## Crest of Flight

Short Sleeve Tee, White  
M, L, XL, 2XL ..... \$20.00



## Eagle Wings

Short Sleeve Tee, White  
M, L, XL, 2XL ..... \$20.00



## Tribal Band

Slimmer Fit Short Sleeve Tee, Asphalt Grey  
MENS - M, L, XL, 2XL ... \$20.00  
LADIES - S, M, L, XL .... \$20.00



## Sting Like a Butterfly

Long Sleeve Hoodie, Black  
M, L, XL, 2XL ..... \$40.00



Front Left Chest Back

## Failure is Not an Option

Short Sleeve Tee, Black  
M, L, XL, 2XL ..... \$20.00




## No Time for Maybe

Short Sleeve Tee, Black  
M, L, XL, 2XL ..... \$20.00

# LOCKING MECHANISMS

Seems simple enough. You open the knife, you close the knife. But it's the mechanics of motion that happens in the process of opening and closing which can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.



## AXIS®

A patented Benchmade exclusive, AXIS has been turning heads and winning fans ever since its introduction. A 100-percent ambidextrous design, AXIS gets its function from a small, hardened steel bar which rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners, and is positioned over the rear of the blade. It engages a ramped, tang portion of the knife blade when it is opened. Two omega style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS bar itself.




## MODIFIED LOCKING-LINER

The basic principle is an integral locking bar within the knife liner being stress bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right or left hand specific). And with a modified locking-liner you get a patented feature which helps to enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made and also the quality of the materials used. With Benchmade, you get both.



## NAK-LOK™

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok, the possibility of personal injury is greatly reduced with the opening finger never crossing the blades path.



## MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one in the same as the knife handle, and thus it is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle, and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.



## NITROUS™

Another patented Benchmade exclusive, the Nitrous boosts the blade with ease. As the blade is closed the two torsion arms which run the length of the handle liners are secured in place and make contact with the blade tang. As tensioned against the blade tang, the user rotates the blade open to a 30-degree angle, the torsion arms take over and continue the blade opening process on its own. The huge advantages to the Nitrous design over other similar concepts, is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

# BLADE STEELS & FINISHES

Benchmade uses a variety of modern materials specially selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a custom quality cutting tool, then it only makes sense to build it with materials that compliment its form and enhance its function.

## 154CM

An American-made premium grade stainless steel originally developed for tough industrial applications. Known for its best all-around qualities, it offers great corrosion resistance with good toughness and edge quality.

## S30V

An American-made and developed premium grade stainless steel created especially for knives. It is a powder-made steel with a uniform carbide distribution and clean steel properties. As a blade material, it offers excellent corrosion resistance and superb edge qualities.

## CPM-M4

Special purpose, high-speed steel with a combination of high Carbon, Moly, Vanadium and Tungsten for excellent wear resistance and toughness. A powder-metal, non stainless steel.

## D2

An air-hardened tool steel that offers good corrosion resistance and excellent wear resistance. A good choice for hard use applications.

## 440C

A high-chromium stainless steel with a terrific balance of good hardness and corrosion resistance. 440C takes a nice edge and is fairly easy to resharpen. An excellent value-priced steel for its performance.

## M390

A high performance blade steel with superior cutting ability and wear resistance due to its high concentration of Vanadium and Chromium carbides. Its unique powder metallurgical process also promotes a uniform carbide distribution and clean steel properties, making M390 a popular steel used in surgical cutting instruments. As a blade material it offers excellent corrosion resistance due to its high concentration of Chromium.

## N680

A Chromium-Molybdenum steel with the addition of Nitrogen. Excellent corrosion resistance properties, especially in salt water. Good hardenability and high obtainable hardness. High wear resistance and ability to preserve keenness.

## N690

An Austrian made stainless steel, which is comparable to 440C in performance and value. Keen edge qualities with great corrosion resistance.

## X15-TN

This French steel was developed for the aircraft industry for jet ball bearings, as well as the medical industry for scalpels. It has the ability to resist rust in the worst of conditions while maintaining ample edge retention. The capability behind this steel is in the way it is manufactured, resulting in the finest steel for use in harsh environments such as salt water. The edge on an X-15-TN blade is easier to maintain.

STEEL	CARBON	CHROMIUM	COBALT	NITROGEN	MANGANESE	MOLYBDENUM	NICKEL	PHOSPHOROUS	SILICON	SULPHUR	TUNGSTEN	VANADIUM	HRC
154CM	1.05	14.00	-	-	0.50	4.00	-	-	0.30	-	-	-	58-61
S30V	1.45	14.00	-	-	0.50	2.00	-	-	0.50	-	-	4.00	58-60
X15-TN	0.40	16.00	-	-	-	2.00	-	<0.02	-	<0.005	-	0.25	58-60
M2	0.85	4.15	-	0.30	0.30	5.00	0.30	-	0.30	-	5.50-6.75	1.95	58-60
D2	1.50	12.00	-	0.30	0.60	1.00	0.30	-	0.60	-	-	1.00	60-62
M390	1.90	20.00	-	-	0.30	1.00	-	-	0.60	-	0.60	4.00	60-62
N680	0.54	17.30	-	+N	0.40	1.10	-	-	0.45	-	-	0.10	58-60
N690	1.07	17.00	1.50	-	0.40	1.10	-	-	0.40	-	-	0.10	58-60
440C	0.75	17.00	-	-	1.00	0.75	-	0.04	1.00	0.03	-	-	58-60
8CR14MOV	0.75	14.50	-	-	1.00	0.20	-	0.03	1.00	0.03	-	0.20	57-58
AUS-8	0.75	14.00	-	0.49	0.50	0.10	0.49	0.04	1.00	0.03	-	0.20	58-59
1095	1.00	-	-	-	0.40	-	-	0.04	-	0.05	-	-	57-60
9CR13COMOV	0.85	13.50	1.00	-	1.00	0.20	-	-	-	-	-	0.20	58-60
CPM-M4	1.42	4.0	-	-	-	5.25	-	-	-	-	5.50	4.00	60.62



## DAMASCUS

A specially forged, layered steel made up of a variety of steels. It offers remarkable toughness and edge quality. For finishing, the surface layers or lines are exposed through an acid etch which creates a very unique visual effect. Used in special applications due to its inherent high cost and artistic nature.

## BK1® COATING

A matte black coating that provides excellent corrosion protection exceeds the ASTM-117 spec for saltwater, and possesses higher scratch resistance.

## BPI COATING

Black Pearl (BP) is a PVD (physical vapor deposition) coating made up of Titanium Carbo-Nitride (TiCN). It is a darker, near black, scratch-resistant coating with nice decorative qualities.

## COMBOEDGE®

It denotes our partial serration on the plain edge blade configuration. Benchmade's serration pattern offers ideal cutting ability for fibrous materials such as webbing, straps, netting or rope.

## HEAT-TREATMENT

Over the years we have developed a "special recipe" for heat-treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and Benchmade superior performance. All steels may be created equally, but that is where it stops when it comes to Benchmade.

## HANDLES

### CARBON FIBER

A contemporary, premium composite of thin strands of carbon tightly woven into various weave patterns, then set in resin, which is most commonly clear but can be color tinted. It offers great looks and is exceptionally strong for its minimal weight.

### MICARTA

Layers of linen cloths soaked in resin and pressured together. Most commonly used on more stylish knives due to its rich color finish qualities.

### 6061 T-6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

### NORYL GTX®

A modern engineered plastic offering high-strength, low flex, and lightweight properties. Molded to form.

### G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under climate change. Most commonly black, but is available in various colors too

### ZYTEL®

A lightweight glass-filled nylon engineered for strength and durability. Widely used throughout the auto industry in engine-related components. Molded to form.

## KYDEX®

A mixture of acrylic and PVC which offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industry. Molded or thermo-formed.

## DELTRIN®

A lightweight and durable engineered polymer with low-wear properties. Used throughout the auto industry. Molded to form.

## VALOX®

A reinforced resin with excellent stiffness, strength, and dimensional stability. Molded to form.

## GRIVORY®

An amorphous nylon copolymer with exceptional dimensional stability.

## ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

## SANTOPRENE®

A thermoplastic elastomer which is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistance to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

## LINERS

### 6AL 4V-TITANIUM

Considered an exotic metal alloy (Titanium + 6% Aluminum + 4% Vanadium) with an excellent strength to weight ratio which offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

### 420J STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel which offers excellent bend toughness and wear ability. It offers excellent corrosion resistant characteristics as well. Also used in handles.

## SHEATHS

### BALLISTICS NYLON

A heavy duty woven nylon fabric originally developed for use in bullet proof vests and body armor. Offers great lightweight sheath durability.

### LEATHER

A natural material dating back to man's earliest beginnings in the knife world. It can be easily dyed and tooled for desired visual effect. Offers traditionally accepted levels of performance and design capability.

The following are registered trademarks of their respective companies: Delrin®, E.I. du Pont de Nemours & Company; Zytel®, E.I. du Pont de Nemours & Company; Kydex®, KleeDEX Company; Noryl GTX®, General Electric Company; Valox®, General Electric Company; Vylan®, Whitford Worldwide Corporation; Kraton®, Kraton Polymers Company; Santoprene®, Advanced Elastomer Systems

# WARRANTY

## LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.

### NO EXCEPTIONS WILL BE MADE.

## WHAT IS COVERED

This warranty covers replacement parts and labor.

## WHAT IS NOT COVERED

This warranty does not cover normal wear, resharpener of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, prybar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. **MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.**

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade's knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the warranty information and proper knife care instructions provided with each knife.

## ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is Federally regulated (refer to catalog inside cover for Federal Statutes), always check permissibility within your state or locality as non-Federal personnel may be precluded from ownership or use by State laws. **NO EXCEPTIONS WILL BE MADE.**

The purchase, use and ownership of knives is subject to a wide variety of local laws and regulations. It is impossible for Benchmade Knife Company to know or interpret all of these laws. It is the responsibility of the buyer to be aware of the laws which govern them in their specific area wherever that may be. We encourage the responsible ownership and use of knives as one of mankind's oldest tools. Be smart and be safe.

## SHIPPING OF AUTOMATIC KNIVES

All AUTOMATIC knives shipped by Benchmade will be done via the following couriers, UPS, FedEx, etc. and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via alternate couriers, UPS, FedEx, etc. This in accordance with the policies of the U.S. Postal Service.

## ARE ASSIST OPEN KNIVES LEGAL?

The way that the Benchmade assist opener knives are designed and built, they are not considered an automatic or switchblade under Federal interpretations. The Optimiser® and new Nitrous™ assist mechanisms must be initiated with the user manually overcoming the pull of the torsion bar or, split liner systems to activate the assist function. This is done through the use manually or, physically having to engage the blade first before opening. And, as an added safety feature, the Benchmade assist openers must have their blades rotated open to an approximately 20 to 30-degree open angle BEFORE the assist engages. This eliminates the need and complication of a secondary safety mechanism.

Even though the Benchmade assist opener models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

You may also contact the American Knife and Tool Institute (AKTI) for assistance or, you can choose to become a member and help to protect your knife freedoms. [WWW.AKTI.ORG](http://WWW.AKTI.ORG)

The following are trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Ascender; Bedlam; Instigator; LFT; Nimcub II; Onslaught; Presidio Ultra; Tumult. • The following are registered trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Benchmade; Activator; Ally; Ambush; Aphid; Apparition; Ares; AXIS; Genuine AXIS Mechanism; Backroad; Bali-Song; Bali-Song (butterfly logo); Barrage; Benchmade; Benchmade (butterfly logo); Benchmite; Blitz; BlueLube; Break. Cut. Escape; BT2; Dejavoo; ERT-I; Glory; Gravitaro; Griptilian; Hell's Kitchen; InDratt; Infidel; Kulgera; Levitator; Mayhem; MonoChrome; Morpho; Nagara; Nak-Lok; Nimraus; Nitrous; Opportunist; Optimiser; Pika; Presidio; Rant; Resistor; Rift; Rolling Lock; Rukus; Seque; Shoki; Skirmish; Stryker; Torrent; Vex. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Locking Mechanism for a Folding Knife - U.S. Patent No. 5,685,079; Blade Lock Mechanism for Folding Knife - U.S. Patent No. 5,755,035; Safety Lock for Automatic Folding Knife - U.S. Patent No. 5,822,866; Folding tool - U.S. Patent No. 6,122,829; Blade Locking Mechanism - U.S. Patent No. 6,450,816; Folding Tool with a Lock and Automatic Opener - U.S. Patent No. 6,458,848; Actuator - U.S. Patent No. 6,550,832; Folding Pocket Knife with a Lock - U.S. Patent No. 6,574,869; Folding Tool Locking Mechanism - U.S. Patent No. 6,675,484; Folding Tool - U.S. Patent No. 6,732,436; Folding Tool - U.S. Patent No. 6,789,323; Hand Tool Stop Pin - U.S. Patent No. 7,278,213; Knife Blade Opening Mechanism - U.S. Patent No. 7,295,360; Locking Mechanism for Folding Tool - U.S. Patent No. 7,305,768; Automatic Opening and Closing Knife - U.S. Patent No. 7,305,769; Folding tool with blade locking mechanism - U.S. Patent No. 7,409,766; Folding Tool with Lock - U.S. Patent No. 7,533,466; Knife Blade Opening Mechanism - U.S. Patent No. 7,562,454; Automatic Opening and Closing Knife - U.S. Patent No. 7,562,455; Knife Design - U.S. Patent No. D397,017; Folding Knife - U.S. Patent No. D385,173; Folding Knife With Grooved Handle - U.S. Patent No. D397,017; Grooved Knife Handle - U.S. Patent No. D397,020; Multi-Scale Handle Design - U.S. Patent No. D408,705; Folding Knife - U.S. Patent No. D408,706; Knife Blade - U.S. Patent No. D409,070; Portion of a Knife Blade - U.S. Patent No. D422,416; Folding Knife with Grooved Handle - U.S. Patent No. D422,477; Grooved Handle for a Knife - U.S. Patent No. D422,478; Folding Knife - U.S. Patent No. D422,479; Handle for a Knife - U.S. Patent No. D422,480; Fixed Blade Knife - U.S. Patent No. D422,669; Folding Knife - U.S. Patent No. D422,873; Pair of Scales for a Knife Handle - U.S. Patent No. D422,877; Knife Blade - U.S. Patent No. D425,389; Portion of A Blade For A Knife - U.S. Patent No. D426,132; Knife Handle - U.S. Patent No. D428,789; Handle for a Folding Knife - U.S. Patent No. D431,991; Folding Knife - U.S. Patent No. D432,386; Handle for a Folding Knife - U.S. Patent No. D433,913; Knife Blade - U.S. Patent No. D438,442; Knife Handle - U.S. Patent No. D447,925; Rescue Hook - U.S. Patent No. D549,561; Chinese Patent Nos. ZL 98813962.6, ZL 03106473.6, ZL 02815077.5; French Patent No. 1017546; German Patent No. 1017546 / 69821034.4-08; Hong Kong Patent No. HK1037344; Italian Patent No. 1017546; Japanese Patent Nos. 3639990, 4225896; Taiwanese Patent Nos. 101758, 247653. Other Patents Pending.

Every effort is made to ensure the accuracy of the prices and information in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. This catalog is produced annually.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice.

Cutting Edge Training, LLC, is the premier police training company in the US. Their “Tactical Duty Knife” courses were carefully designed to train the police officer, deputy, and agent how to reasonably and effectively employ the knife in those last-ditch situations where survival is doubtful.

Our knives, when used for defense purposes, are life-saving tools and Cutting Edge Training’s program employs the most effective method of teaching officers how to use the knife effectively. The liability awareness and reduction aspects of this training are nothing less than outstanding and should be a required component of any force response course.

If you are interested in obtaining the finest training possible in the rational use of and defense against edged weapons for law enforcement and military, contact Benchmade customer service at 800.800.7427, or contact George Williams with Cutting Edge Training directly at 360.671.2007 or [training@cuttingedgetraining.org](mailto:training@cuttingedgetraining.org).



Trainer handles are red in color for positive identification

These codes appear after the Benchmade model numbers. They identify particular feature variations within each model. (Example: Model 140SBK is a Model 140 knife which features partially serrated ComboEdge and BK1 black corrosion resistant coating on the blade).

- |   |  |
|---|--|
| (NO CODE) Plain edge/no blade coating                                     | -SLV Silver color handle                         |
| S ComboEdge™ (partially serrated)/no blade coating                        | -BLU Blue color handle                           |
| BK Plain edge black corrosion resistant coated blade                      | -YEL Yellow color handle                         |
| SBK ComboEdge (partially serrated) black corrosion resistant coated blade | -ORG Orange color handle                         |
| B Black anti-reflective, corrosion resistant coated blade                 | -BLK Black color handle                          |
| SB ComboEdge (partially serrated)/ black anti-reflective coated blade     | -PNK Pink color handle                           |
| OD Olive Drab color handle  | BP BPI Charcoal color, scratch resistant coating |
| SN Sand Camouflage color handle   | W Soft sheath for rescue hook                    |
| CF Carbon Fiber Handle  | ADC Army Digital Camouflage color sheath         |
| -RED Red color handle   | T Trainer blade with red handle                  |
|   | TR Bali-song trainer with red handle             |
|   | D2 D2 Blade Steel                                |
|   | DM Damascus Blade                                |
|   | CP Clam pack                                     |

300 BEAVERCREEK ROAD  
OREGON CITY, OR 97045

ADDRESS SERVICE REQUESTED

PRSR-T STD  
US POSTAGE

**PAID**

OREGON CITY, OR  
PERMIT NO. 25

**TELEPHONE**  
800.800.7427 503.655.6004

**CUSTOMER SERVICE FAX**  
503.496.1896

**EMAIL**  
INFO@BENCHMADE.COM

**WEB**  
BENCHMADE.COM

All trademarks and copyrights are the property of  
Benchmade Knife Company, Inc.  
Notice, one or more patents may apply.  
©2010 BENCHMADE KNIFE CO, INC • Printed in USA