



BENCHMADE[®]
Harley-Davidson[®] Knives

HARLEY-DAVIDSON®

KNIVES

As anyone who rides a Harley® will tell you, a Harley-Davidson® is more than a motorcycle. It's a statement to the world of exactly where you stand. To a life less ordinary, where there's nothing between you, two wheels and a stretch of road that goes on forever.

This spirit of individualism is also the hallmark of those who appreciate a Benchmade. For over two decades, we've been committed to designing and manufacturing world-class sports cutlery. Our Harley-Davidson® Knives line-up combines leading innovation, sophisticated technology and superior materials.


The result is a collection of edged tools that are built for extreme performance.

Sharpen your ride.



BENCHMADE®

Our edged tools combine innovation, technology, superior materials and a passion to make the best knives possible. You're not just buying a knife. You're buying a Benchmade.



Mini-Hardtail™ 13150-1

Valox handle reduces overall weight.



13150-1

Hardtail™/Mini-Hardtail™ 13100/13150

CNC machined billet handle – sleek, rugged and dependable.



13100

13150SBK

BLADE LENGTH	3.25" (8.26cm)
BLADE THICKNESS	0.113" (2.87mm)
OPEN	7.50" (19.05cm)
CLOSED	4.25" (10.80cm)
WEIGHT	2.50oz (70.87g)
HANDLE THICKNESS	0.54" (13.72mm)

MECHANISM	AXIS® Lock
BLADE STYLE & OPENER	Modified Clip-Point, Ambidextrous Dual Thumb-Studs
BLADE STEEL	D2 High Grade Tool Steel
HANDLE	Valox; 420J Stainless Steel Liners; Reversible Steel Carry-Clip
SKUS	13150-1 \$100, 13150S-1 \$100, 13150BK-1 \$115, 13150SBK-1 \$115

MECHANISM	AXIS® Lock
BLADE STYLE & OPENER	Modified Clip-Point, Ambidextrous Dual Thumb-Studs
BLADE STEEL	D2 High Grade Tool Steel
HANDLE	CNC Machined Billet 6061-T6 Aluminum Alloy Double Bolster Handle; 3D CNC Precision Milled Black G-10 Handle Insert; 420J Stainless Steel Liners; Reversible Steel Carry-Clip
SKUS	13100 \$240, 13100S \$240, 13100BK \$255, 13100SBK \$255, 13150 \$200, 13150S \$200, 13150BK \$215, 13150SBK \$215

	13100	13150
BLADE LENGTH	3.99" (10.13cm)	3.25" (8.26cm)
BLADE THICKNESS	0.124" (3.14mm)	0.113" (2.87mm)
OPEN	9.00" (22.86cm)	7.50" (19.05cm)
CLOSED	5.25" (13.34cm)	4.25" (10.80cm)
WEIGHT	5.16oz (146.28g)	3.00oz (85.05g)
HANDLE THICKNESS	0.65" (16.5mm)	0.54" (13.72mm)

Tether Knife 13212

MADE
IN THE
USA

Skeletonized handle decreases weight.



13212BK

13212

- BLADE STYLE** Drop Point Utility
- BLADE STEEL** 440C High Carbon Stainless Steel
- HANDLE** Full Tang, Skeletonized
- SHEATH** Kydex Molded Sheath with Logo (both sides)
- SKUS** 13212 \$85, 13212BK \$100

BLADE
LENGTH 2.00"
(5.08cm)

BLADE
THICKNESS 0.140"
(3.56mm)

OVERALL 5.50"
(14.0cm)


WEIGHT 1.60oz
(45.36g)

HANDLE
THICKNESS 0.140"
(3.56mm)

SHEATH
WEIGHT 0.60oz
(17.00g)

Backroad™ 13200

Functional styling suited for outdoor and everyday use.



13200

BLADE LENGTH	3.50" (8.89cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	7.98" (20.27cm)
CLOSED	4.48" (11.38cm)
WEIGHT	3.30oz (93.55g)
HANDLE THICKNESS	0.52" (13.2mm)

MECHANISM	AXIS® Lock
BLADE STYLE & OPENER	Modified Drop-Point w/Recurve, Ambidextrous Dual Thumb-Studs
BLADE STEEL	154CM Stainless Steel
HANDLE	CNC Milled Stabilized Winewood Handle Insert; Machined Black G-10 Double Handle Bolster; 420J Stainless Steel Liners; Reversible Steel Carry-Clip
SKUS	13200 \$190, 13200S \$190, 13200BK \$205, 13200SBK \$205

Nitrous™ 13710

Nitrous™ assist mechanism launches this knife into action.



13710

MECHANISM	Modified Locking-Liner with Nitrous™ Assist
BLADE STYLE & OPENER	Clip-Point with Thumb-Stud Opener
BLADE STEEL	154CM Stainless Steel
HANDLE	Precision CNC Milled Black G-10 Handle Scales with Flame Texturing; 6AL-4V Titanium Liners
SKUS	13710 \$140, 13710S \$140, 13710BK \$155, 13710SBK \$155

BLADE LENGTH	3.40" (86.36mm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	8.00" (20.32cm)
CLOSED	4.55" (11.60cm)
WEIGHT	2.70oz (76.54g)
HANDLE THICKNESS	0.43" (10.92mm)

Nagara® 13740 **NEW**

This elegant folder features the Nak-Lok™ mechanism, anodized blue titanium handles and polished liners.



MECHANISM Nak-Lok™

BLADE STYLE & OPENER Drop-Point Utility with Ambidextrous Thumb-Studs

BLADE STEEL 9CR13 Stainless Steel

HANDLE Anodized Blue Titanium; Reversible Tip-Up Clip

SKUS 13740 \$100
Import

BLADE LENGTH	3.25" (8.30cm)
BLADE THICKNESS	0.12" (3.05mm)
OPEN	7.50" (19.10cm)
CLOSED	4.25" (10.80cm)
WEIGHT	3.30oz (93.55g)
HANDLE THICKNESS	0.40" (10.16mm)

Pika® G10

13402/13412 NEW

Benchmade's famous Pika® model gets a makeover with G10 handles and a titanium back spacer. It's a great pocket knife for the road.



13402

13412SBK

BACKSPACER DETAIL

- MECHANISM** Lockback
- BLADE STYLE & OPENER** Clip-Point, Ambidextrous Thumb Hole
- BLADE STEEL** 9CR13 Stainless Steel (58-60 RHC)
- HANDLE** Black G10 Handle Scales, Anodized Titanium Liners and Backspacer, Moveable Stainless Clip
- SKUS** 13402 \$85, 13412S \$85, 13402BK \$100, 13402SBK \$100
13412 \$70, 13412S \$70, 13412BK \$85, 13412SBK \$85
Import

	13402	13412
BLADE LENGTH	3.50" (8.90cm)	2.98" (7.60cm)
BLADE THICKNESS	0.120" (3.04mm)	0.09" (2.28mm)
OPEN	8.30" (21.10cm)	7.10" (18.00cm)
CLOSED	4.80" (12.20cm)	4.10" (10.40cm)
WEIGHT	3.50oz (103.50g)	2.50oz (73.90g)
HANDLE THICKNESS	0.38" (9.65mm)	0.35" (8.89mm)





13940

Road trip ready with premium blade steel, AXIS® lock and carry-clip.



13940BK

- MECHANISM** AXIS® Lock
- BLADE STYLE & OPENER** Modified Reverse Tanto, Ambidextrous Dual Thumb-Studs
- BLADE STEEL** S30V Premium Stainless Steel
- HANDLE** CNC Machined Billet 6061-T6 Aluminum Alloy Double Bolster; 6AL-4V Titanium Alloy Backspacer; 420J Stainless Steel Liners; Reversible Steel Carry-Clip
- SKUS** 13940BK \$210, 13940SBK \$210

BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	7.87" (19.99cm)
CLOSED	4.47" (11.35cm)
WEIGHT	2.90oz (82.21g)
HANDLE THICKNESS	0.41" (10.41mm)

13960

Ultra-lightweight durable construction
with everyday utility in mind.



- MECHANISM** AXIS® Lock
- BLADE STYLE & OPENER** Modified Drop-Point, Ambidextrous Dual Thumb-Studs
- BLADE STEEL** S30V Premium Stainless Steel
- HANDLE** CNC Machined Billet 6061-T6 Aluminum Alloy Handle w/3D Precision Milled G-10 Inlays; 6AL-4V Titanium Alloy Backspacer; 420J Stainless Steel Liners; Reversible Steel Carry-Clip
- SKUS** 13960-RED \$220, 13960S-RED \$220, 13960BK-RED \$235, 13960SBK-RED \$235, 13960-SLV \$220, 13960S-SLV \$220, 13960BK-SLV \$235, 13960SBK-SLV \$235, 13960-BLU \$220, 13960S-BLU \$220, 13960BK-BLU \$235, 13960SBK-BLU \$235, 13960-ORG \$220, 13960S-ORG \$220, 13960BK-ORG \$235, 13960SBK-ORG \$235

BLADE LENGTH	3.12" (7.92cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	7.28" (18.49cm)
CLOSED	4.16" (10.57cm)
WEIGHT	2.26oz (64.50g)
HANDLE THICKNESS	0.37" (9.39mm)



Nightshift™ 13650

Satisfy all your utility needs with
this 3-in-1 pocket-sized folder.



- MECHANISM** Springless Lockback/Slip-Joint
- BLADE STYLE & OPENER** Large and Small Utility/Screwdriver & Can-Opener
- BLADE STEEL** 440C High Carbon Stainless Steel Main Blade/AUS8 Stainless Steel Secondary Blades
- HANDLE** Glass Filled Thermo-Plastic Handle Scales; 420J Stainless Steel Liners
- SKUS** 13650 \$60
Import

BLADE LENGTH	2.72" (6.91cm)
BLADE THICKNESS	0.084" (2.13mm)
OPEN	6.25" (15.88cm)
CLOSED	3.75" (9.53cm)
WEIGHT	2.0oz (56.70g)
HANDLE THICKNESS	0.391" (9.93mm)

Nightshift™

13500/13550/13551



Unique tread gives these knives all the traction you need.



13500

13550

13551
Limited Edition

13550/51 13500

BLADE LENGTH	2.72" (6.91cm)	3.40" (8.64cm)
BLADE THICKNESS	0.084" (2.13mm)	0.098" (2.49mm)
OPEN	6.00" (15.24cm)	7.75" (19.69cm)
CLOSED	3.25" (8.26cm)	4.35" (11.05cm)
WEIGHT	2.0oz (56.70g)	2.4oz (68.04g)
HANDLE THICKNESS	0.391" (9.93mm)	0.48" (12.19mm)

MECHANISM	Lockback
BLADE STYLE & OPENER	Modified Clip-Point, Thumb-Stud Opener
BLADE STEEL	440C High Carbon Stainless Steel
HANDLE	Noryl GTX® Glass Filled Thermo-Plastic Handle Scales; Injection Molded Backspacer; 420J Stainless Steel Liners; Reversible Carry-Clip
SKUS	13550 \$90, 13550S \$90, 13500 \$100, 13500S \$100, 13551 \$90, 13551S \$90

Nightshift™ Fixed

13400/13410



Rubberized handle translates into control whether wet or dry.



13400BK

BLADE STYLE	Spear-Point Powder Coated or Drop-Point Stonewashed Satin
BLADE STEEL	440C High Carbon Stainless Steel
HANDLE	Injection Molded Santoprene® Scales; Full Tang; Lanyard Hole
SHEATH	Slim Genuine Leather Carry Sheath with Carry Clip for Belt or Boot Carry
SKUS	13410S \$110, 13400BK \$125

BLADE LENGTH	3.49" (8.86cm)
BLADE THICKNESS	0.107" (2.72mm)
OVERALL	7.75" (19.69cm)
WEIGHT	2.70oz (76.54g)
HANDLE THICKNESS	0.45" (11.4mm)
SHEATH WEIGHT	1.7oz (48.19g)

Levigator® Money Clip Knives 13300BK/13310

Money clip/knife with a functional design
that fits in the palm of your hand.



13300BK

13300



13310

13310BK

MECHANISM Levigator®

BLADE STYLE & OPENER Modified Tanto & Drop-Point with Nail-Nick

BLADE STEEL AUS8 High Carbon Titanium Coated and Satin Stainless Steel

HANDLE Precision CNC Machined 420J Stainless Steel Backspacer and Outer Handle Scales

SKUS 13300 \$60, 13300BK \$60, 13310 \$60, 13310BK \$60 Import

BLADE LENGTH 2.00"
(5.08cm)

BLADE THICKNESS 0.100"
(2.54mm)

OPEN 4.93"
(12.52cm)

CLOSED 2.88"
(7.32cm)

WEIGHT 1.60oz
(45.35g)

HANDLE THICKNESS 0.25"
(6.35mm)

13220 NEW

This monster folder incorporates a tail fin design that rotates open and closed in tandem with the blade allowing for a much larger blade in proportion to handle size.

H-D DEALER EXCLUSIVE



- MECHANISM** Locking Liner
- BLADE STYLE & OPENER** Clip-Point
- BLADE STEEL** 440C Stainless Steel (58-60HRC)
- HANDLE** Machined 6060-T6 Aluminum with Santoprene Overmold
- SKUS** 13220 \$100
Import

BLADE LENGTH	5.20" (13.21cm)
BLADE THICKNESS	0.118" (2.98mm)
OPEN	10.25" (26.06cm)
CLOSED	6.70" (17.02cm)
WEIGHT	6.70oz (189.94g)
HANDLE THICKNESS	0.76" (19.33mm)





H-D® KNIVES DISPLAY

Floor display provides ample storage.
70"H x 22.5"W x 19.5"D

985210 Floor Display \$1,500

Counter display is excellent for
small places. 12"L x 5.5"H x 8"W

985211 Counter Display \$36



THE BLACK BOX

It's a handy pocket-sized kit complete
with all the right tools to help keep
your Harley-Davidson® knife tuned for
optimum performance.

985060F The Black Box \$20



H-D® KNIFE SHARPENERS

A quick and easy-to-use tool when
you're on the road. Two sizes available.

985061F H-D® Large Sharpener \$25

985062F H-D® Mini Sharpener \$20



BLUELUBE™

BlueLube lubricant and cleaners will
protect and preserve your knife.

983901F

BlueLube Cleaner 4oz \$10.00

983900F

BlueLube Lubricant 1.25oz \$8.00



MODEL FEATURE CODES

S	PARTIALLY SERRATED, NO BLADE COATING
SBK	PARTIALLY SERRATED, BLACK CERAMIC COATING
BK	BLACK CERAMIC COATING
-BLU	BLUE COLORED HANDLE
-ORG	ORANGE COLORED HANDLE
-RED	RED COLORED HANDLE
-SLV	SILVER COLORED HANDLE



With Benchmade's Lifesharp Service, we will gladly
resharpen your Harley-Davidson® knife to a factory,
razor-sharp edge (service does not apply to any
serrated portion of the blade). Simply ship the knife
to the Harley-Davidson® Knives' address, postage
paid and insured. Please enclose your return shipping
address with \$5.00 to cover return shipping charges.

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade")
warrants to the original owner that this knife will
be free from defects in materials and workmanship.
Benchmade will, without charge, repair or replace, at
Benchmade's option, any knife returned for Warranty
work and found to be defective by Benchmade.
The knife must be shipped by owner prepaid and
insured freight, together with a description of the
problem, and must be accompanied by the original
bill of sale, your charge or credit card receipt, or any
satisfactory proof of the original date of purchase
from a retail dealer.

HARLEY-DAVIDSON
KNIVES

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045 USA
H-DKNIVES.COM

BENCHMADE

A leader in quality cutlery.

For two decades Benchmade has been committed to designing and manufacturing world-class sports cutlery and edged tools. We continually strive to manufacture high quality products that will deliver superior performance and provide great value for our customers.

Mechanisms

Patented locking mechanisms like our AXIS® lock provide reliability and enhanced function.

Materials

Premium blade steels and strong, durable handle materials are built to last.

Manufacturing

Ultra-modern laser cutters and CNC machining centers offer the precision and control usually reserved for the aerospace industry.



BENCHMADE

300 Beaver Creek Road
Oregon City, OR 97045 USA

PH: 800-800-7427

FAX: 503-496-1896

ADDRESS SERVICE REQUESTED

PRSRRT STD
US POSTAGE

PAID

OREGON CITY, OR
PERMIT NO. 25



©2010 Harley-Davidson, All Rights Reserved.

Manufactured by Benchmade Knife Company

Under License For Harley-Davidson Motor Company

Notice, one or more patents may apply • Printed In USA • 01/2010