# BENCH JADE HARLEY-DAVIDSON KNIVES

2012 CATALOG

As anyone who rides a Harley<sup>®</sup> will tell you, a Harley-Davidson<sup>®</sup> is more than a motorcycle. It's a statement to the world of exactly where you stand. To a life less ordinary, where there's nothing between you, two wheels and a stretch of road that goes on forever.

This spirit of individualism is also the hallmark of those who appreciate a Benchmade. For over two decades, we've been committed to designing and manufacturing world-class sports cutlery. Our Harley-Davidson<sup>®</sup> Knives line-up combines leading innovation, sophisticated technology and superior materials.

The result is a collection of edged tools that are built for extreme performance.









The two-toned steel makes this beefy fixed blade a perfect companion on the road.

And the second s



 BLADE STYLE
 Two-toned bowie

 BLADE STEEL
 440C High Carbon Stainless Steel

 HANDLE
 CNC milled red/black layered G10

 SHEATH
 Genuine Leather

 SKUS
 13420BK \$135

	1.
BLADE	4.66''
Length	(11.83mm)
BLADE	0.15''
Thickness	(3.81mm)
OVERALL	10.43'' (26.49cm)
WEIGHT	9.50oz (269.32g)
HANDLE	0.79''
Thickness	(20.21mm)
SHEATH	2.30oz
Weight	(65.20g)

TATTOO

## Multiblade 13655

With this 2-in-1 folder, you're sure to have the right blade for the job.





 MECHANISM
 Lockback/Slip-Joint

 BLADE STYLE
 Drop-point/Saw blade

 BLADE STEEL
 5CR15 Stainless Steel

 HANDLE
 Stainless steel bolsters; GI0

 SKUS
 13655 \$50



## Tether Knife 13212 USÆ

Skeletonized handle decreases weight.



 BLADE STYLE
 Drop Point Utility

 BLADE STEEL
 440C High Carbon Stainless Steel

 HANDLE
 Full Tang, Skeletonized

 SHEATH
 Kydex Molded Sheath with Logo (both sides)

 SKUS
 13212 \$85, 13212BK \$100

13212

_	
BLADE	2.00''
Length	(5.08cm)
BLADE	0.140''
Thickness	(3.56mm)
OVERALL	5.50" (14.0cm)
WEIGHT	1.60oz (45.36g)
HANDLE	0.140''
Thickness	(3.56mm)
SHEATH	0.60oz
Weight	(17.00g)

4

### Ti-Fender<sup>™</sup> 13900

Ti handles and a secure Monolock make this fast flipper a show stopper.

0

 
 MECHANISM
 Monolock

 BLADE STYLE & OPENER
 Spear-point with dual thumb studs and flipper


 BLADE STEEL
 9CR13 Stainless Steel (58-60)

 HANDLE
 Titanium; Reversible tip-down pocket clip

 KUS
 13900 \$110, 13900BK \$125

Import

BLADE	3.75''
Length	(9.52cm)
BLADE	0.120''
Thickness	(3.05mm)
OPEN	8.59'' (21.82cm)
CLOSED	4.84'' (12.29cm)
WEIGHT	4.88oz (138.35g)
HANDLE	0.50''
Thickness	(12.70mm)



Hardtail <sup>®</sup> 13100/131	°/Mini-Hardtail® 150		k, rugged endable.	and	
ONO US 13100	ISSOR				
OPENER BLADE STEEL	AXIS® Lock Modified Clip-Point with Ambidextrous Dual Thumb-Studs D2 High Grade Tool Steel CNC Machined Billet 6061-T6 Aluminum Double Bolster Handle; 3D CNC Precision Black G-10 Handle Insert; 420J Stainless	n Miĺled	BLADE 3.99 LENGTH (10.1 BLADE 0.124 THICKNESS (3.14 OPEN 9.00 (22.1 CLOSED 5.25 (13.3	3cm) (8.26c 4" 0.113" 4mm) (2.87r " 7.50" 86cm) (19.05 " 4.25"	:m) , nm) icm)

LADE STEEL	D2 High Grade Tool Steel	OPEN	9 00"
HANDLE	CNC Machined Billet 6061-T6 Aluminum Alloy		(22.86cm)
	Double Bolster Handle; 3D CNC Precision Milled	CLOSED	5.25"
	Black G-10 Handle Insert; 420J Stainless Steel		(13.34cm)
	Liners; Reversible Tip-up Pocket Clip	WEIGHT	5.16oz
SKUS	13100 \$240, 13100S \$240, 13100BK \$255,		(146.28g)
	13100SBK\$255, 13150 \$200, 13150S \$200,		0.65"
	13150BK \$215_13150SBK \$215	THICKNESS	(16.5mm)

6oz 3.00oz (6.28g) (85.05g)

55'' 0.54'' 5.5mm) (13.72mm)

6



The powerful T-Rod<sup>™</sup> snaps from the fixed to open position with the push of a button and a flick of the wrist.



 BLADE STYLE
 Modified clip-point with two-position fixed blade/dagger

 BLADE STEEL
 440C High Carbon Stainless Steel

 HANDLE
 Aluminum

 SHEATH
 Black leather

IXED BLADE 3.33" LENGTH (8.46cm) GGER BLADE 5.05" LENGTH (12.83cm BLADE 0.156" THICKNESS (3.96mm OVERALL 7.65"

OVERALL 7.65" FIXED (19.43cm OVERALL 6.25"

DAGGER (15.88cm)

HANDLE 0.140'' Thickness (3.<u>56m</u>r

WEIGHT 5.20oz (147.406

SKUS 13450 \$130, 13450BK \$145





		LEI
MECHANISM	Optimiser® Assist Mechanism	BI Thicki
BLADE STYLE & OPENER	Drop Point Blade with Ambidextrous Thumb-Studs	(
BLADE STEEL	440C Stainless Steel	CL
HANDLE	CNC Milled Gray/Black Layered G10; tip-down pocket clip	WE
SKIIS	13175 \$150. 13175S \$150. 13175BK \$165. 13175SBK \$165	WC
3803	וסול אמכר וזכו לאמר אמר ווכו ליבול כר ווכו לאמר אמר אמר אמר אמר אמר אמר אמר אמר אמר	HAI
		HA

3.57'' (9.10cm)	
0.11'' (2.79mm)	
8.04'' (20.40cm)	
4.47" (11.40cm)	
3.10oz (88.30g)	
0.53'' (13.46mm)	
	(9.10cm) 0.11" (2.79mm) 8.04" (20.40cm) 4.47" (11.40cm) 3.10oz (88.30g) 0.53"



This elegant folder features the Nak-Lok® mechanism, anodized blue titanium handles and polished liners.



MECHANISM	Nak-Lok®	BLADE Thickness	0.12'' (3.05mm)
BLADE STYLE & OPENER	Drop-Point Utility with Ambidextrous Thumb-Studs	OPEN	7.50'' (19.10cm)
	9CR13 Stainless Steel	CLOSED	4.25'' (10.80cm)
	Anodized Blue Titanium; Reversible Tip-Up Pocket Clip 13740 \$100; Import	WEIGHT	3.30oz (93.55g)
		HANDLE Thickness	0.40'' (10.16mm)



## Pika<sup>®</sup> G10 13402/13412

Benchmade's famous Pika® model gets a makeover with G10 handles and a titanium back spacer. It's a great pocket knife for the road.



#### 13402 13412

60cm

?8mm`

B.00cm)

).40cm)

50oz 8.90a)

			0.500	
		BLADE Length	3.50'' (8.90cm)	2.9 (7.
MECHANISM	LOCKDACK	RIADE	0.120"	0.0
BLADE STYLE	Clip-Point Blade with Ambidextrous Thumb-hole	THICKNESS	(3.04mm)	(2.
& OPENER		OPEN	8.30"	7.1
BLADE STEEL	9CR13 Stainless Steel (58-60)	UPEN	(21.10cm)	(18
HANDLE	Black G10 Handle Scales, Anodized Titanium Liners and Backspacer, Tip-down Pocket Clip	CLOSED	4.80'' (12.20cm)	4.1 (10
SKUS	13402 \$85, 13412S \$85, 13402BK \$100, 13402SBK \$100 13412 \$70, 13412S \$70, 13412BK \$85, 13412SBK \$85	WEIGHT	3.50oz (103.50g)	2.5 (73
	Inport	HANDLE Thickness	0.38'' (9.65mm)	0.3 (8.

## Nightshift<sup>®</sup> Fixed 13400/13410




Rubberized handle translates into control whether wet or dry.



		LENGIN	(0.000111)
BLADE STYLE	Spear-Point Powder Coated or Drop-Point Stonewashed Satin	BLADE Thickness	0.107" (2.72mm)
	440C High Carbon Stainless Steel	OVERALL	7.75'' (19.69cm)
HANDLE	Injection Molded Santoprene® Scales; Full Tang; Lanyard Hole	WEIGHT	2.70oz (76.54g)
SHEATH	Slim Genuine Leather Carry Sheath with Carry-Clip for Belt or Boot Carry	HANDLE Thickness	0.45'' (11.4mm)
SKUS	13410S \$110, 13400BK \$125	SHEATH Weight	1.7oz (48.19g)

BLADE 3.49'' Length (8.86cm)





This monster folder incorporates a tail fin design that rotates open and closed in tandem with the blade allowing for a much larger blade in proportion to handle size.



sheath included

NIVES

#### H-D<sup>®</sup> KNIVES DISPLAY

Counter display is excellent for small places. 12"L x 5.5"H x 8"W 985211 Counter Display \$36

#### THE BLACK BOX

It's a handy pocket-sized kit complete with all the right tools to help keep your Harley-Davidson® knife tuned for optimum performance.

#### 985060F The Black Box \$20

#### **H-D® KNIFE SHARPENERS**

A quick and easy-to-use tool when you're on the road. Two sizes available. 985061F H-D<sup>®</sup> Large Sharpener \$25 985062F H-D<sup>®</sup> Mini Sharpener \$20

#### **BLUELUBE®**

BlueLube lubricant and cleaners will protect and preserve your knife. 983901F BlueLube® Cleaner 4oz \$10.00 983900F BlueLube® Lubricant 1.25oz \$8.00









#### MODEL FEATURE CODES

- S PARTIALLY SERRATED, NO BLADE COATING
- SBK PARTIALLY SERRATED, BLACK CERAMIC COATING
- BK BLACK CERAMIC COATING
- BP BLACK PEARL ABRASION RESISTANT COATING



With Benchmade's Lifesharp Service, we will gladly resharpen your Harley-Davidson® knife to a factory, razor-sharp edge (service does not apply to any serrated portion of the blade). Simply ship the knife to the Harley-Davidson® Knives' address, postage paid and insured. Please enclose your return shipping address with \$5.00 to cover return shipping charges.

#### LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt, or any satisfactory proof of the original date of purchase from a retail dealer.





300 BEAVERCREEK ROAD OREGON CITY, OR 97045 USA H-DKNIVES.COM

#### LASERMARK YOUR H-D<sup>®</sup> KNIFE

Remembering a journey or giving a gift. Whatever the occasion, now you can have text or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed either on the blade, or in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit www.benchmade.com/lasermark.

## Come ride in 2012 with H-D<sup>®</sup> Knives.

Look for Harley-Davidson<sup>®</sup> Knives at some of the best rallies in the world. Whether it be Laconia, Daytona or Sturgis, we go where the engines roar and the pipes are loud. So go ahead and Sharpen Your Ride!



### BENCHIJADE

300 Beavercreek Road Dregon City, OR 97045 USA PH: 800-800-7427 FAX: 503-496-1896

**DDRESS SERVICE REQUESTED** 



HARLEY-DAVIDSON®

Harley, Harley-Davidson and the Bar & Shield Logo are among the trademarks of H-D Michigan, LLC. ©2011. All Rights Reserved. Manufactured by Benchmade, Inc. under license from Harley-Davidson Motor Co. Notice, one or more patents may apply + Printed In USA + 12/2011 PRSRT STD US POSTAGE

PAID

OREGON CITY, OR PERMIT NO. 25

TITU

11 201

THE ST C