



**HK**<sup>®</sup>  
K N I V E S

CATALOG 2012




## NO COMPROMISE.

For more than a half century, Heckler and Koch has been a leading designer and manufacturer of military, law enforcement and civilian firearms. HK's commitment to quality, innovation and safety make them an industry leader in reliability and technology.

This dedication continues with HK Knives, where superior edged tools combine leading technology with practical design. These advancements are deployed throughout the product line with technologies like the Nitrous Assist and the OTF. In addition, aerospace industry tolerance standards provide a go-together fit and finish.

Our customers live the HK moto – No Compromise and for this reason, you have our commitment that we will continuously pursue innovation and performance in all of the products we offer.



# AUTOS



NEW

## ENTOURAGE™

THESE HARD HITTING PUSH BUTTON AUTOS ARE THE ONLY CREW YOU'LL NEED.

- \* New auto with enlarged push button and integrated safety
- \* 440C stainless steel, flat grind tanto blade (58-60 HRC)
- \* Enhanced spring design for improved response time
- \* 6061-T6 black anodized hard aluminum handle with reversible tip-up pocket clip



14701

14751

	14701	14751
BLADE LENGTH	3.74" (9.50 cm)	2.87" (7.29 cm)
HANDLE THICKNESS	0.53" (13.46 mm)	0.49" (12.45 mm)
OPEN	8.44" (21.44 cm)	6.78" (17.22 cm)
CLOSED	4.70" (11.94 cm)	3.91" (9.93 cm)
WEIGHT	4.50oz (127.57g)	3.70oz (107.16g)



14701BK	¥165
14701SBK	¥165
14751BK	¥150
14751SBK	¥150



NEW

# Epidemic™

14850

BLISTERING SPEED AND FUNCTIONALITY MAKE THIS DOUBLE ACTION OUT-THE-FRONT HARD TO RESIST.

- \* Ergonomic grip and styling
- \* Double action OTF with ambidextrous, red anodized thumb button
- \* D2 tool steel, spear point blade (60-62 HRC)
- \* 6061-T6 aluminum handle with reversible, tip-down, pocket clip



BLADE LENGTH	3.44" (8.74cm)
HANDLE THICKNESS	0.55" (13.97mm)
OPEN	8.22" (20.88cm)
CLOSED	4.78" (12.14cm)
WEIGHT	3.86oz (109.43g)

# Tumult®

14800

CREATE PANDEMONIUM WITH THIS DOUBLE ACTION OTF.

- \* Double action out-the-front auto with ambidextrous action
- \* D2 tool steel, clip-point blade (60-62 HRC)
- \* 6061-T6 aluminum handle with reversible, tip-down pocket clip



BLADE LENGTH	3.50" (8.89cm)
HANDLE THICKNESS	0.44" (11.18mm)
OPEN	8.10" (20.57cm)
CLOSED	4.60" (11.68cm)
WEIGHT	3.00oz (85.05g)



14850 #280  
14850BK #295



14800 #280  
14800BK #295



# Scorch<sup>®</sup>

BLISTER THE COMPETITION WITH A COVERT DOUBLE ACTION.

- \* 2-in-1 double action with locking liner and ambidextrous thumb-studs
- \* Spear-point or reverse tanto N680 highly corrosion resistant blade (57-59 HRC)
- \* Injection molded glass filled nylon handle with tip-down pocket clip



Reverse Tanto

14925

14975

Spear-Point

BLADE LENGTH	3.16" (8.02cm)
HANDLE THICKNESS	0.58" (14.73mm)
OPEN	7.54" (19.15cm)
CLOSED	4.38" (11.12cm)
WEIGHT	3.90oz (110.57g)



14925BK	¥160
14925SBK	¥160
14975BK	¥160
14975SBK	¥160



# Soldat®

A DUTY BOUND WARRIOR THAT DELIVERS  
TECHNOLOGY AND PERFORMANCE.

- \* Manual push button locking mechanism with ambidextrous thumb-hole opener
- \* N680 highly corrosion resistant steel, tanto or drop-point (57-59HRC)
- \* Molded Grivory® handles with reversible tip-up pocket clip



14411  
Drop-Point

14410  
Tanto

BLADE LENGTH	3.30" (8.38cm)
HANDLE THICKNESS	0.76" (19.30mm)
OPEN	7.70" (19.55cm)
CLOSED	4.40" (11.17cm)
WEIGHT	2.80oz (79.37g)



14410BK	€70
14410SBK	€70
14411BK	€70
14411SBK	€70



# Fugitive®

## 14950

AN ELUSIVE FOLDER, BUILT TO TAKE A BEATING.

- ✦ Locking liner mechanism with ambidextrous dual thumb-studs
- ✦ Highly corrosion resistant N680, drop-point blade (57-59HRC)
- ✦ Glass filled nylon handle with tip-down, stainless pocket clip



BLADE LENGTH	3.17" (8.05cm)
HANDLE THICKNESS	0.65" (16.51mm)
OPEN	7.53" (19.12cm)
CLOSED	4.36" (11.07cm)
WEIGHT	4.10oz (116.24g)

# NEW

## Enigma™

## 14055

TECHNOLOGY MEETS CONVENIENCE  
IN THIS INCONSPICUOUS FOLDER.

- ✦ Rolling-lock mechanism with ambidextrous dual thumb studs.
- ✦ AUS8 reverse tanto blade (58-60 HRC)
- ✦ Reinforced nylon scales with reversible tip-up pocket clip



BLADE LENGTH	2.90" (7.37cm)
HANDLE THICKNESS	0.53" (13.46mm)
OPEN	6.90" (17.53cm)
CLOSED	4.00" (10.16cm)
WEIGHT	2.64oz (74.80g)

14950BK	¥130
14950SBK	¥130



IMPORT

14055BT	¥60
14055SBT	¥60



NEW

# Conspiracy™

14201

THIS IS NO SMALL CONSPIRACY.

- \* High traction G10 handle with titanium mono-lock
- \* 9CR13 drop-point blade (58-60 HRC)
- \* Heavy duty 0.18" thick blade



BLADE LENGTH	3.60" (9.14cm)
HANDLE THICKNESS	0.63" (15.88mm)
OPEN	7.55" (19.18cm)
CLOSED	4.07" (10.34cm)
WEIGHT	6.35oz (180.5g)

# Ally®

14440

AN ACCOMPLICE FOR ANY TASK.

- \* Monolock mechanism with ambidextrous round hole opener
- \* Modified clip-point AUS8 stainless steel blade (58-60HRC)
- \* One piece 420J stainless steel handle assembly with tip-up pocket clip and glass breaker tip



BLADE LENGTH	2.80" (7.11cm)
HANDLE THICKNESS	0.30" (7.60mm)
OPEN	6.87" (17.46cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.92oz (82.78g)

IMPORT

14201BT #100  
14201SB #100

IMPORT

14440SB #40



# Nitrous Blitz®

## 14460

SURVIVE AN ALL OUT BLITZKRIEG WITH THE EASE AND CONTROL OF THE NITROUS®

- \* Modified locking liner with Nitrous Assist® mechanism single thumb-stud opener
- \* Modified clip-point 154CM stainless steel blade (58-60HRC)
- \* Black G10 handle scales with dual 6AL4V titanium liners and a removable tip-down pocket clip



BLADE LENGTH	3.40" (8.63cm)
HANDLE THICKNESS	0.43" (1.09cm)
OPEN	8.00" (17.27cm)
CLOSED	4.60" (11.68cm)
WEIGHT	2.70oz (76.54g)

# P30

## 14650

MOLDED AFTER THE P30 HANDGUN, THIS KNIFE COMBINES STYLE AND FUNCTIONALITY.

- \* Locking liner mechanism with thumb-stud opener
- \* Modified drop-point 8CR13 stainless steel blade (57-59HRC)
- \* Black molded thermoplastic handle with P30 texture and tip-down pocket clip



BLADE LENGTH	2.95" (7.49cm)
HANDLE THICKNESS	0.45" (1.14cm)
OPEN	6.75" (17.15cm)
CLOSED	3.88" (9.85cm)
WEIGHT	2.20oz (62.37g)



14460	#140
14460S	#140
14460BT	#155
14460SBT	#155

IMPORT

14650BT	#45
14650SBT	#45

# Pika®

A CONSPICUOUS LOCK BACK WITH AGGRESSIVE FLAIR.



- \* Lock back mechanism with ambidextrous thumb stud or hole
- \* Drop-point or tanto 9CR13 stainless steel blade (58-60HRC)
- \* Glass filled nylon handle with 420J stainless steel liners and multiple placement pocket clip



14402SBK

Drop-Point

14412



14452SBK

Tanto

	14402/14452	14412
BLADE LENGTH	3.50" (8.89cm)	2.90" (7.37cm)
HANDLE THICKNESS	0.45" (11.49mm)	0.44" (11.09mm)
OPEN	8.32" (21.13cm)	6.97" (17.71cm)
CLOSED	4.82" (12.24cm)	4.07" (10.34cm)
WEIGHT	3.74oz (106.03g)	2.75oz (77.96g)



IMPORT

14402SBK #45  
14412 #40  
14452SBK #45



NEW

# Conspiracy™-Fixed

THIS OVERBUILT BEAST IS READY FOR ALMOST ANYTHING.

14101

- \* High traction, black G10 handle scales
- \* 9CR13 tanto blade (58-60 HRC)
- \* Heavy duty 0.20" thick blade
- \* Includes nylon molded sheath

# FIXED



BLADE LENGTH	4.80" (12.19cm)
HANDLE THICKNESS	0.70" (17.78mm)
OVERALL LENGTH	9.00" (22.86cm)
WEIGHT	11.22oz (318.08g)

14101BT #60  
14101SBT #60



IMPORT

# Instigator®

14536

SKELETONIZED TO REDUCE UNNEEDED WEIGHT, THIS RINGLEADER  
COMBINES SIMPLIFIED FORM WITH PURE FUNCTION.

- ✦ Modified Wharncliff AUS-8 stainless steel blade (58-60HRC)
- ✦ Full tang skeletonized handle
- ✦ Snap-Fit molded Kydex®/thermoplastic sheath with teather



BLADE LENGTH	3.28" (8.33cm)
HANDLE THICKNESS	0.12" (3.12mm)
OVERALL LENGTH	7.38" (18.79cm)
WEIGHT	2.30oz (65.2g)

14536BP #50

IMPORT

# TOOLS

## MULTITOOLS



### UTILITY

Needle nose pliers, multiple blades, strap cutter, wire cutter and crimper, screw driver, file and more. Carry pouch and 9 piece bit set included. IMPORT  
14441T.....\$40.00



### TACTICAL

Needle nose pliers, knife blade, strap cutter, four tooth front sight adjustment for AR-15 / M-16, shotgun choke key, cuff key and double lock tool, carbide glass breaker, file with scraping end, saw blade. Carry pouch and 9 piece bit set included. IMPORT  
14443T.....\$75.00



## LIGHTS



### 100 Lumen LED Light

Advanced tactical light with 3 function settings: low / high / strobe. Max Run Time: 10 hours Batteries: CR123 Lithium (Batteries not included) IMPORT  
14444L.....\$75.00



### 70 Lumen LED Light

LED flashlight with removable pocket clip. Max Run Time: 10 hours Batteries 3AAA (not included) IMPORT  
14442L.....\$40.00



# MISC.

## COMBOS

All combo packs are packaged in a genuine HK pistol case. IMPORT



### Ally® Combo

14440SB-COMBO .....\$110



14440SB

14441T

14442L

### Scorch™ Combo

14925-COMBO .....\$200



14925

14442L

### Tactical Combo

14443-COMBO .....\$140



14443T

14444L

## EXTRAS



### DriFit T-Shirt

Olive Drab Green DriFit Tshirt  
100% Microdenier Polyester. Moisture wicking,  
anti-microbial and anti-static fabric.

L, XL, XXL .....\$30.00



### HK Cap

Adjustable velcro strap hat with embroidered  
red logo on front and embroidered white colored  
"Heckler & Koch" writing on back. 100% cotton.

ONE SIZE .....\$20.00



### Special Ops Shirt

100% preshrunk cotton.

L, XL, XXL .....\$25.00



### Plexi Logos

Small; 5.25" x 3.875"

986871F.....\$8.00

Large; 9.75" x 7.125"

986872F.....\$12.00



### HK Knife Rack

984231F.....\$25.00

## LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.

NO EXCEPTIONS WILL BE MADE.

## WHAT IS COVERED?

This Warranty covers replacement parts and labor.

## WHAT IS NOT COVERED?

This Warranty does not cover normal wear, resharpening of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's HK Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, prybar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. **MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.**

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. HK or Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. HK's knives carry no warranty except as expressly contained herein. HK and Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

## ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is Federally regulated (refer to catalog inside cover for Federal Statutes), always check permissibility within your state or locality as non-Federal personnel may be precluded from ownership or use by State laws. **NO EXCEPTIONS WILL BE MADE.**

## SHIPPING OF AUTOMATIC KNIVES

All AUTOMATIC knives shipped by Benchmade will be done via the following couriers, UPS, FedEx, etc. and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via alternate couriers, UPS, FedEx, etc. This is in accordance with the policies of the U.S. Postal Service. Thank you.

## ARE HK ASSIST OPEN KNIVES LEGAL?

Even though the HK assist opener models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

---

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit [hk-knives.com](http://hk-knives.com) for the latest information.

## MODEL FEATURE CODES

S	Partially Serrated, No Blade Coating		
SBK	Partially Serrated, Black Ceramic Coating	BK	Black Ceramic Coating
SBT	Partially Serrated, Black Teflon® Coating	BT	Black Teflon® Coating
SBX	Partially Serrated, Black Oxide Coating	BX	Black Oxide Coating

The following are trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Epidemic, Entourage, Conspiracy.

The following are registered trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Ascender, Ally, Blitz, Conspiracy, Epidemic, Entourage, Fugitive, Instigator, Monochrome, Nitrous, Pika, Scorch, Soldat, Tumult, BenchKote (BK); BK1; BT2; ComboEdge; LifeSharp. NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Safety Lock for Automatic Folding Knife- U.S. Patent No. 5,822,866; Blade Lock Mechanism for Folding Knife (Modified Locking Liner)- U.S. Patent No. 5,755,035. ©2012 BENCHMADE KNIFE CO., INC. • Printed in the USA • Other Patents Pending

The background of the entire page is a close-up photograph of a knife handle. The handle is dark, possibly black or dark brown, with a textured surface featuring a repeating leaf-like pattern. Several screws are visible, securing the handle. The lighting is dramatic, with strong highlights and deep shadows, creating a rugged and tactical atmosphere. In the top left corner, the Huk Knives logo is displayed in a bold, red, sans-serif font. Below the logo, the company name "HUK KNIVES" is written in a smaller, white, all-caps font. Further down, the address "300 BEAVERCREEK ROAD OREGON CITY, OR 97045" is printed in white. Below the address, the phrase "ADDRESS SERVICE REQUESTED" is also in white. In the bottom left corner, there is a standard barcode with the numbers "6 10953 13754 0" printed below it. In the top right corner, a white rectangular box contains the text "PRSRT STD US POSTAGE PAID OREGON CITY, OR PERMIT NO. 25" in black, all-caps font. A large, solid white rectangular area is positioned in the lower right quadrant of the page, partially overlapping the knife handle image.

**HUK**  
KNIVES

300 BEAVERCREEK ROAD  
OREGON CITY, OR 97045

ADDRESS SERVICE REQUESTED

PRSRT STD  
US POSTAGE  
**PAID**  
OREGON CITY, OR  
PERMIT NO. 25

6 10953 13754 0