

NEW PRODUCTS

GOLD CLASS PAGES 06-07



470-131
P.07



7505-132
P.07

BLUE CLASS PAGES 10-31



300
P.10



470-1
P.11



586
P.12



1000001
P.13



162
P.22



63
P.25



62T
P.25



67
P.25

BONE COLLECTOR™ PAGES 32-35



15055-1
P.32



15055-2
P.32



BLACK CLASS PAGES 38-65



9170
BLACK
P.48



9160
ORANGE
P.48



1728KF
P.57

GOLD CLASS PAGES 06-07



4501
P.06



4502
P.06



470-131
P.07



7505-132
P.07

BLUE CLASS PAGES 10-31



300 P.10 **470-1** P.11 **586** P.12 **581** P.12 **580** P.12 **583** P.12 **1000001** P.13 **585** P.13 **746** P.14 **530** P.15 **940** P.16 **943** P.16 **710** P.17



707 P.18 **482** P.19 **483** P.19 **162** P.22 **755** P.23 **890** P.24 **62** P.25 **63** P.25 **62T** P.25 **67** P.25 **32** P.26 **51** P.26 **53** P.27

BALI-SONG® PAGES 25-27



551 P.28 **556** P.28 **550** P.29 **555** P.29 **553** P.29 **557** P.29 **551H20** P.31 **111H20** P.31



1100
P.66

PENS PAGES 66-67

BONE COLLECTOR™ PAGES 33-35



15055 P.32 **15050** P.33 **15020/15030** P.34 **15010** P.35 **15005** P.35 **15000** P.35 **15015** P.35 **15040** P.35



BLACK CLASS PAGES 38-65



275 P.38 **810** P.47 **915** P.49 **916** P.49 **860** P.52 **950** P.53 **520/525** P.54 **522/527** P.55

FOLDERS PAGES 38-55



2750 P.38 **3300** P.42 **3350** P.42 **9051** P.43 **9052** P.43 **9101** P.44 **9500** P.44 **2550** P.45 **3550** P.45 **3150** P.46



9160 ORANGE P.48 **9170** BLACK P.48 **8600** P.52 **9555** P.53 **5000/5300/5500** P.54 **5220/5270** P.55

AUTOMATICS PAGES 46-55



175 P.38, 59 **375** P.39 **140/141** P.56 **172BKF** P.57 **176** P.58 **118** P.63 **124** P.63 **164** P.63

FIXED BLADES PAGES 38-63



8 P.60 **8 MED** P.60 **7** P.61 **5** P.61 **9 CB** P.62 **30210/30200** P.62

SAFETY CUTTERS PAGES 60-62



GOLD CLASS

Erase the line between custom and manufactured. It's where existing lines reach perfection and one-of-a-kind tools are crafted for the collector's wish list. The Gold Class represents a new standard in knifemaking.

PRESTIGEDGES

DE ASIS DESIGN • U.S.A.

The classic Prestigedges kitchen knives are now available in two handle materials to best fit your lifestyle.

- Single-piece full-tang 440C stainless steel blades (58-60HRC)
- 4501: Hand finished black Micarta and stabilized winewood handles with hand polished handle rivets
- 4502: Black G10 textured contoured handles



4501

4502

Individual knives also sold separately.

	Chef Knife	Utility Knife	Paring Knife
4501			
BLADE LENGTH	8.00" (20.32cm)	6.00" (15.24cm)	3.50" (8.89cm)
BLADE THICKNESS	0.140" (3.59mm)	0.120" (3.05mm)	0.070" (1.84mm)
OVERALL LENGTH	13.00" (33.00cm)	10.25" (26.04cm)	7.09" (18.01cm)
WEIGHT	8.50oz (241.00g)	4.80oz (136.00g)	2.10oz (60.00g)
4502			
WEIGHT	9.14oz (259.12g)	5.07oz (143.7g)	2.07oz (58.5g)
HANDLE THICKNESS	0.77" (19.50mm)	0.61" (15.36mm)	0.48" (12.28mm)

CONFIGURATIONS/MSRP

4501	3-piece set	\$500
4502	3-piece set	\$385
4535-1	Paring Knife	\$110
4560-1	Utility Knife	\$140
4580-1	Chef Knife	\$180

GOLD CLASS



NEW 470-131 **EMISSARY™**
OSBORNE DESIGN • U.S.A.

The gentleman's **AXIS®-Assist 470-131 Emissary** dressed to the 9's with a **Damasteel blade and engraved ivory Micarta.**

- **AXIS®-Assist** locking mechanism with side safety
- Modified drop-point blade with ambidextrous dual thumb-stud opener
- Hakkapella Damasteel blade
- Machined anodized black billet 7075 aluminum handle with engraved ivory Micarta inlay



470-131

BLADE LENGTH	3.00" (7.62cm)
BLADE THICKNESS	0.090" (2.29mm)
OPEN	6.90" (17.53cm)
CLOSED	3.90" (9.90cm)
WEIGHT	2.20oz (62.4g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATION/MSRP

470-131	\$500
---------	-------

NEW 7505-132®
SIBERT DESIGN • U.S.A.

This **Shane Sibert** design can be opened as a manual or auto, utilizing a **covert sliding titanium bolster mechanism to actuate the auto feature.**

- Dual-action automatic or manual opening mechanism
- Drop-point blade with ambidextrous dual thumb-stud opener
- S30V premium stainless steel blade (58-60HRC)
- Titanium textured G10 handles with titanium tip-down pocket clip



7505-132

BLADE LENGTH	3.90" (9.91cm)
BLADE THICKNESS	.150" (3.81mm)
OPEN	9.08" (23.63cm)
CLOSED	5.18" (13.15cm)
WEIGHT	7.98oz (226.3g)
HANDLE THICKNESS	0.536" (13.72mm)

CONFIGURATIONS/MSRP

7505-132	\$600
----------	-------



BLUE CLASS

The heart of Benchmade. Whether it's folders or fixed blades, the Blue Class knife is designed and built for the individual who understands the difference a high-quality instrument can make.

300 **AXIS® FLIPPER** **NEW**
 BUTCH BALL DESIGN • U.S.A.



The convenience of a flipper with the performance of the AXIS®

- AXIS® locking mechanism
- Drop-point blade with flipper and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Brown and tan textured G10 handle scales
- Stainless steel liners with reversible deep-carry clip



300	
BLADE LENGTH	3.18" (8.08cm)
BLADE THICKNESS	0.130" (3.30mm)
OPEN	7.36" (18.69cm)
CLOSED	4.25" (10.80cm)
WEIGHT	4.85oz (137.5g)
HANDLE THICKNESS	0.59" (14.99mm)

CONFIGURATION/MSRP		
300SN		\$175
300SSN	SERR	\$175

BLUE CLASS



NEW 470-1 **EMISSARY™**
 OSBORNE DESIGN • U.S.A.

This lightweight knife is an AXIS®-Assist in a thin package.

- AXIS®-Assist locking mechanism with side safety
- Modified drop-point blade with ambidextrous dual thumb-stud opener
- S30V premium stainless steel blade (58-60HRC)
- CNC machined billet, 7075-T6 aluminum alloy handles and a reversible deep-carry tip-up pocket clip



470-1	
BLADE LENGTH	3.00" (7.62cm)
BLADE THICKNESS	0.090" (2.28mm)
OPEN	6.90" (17.52cm)
CLOSED	3.90" (9.90cm)
WEIGHT	2.20oz (62.36g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATION/MSRP	
470-1	\$205

BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.



These spring-assisted models combine speed and strength in one complete package.

- AXIS®-Assist locking mechanism
- Multiple blade styles and sizes
- Variety of handle materials available
- Reversible tip-up pocket clip

**581/586 NEW**

This BARRAGE® gets an upgrade with G10 aluminum handles and M390 super steel (60-62HRC).

	581	586
BLADE LENGTH	3.60" (9.10cm)	2.91" (7.40cm)
BLADE THICKNESS	0.121" (3.07mm)	0.10" (2.54mm)
OPEN	8.35" (21.20cm)	6.91" (17.60cm)
CLOSED	4.75" (12.10cm)	4.00" (10.20cm)
WEIGHT	5.20oz (147.41g)	3.87oz (109.71g)
HANDLE THICKNESS	0.65" (16.51mm)	0.57" (14.47mm)

CONFIGURATIONS/MSRP

581		\$225
581S	SERR	\$225
581BK	BLK	\$240
581SBK	SERR BLK	\$240
586		\$215

580/583

NSN: 1095-01-598-4472 (538SBK)

The original BARRAGE® is available in tanto or drop-point blade styles. These models feature a 154CM stainless steel blade (58-61HRC), Valox® handle and stainless steel liners.



580
Drop-Point

583SBK
Tanto

	580/583
BLADE LENGTH	3.60" (9.10cm)
BLADE THICKNESS	0.121" (3.07mm)
OPEN	8.35" (21.20cm)
CLOSED	4.75" (12.10cm)
WEIGHT	4.20oz (119.07g)
HANDLE THICKNESS	0.65" (16.51mm)

CONFIGURATIONS/MSRP

580		\$145
580S	SERR	\$145
580BK	BLK	\$160
580SBK	SERR BLK	\$160
583		\$145
583S	SERR	\$145
583BK	BLK	\$160
583SBK	SERR BLK	\$160

BLUE CLASS

585

Same powerful design in a smaller package. 154CM stainless steel blade (58-61HRC), Valox® handles and stainless steel liners.



2009
KNIFE OF THE YEAR



	585
BLADE LENGTH	2.91" (7.40cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.91" (17.60cm)
CLOSED	4.00" (10.20cm)
WEIGHT	3.40oz (96.30g)
HANDLE THICKNESS	0.57" (14.47mm)

CONFIGURATIONS/MSRP

585		\$135
585S	SERR	\$135
585BK	BLK	\$150
585SBK	SERR BLK	\$150

**NEW 1000001 VOLLI**

The newest AXIS®-Assist knife. New look, same fortitude.

- AXIS®-Assist locking mechanism
- Drop-point blade with ambidextrous dual thumb-stud opener
- S30V stainless steel blade (58-60HRC)
- Black contoured and textured G10 handle
- Stainless steel liners with reversible split-arrow clip



	1000001
BLADE LENGTH	3.26" (8.28cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	7.78" (19.76cm)
CLOSED	4.42" (11.23cm)
WEIGHT	4.28oz (121.3g)
HANDLE THICKNESS	0.56" (14.22mm)

CONFIGURATIONS/MSRP

1000001		\$160
1000001S	SERR	\$160
1000001BK	BLK	\$175
1000001SBK	SERR BLK	\$175



The Onslaught continues.

- AXIS[®] locking mechanism
- Modified clip-point blade with ambidextrous dual thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 contoured handle scales with full stainless steel liners and a tip-up pocket clip



746	
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.114" (2.89mm)
OPEN	7.78" (19.76cm)
CLOSED	4.43" (11.25cm)
WEIGHT	3.90oz (110.56g)
HANDLE THICKNESS	0.63" (16.00mm)

CONFIGURATIONS/MSRP		
746		\$165
746S	SERR	\$165
746BK	BLK	\$180
746SBK	SERR BLK	\$180

BLUE CLASS



Thin is in with this sub-two-ounce folder.

- AXIS[®] locking mechanism
- Spear-point blade with ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Grivory[®] handle scales with a reversible tip-up pocket clip



530	
BLADE LENGTH	3.25" (8.25cm)
BLADE THICKNESS	0.090" (2.28mm)
OPEN	7.42" (18.85cm)
CLOSED	4.17" (10.59cm)
WEIGHT	1.88oz (53.28g)
HANDLE THICKNESS	0.37" (9.39mm)

CONFIGURATIONS/MSRP		
530		\$110
530SBK	SERR BLK	\$125

940 & 943
OSBORNE DESIGN • U.S.A.



Simply designed and built for extreme performance, the machined aircraft-grade aluminum handles and S30V stainless steel make these knives true workhorses.

- AXIS® locking mechanism
- 940: Modified reverse tanto blade; 943: Straight clip-point blade; ambidextrous dual thumb-stud opener
- S30V premium stainless steel blade (58-60HRC)
- Anodized 6061-T6 aluminum handles with stainless steel liners, color anodized titanium backspacer and a reversible tip-up pocket clip



940

943SBK

	940/943
BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	7.87" (19.99cm)
CLOSED	4.47" (11.35cm)
WEIGHT	2.90oz (82.21g)
HANDLE THICKNESS	0.41" (10.40mm)

CONFIGURATIONS/MSRP		
940		\$210
940S	SERR	\$210
940BK	BLK	\$225
940SBK	SERR BLK	\$225
943		\$210
943SBK	SERR BLK	\$225

BLUE CLASS



710
MCHENRY & WILLIAMS DESIGN • U.S.A.

Our first folder to ever feature the AXIS® lock, the 710 is flat-out a terrific piece of sports cutlery.

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous dual thumb-stud opener
- D2 tool steel blade (60-62HRC)
- Black textured G10 handle scales with a reversible tip-up pocket clip and full stainless steel liners



	710
BLADE LENGTH	3.90" (9.90cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.80" (22.34cm)
CLOSED	4.90" (12.44cm)
WEIGHT	4.50oz (128.00g)
HANDLE THICKNESS	0.48" (12.00mm)

CONFIGURATIONS/MSRP		
710D2		\$175
710SBKD2	SERR BLK	\$190



The machined aluminum handles and black G10 inlays provide a secure grip in any situation.

- AXIS[®] locking mechanism
- Modified clip-point blade with ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Machined 6061-T6 aluminum handles with black G10 inlays and a reversible tip-up pocket clip



707	
BLADE LENGTH	2.95" (7.50cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.75" (17.15cm)
CLOSED	3.80" (9.67cm)
WEIGHT	2.60oz (73.70g)
HANDLE THICKNESS	0.42" (10.67mm)

CONFIGURATIONS/MSRP		
707		\$160
707S	SERR	\$160
707BK	BLK	\$175
707SBK	SERR BLK	\$175

BLUE CLASS

Any gentleman can appreciate these stylish yet durable pocket knives.

- Nak-Lok[®] locking mechanism
- S30V premium stainless steel blade (58-60HRC)
- 482: Clip-point blade style
483: Utility blade style
- 482: Cocobolo wood and carbon fiber handle
483: Contoured black G10 handle with aluminum bolster
- Steel backspacer with lanyard hole




482




483

	482	483
BLADE LENGTH	2.48" (6.30cm)	2.85" (7.24cm)
BLADE THICKNESS	0.104" (2.64mm)	0.104" (2.64mm)
OPEN	5.76" (14.63cm)	6.60" (16.76cm)
CLOSED	3.28" (8.33cm)	3.75" (9.53cm)
WEIGHT	1.85oz (52.4g)	2.52oz (71.5g)
HANDLE THICKNESS	0.46" (11.67mm)	0.46" (11.67mm)

CONFIGURATIONS/MSRP	
482	\$225
483	\$225



300 AXIS® FLIPPER



NO ROOM FOR ERROR

Physics and common sense say you can't. The right tools mean you can. The 300 leaves nothing to chance in situations where precision is mandatory. The convenience of a flipper, the speed and performance of an AXIS®

162 BUSHCRAFTER **NEW**

SIBERT DESIGN • U.S.A.

Unsurpassed reliability for planned (or unplanned) adventures.

- High ground drop-point blade with polished finish
- S30V stainless steel blade (58-60HRC)
- Hand-blended and contoured green G10 handles with red vulcanized spacer held together with pressed titanium tubing
- Brushed full-grain buckskin leather sheath with D-ring, flint rod loop and retention strap



162	
BLADE LENGTH	4.43" (11.25cm)
BLADE THICKNESS	0.164" (4.17mm)
OPEN	9.20" (23.37cm)
WEIGHT	7.72oz (218.9g)
HANDLE THICKNESS	0.92" (23.37mm)

CONFIGURATION/MSRP	
162	\$200

B
L
U
E

C
L
A
S
S

755 MPR[®]

SIBERT DESIGN • U.S.A.

A stout titanium monolock designed by Shane Sibert. Overbuilt? Absolutely!

- Titanium monolock mechanism
- Tactical drop-point blade with ambidextrous dual thumb-stud opener
- M390 super steel blade (60-62HRC)
- Green titanium G10 handles with tip-down pocket clip



755	
BLADE LENGTH	2.90" (7.37cm)
BLADE THICKNESS	0.164" (4.16mm)
OPEN	6.90" (17.52cm)
CLOSED	3.80" (9.65cm)
WEIGHT	5.50oz (156.58g)
HANDLE THICKNESS	0.61" (15.50mm)

CONFIGURATIONS/MSRP	
755	\$245
755BK	BLK \$260

890 TORRENT®
STEIGERWALT DESIGN • U.S.A.

This Nitrous® Assist allows for quick, reliable opening.

- Modified locking-liner with Nitrous® Assist mechanism
- Modified drop-point blade with ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 contoured handle scales with a deep-carry tip-down pocket clip



890	
BLADE LENGTH	3.60" (9.14cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	8.20" (20.83cm)
CLOSED	4.60" (11.68cm)
WEIGHT	3.50oz (99.00g)
HANDLE THICKNESS	0.60" (15.24mm)

CONFIGURATIONS/MSRP		
890		\$160
890S	SERR	\$160
890BK	BLK	\$175
890SBK	SERR BLK	\$175

BLUE CLASSICS

 62/62T/67/63 **BALI-SONG®**
BENCHMADE DESIGN • U.S.A.

This Bali-Song® is sure to become a classic.

- D2 tool steel blade (60-62HRC)
- Machined stainless steel handle
- T-latch lock
- Includes nylon sheath
- 62T has stonewashed handles and blade length is approximately 3.75"



62

NEW



62T



67



63

62/62T/67/63	
BLADE LENGTH	4.25" (10.8cm)
BLADE THICKNESS	0.125" (3.18mm)
OPEN	9.20" (23.4cm)
CLOSED	5.27" (13.4cm)
WEIGHT	6.39oz (181.2g)
HANDLE THICKNESS	0.48" (12.19mm)

CONFIGURATIONS/MSRP	
62	\$350
62T	\$275
67	\$350
63	\$350

51 **MORPHO**® & 32 **MINI-MORPHO**®
BENCHMADE DESIGN • U.S.A.



These Bali-Songs® are awesome lightweight flippers.

- Patented nitrous latch-locking mechanism
- D2 tool steel crowned modified spear-point blade (60-62HRC)
- Machined and skeletonized black G10 handle scales with 6AL-4V titanium blue anodized and jeweled liners
- 6AL-4V blue anodized and laser-engraved titanium pocket clip



51



32

	32	51
BLADE LENGTH	3.25" (8.26cm)	4.25" (10.80cm)
BLADE THICKNESS	0.100" (2.57mm)	0.100" (2.57mm)
OPEN	7.35" (18.67cm)	9.35" (23.75cm)
CLOSED	4.39" (11.15cm)	5.40" (13.72cm)
WEIGHT	2.70oz (76.54g)	3.30oz (93.55g)
HANDLE THICKNESS	0.44" (11.25mm)	0.48" (12.20mm)

CONFIGURATIONS/MSRP	
32	\$250
51	\$270

BLUE CLASS



53 **MANGUS**®
MARLOWE DESIGN • U.S.A.

The unique bearing system on this Bali-Song® allows for smooth handle rotation.

- D2 tool steel flat grind utility blade (60-62HRC)
- Contoured and textured green G10 handles
- Ball-bearing pivots
- Machined aluminum backspacer and latch
- Reversible tip-up pocket clip



	53
BLADE LENGTH	3.15" (8.00cm)
BLADE THICKNESS	0.140" (3.56mm)
OPEN	7.82" (19.86cm)
CLOSED	4.67" (11.86cm)
WEIGHT	3.50oz (99.22g)
HANDLE THICKNESS	0.60" (15.40mm)

CONFIGURATION/MSRP	
53	\$200

GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.



AXIS® lock reliability, textured molded handle scales and premium blade steel make the Griptilian® the ultimate lightweight carry. All of our Griptilian® models feature the following:

- AXIS® locking mechanism with ambidextrous dual thumb-stud or thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Glass-filled nylon handle material with stainless steel liners and a reversible tip-up pocket clip

	550HG/551/553	555HG/556/557
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.38cm)
BLADE THICKNESS	0.115" (2.92mm)	0.100" (2.54mm)
OPEN	8.07" (20.50cm)	6.78" (17.21cm)
CLOSED	4.62" (11.73cm)	3.87" (9.82cm)
WEIGHT	3.25oz (92.13g)	2.56oz (72.57g)
HANDLE THICKNESS	0.64" (16.29mm)	0.51" (12.95mm)

551 / 556 Griptilian®

NSN: 5110-01-598-7727 (551SBK)

Modified drop-point blade with ambidextrous dual thumb-stud opener.



551SBK

556S



CONFIGURATIONS/MSRP

551		\$110
551S	SERR	\$110
551SBK	SERR BLK	\$125
551SBKOD	SERR BLK	\$125
551-ORG		\$110
551S-ORG	SERR	\$110
551SBK-ORG	SERR BLK	\$125
551SBKSN	SERR BLK	\$130
551H20		\$130
551SH20	SERR	\$130
551T (440C STEEL)		\$90
556		\$100
556S	SERR	\$100
556SBK	SERR BLK	\$115
556SBKOD	SERR BLK	\$115
556-BLU		\$100
556S-BLU	SERR	\$100
556-YEL		\$100
556S-YEL	SERR	\$100
556-PNK		\$100
556S-PNK	SERR	\$100



551T-Trainer

*See above for sizes and weights

BLUE CLASS



GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.

550HG / 555HG Griptilian®

Hollow ground modified sheepfoot blade with ambidextrous dual thumb-hole opener.



550HG

555HG



550T-Trainer

*See pg 28 for sizes and weights

CONFIGURATIONS/MSRP

550HG		\$110
550SHG	SERR	\$110
550BKHG	BLK	\$125
550SBKHG	SERR BLK	\$125
550BKHGOD	BLK	\$125
550BKHGSN	BLK	\$130
550T (440C STEEL)		\$90
555HG		\$100
555HG-BLU		\$100
555HG-YEL		\$100
555SHG	SERR	\$100
555BKHG	BLK	\$115
555SBKHG	SERR BLK	\$115
555SBKHGOD	SERR BLK	\$115
555SHG-BLU	SERR	\$100
555SHG-YEL	SERR	\$100
555HG-PNK		\$100
555SHG-PNK	SERR	\$100


553 / 557 Griptilian®

Tanto blade with ambidextrous dual thumb-stud opener.



553SBK

557



Olive Drab

*See pg 28 for sizes and weights

CONFIGURATIONS/MSRP


553		\$110
553S	SERR	\$110
553SBK	SERR BLK	\$125
553SBKOD	SERR BLK	\$125
553SBKSN	SERR BLK	\$130
557		\$100
557S	SERR	\$100
557SBK	SERR BLK	\$115
557SBKOD	SERR BLK	\$115
557SBKSN	SERR BLK	\$120

CUSTOM GRIPTILIAN®

PARDUE DESIGN • U.S.A.

Choose from a variety of blade steels, handle colors, custom laser etching, and hardware. The options are endless! To create your custom grip and see pricing options, please visit:

www.benchmade.com/customize



THE RIGHT TOOL FOR THE RIGHT CAUSE

A portion of the profits from the sale of this knife are donated to the Oregon Health & Science University Knight Cancer Institute for breast health. Available in 555HG and 556 versions.

MSRP: \$100.



Benchmade is a proud supporter of the OHSU Knight Cancer Institute.

BLUE CLASS



H2O FAMILY
PARDUE DESIGN • U.S.A.

551H2O Griptilian®

- Featuring N680 highly corrosion resistant blade steel (57-59HRC)
- Safety orange handle scales
- Full satin hardware



	551H2O
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.07" (20.50cm)
CLOSED	4.62" (11.73cm)
WEIGHT	3.25oz (92.13g)
HANDLE THICKNESS	0.64" (16.29mm)

CONFIGURATIONS/MSRP

551H2O	\$130
551SH2O SERR	\$130

111H2O

Our water knives offer great corrosion resistance, cutting ability and edge retention.

- AXIS® locking mechanism on folder, blunt tip on fixed blade
- N680 highly corrosion resistant blade steel (57-59HRC)
- Modified sheep's foot blade style with ambidextrous dual thumb-stud opener
- Grivory® handle scales and a reversible tip-up pocket clip



	111H2O Folder
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	8.07" (20.32cm)
CLOSED	4.62" (11.73cm)
WEIGHT	4.90oz (139.50g)
HANDLE THICKNESS	0.522" (13.26mm)

CONFIGURATIONS/MSRP

111H2O-BLK	\$130
111SH20-BLK SERR	\$130
111H20-YEL	\$130
111SH20-YEL SERR	\$130

Michael Waddell's
BONE COLLECTOR™



BENCHMADE'S BONE COLLECTOR LINE CELEBRATES THE CULTURE OF THE HUNTER, THE BROTHERHOOD OF SPORTSMEN WHO HAVE TRUE PASSION FOR THE HUNT, THE LAND AND THE LIFESTYLE.



NEW

15055
 Handles are available in either green/black G10 or cocobolo wood

15055	
BLADE LENGTH	2.89" (7.34cm)
BLADE THICKNESS	0.114" (3.66mm)
OPEN	6.54" (16.61cm)
CLOSED	3.65" (9.27cm)
WEIGHT	3.65oz (103.5g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATIONS/MSRP

15055-1	Green/Blk	\$130
15055-2	Wood	\$130



BONE COLLECTOR™

KNIVES FEATURE:

- D2 tool steel (60-62HRC)
- Contoured with rib cage pattern for extra grip
- Lock-back mechanism
- Nail-nick opener

15050
Lock-Back Folding Knives

Handles are available in either olive drab Micarta or cocobolo wood, aluminum bolster.



15050	
BLADE LENGTH	3.73" (9.47cm)
BLADE THICKNESS	0.124" (3.149 mm)
OPEN	8.48" (21.54cm)
CLOSED	4.75" (12.07cm)
WEIGHT	3.75oz (106.2g)
HANDLE THICKNESS	0.53" (3.65mm)

CONFIGURATIONS/MSRP

15050	OD Micarta	\$140
15050-2	Wood	\$140

BONE COLLECTOR™

KNIVES FEATURE:

- D2 tool steel (60-62HRC)
- Contoured with rib cage pattern for extra grip



15020/15030 AXIS® Folding Knives

Two handle options available: layered green/black G10 or walnut wood.



15020-2

15030-1

CONFIGURATIONS/MSRP

15020-1	Green/Blk	\$155
15020S-1	SERR Green/Blk	\$155
15020-2	Wood	\$160
15020S-2	SERR Wood	\$160
15030-1	Green/Blk	\$140
15030S-1	SERR Green/Blk	\$140
15030-2	Wood	\$145
15030S-2	SERR Wood	\$145

	15020	15030
BLADE LENGTH	3.36" (8.50cm)	2.95" (7.50cm)
BLADE THICKNESS	0.125" (3.14mm)	0.115" (2.87mm)
OPEN	8.20" (20.80cm)	7.08" (18.00cm)
CLOSED	4.84" (12.30cm)	4.13" (10.50cm)
WEIGHT	5.59oz (165.50g)	3.46oz (102.50g)
HANDLE THICKNESS	0.735" (18.66mm)	0.62" (15.69mm)

BONE COLLECTOR™

15000/15005/15010 Fixed Blade Knives

- D2 tool steel (60-62HRC)
- Layered green/black G10 or walnut wood
- 15015: Micarta or cocobolo wood



15010-1

15005-2

15000-1

15015-2*

GENUINE LEATHER
Fixed blade sheaths
Brown: Wood handle
Black: G10 handle
*sheath not pictured for 15015



15040 Gut Hook

Makes cleaning game as easy as unzipping your jacket. 440C stainless steel full-tang blade (58-60HRC).

length: 5.71" (14.50cm)
weight: 1.54oz (45.50g)



CONFIGURATIONS/MSRP

15000-1	Green/Blk	\$105
15000-2	Wood	\$115
15000S-2	SERR Wood	\$115
15000S-1	SERR Green/Blk	\$105
15005-1	Green/Blk	\$120
15005-2	Wood	\$130
15010-1	Green/Blk	\$120
15010-2	Wood	\$130
15015	Micarta	\$110
15015-2	Wood	\$120
15040		\$35

	15000	15005/15010	15015
BLADE LENGTH	4.00" (10.20cm)	4.10" (10.40cm)	2.68" (6.81cm)
BLADE THICKNESS	0.125" (3.17mm)	0.140" (3.55mm)	0.14" (3.56mm)
OVERALL LENGTH	8.00" (20.30cm)	8.125" (20.60cm)	6.30" (16.00cm)
WEIGHT	3.46oz (98.50g)	4.50oz (128.11g)	3.01oz (85.2g) (wood)
HANDLE THICKNESS	0.59" (14.98mm)	0.60" (15.23mm)	0.57" (14.70mm)



BLACK CLASS

Used by professionals when quality tools can mean the difference between life and death. From law enforcement and public safety to elite military troops, our obligation is still the same: The best equipment for the job. Imagine what they can do for you.



275 Manual / 2750 Automatic

- 275 Folder: AXIS® locking mechanism with ambidextrous dual thumb-stud opener
- 2750 Auto: Auto-AXIS® locking mechanism
- D2 tool steel (60-62HRC)
- Tactical drop-point blade style
- G10 handle with lanyard hole and full stainless steel liners
- Reversible deep-carry tip-up pocket clip



275BK

Sheath with Malice Clip® included

275SBKSN

175 Fixed Blade

- 440C Dagger
- Rubber-dipped handle
- PIM Sheath



175BKSN

	175	275/2750	375
BLADE LENGTH	2.50" (6.35cm)	3.82" (9.70cm)	4.20" (10.68cm)
BLADE THICKNESS	0.125" (3.175mm)	0.160" (4.06mm)	0.170" (4.32mm)
OVERALL LENGTH	5.47" (13.893cm)	8.70" (22.10cm)	9.03" (22.93cm)
CLOSED WEIGHT	-	4.88" (12.40cm)	-
WEIGHT	2.32oz (65.77g)	275: 7.68oz (217.50g) 2750: 7.54oz (213.60g)	5.60oz (158.75g)
HANDLE THICKNESS	0.25" (6.35mm)	0.73" (18.54mm)	0.17" (4.32mm)
SHEATH WEIGHT	1.70oz (48.19g)	1.50oz (42.52g)	1.11 oz (31.61g)

B L A C K C L A S S



Rangers Lead the Way

Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Ranger Assistance Foundation. For more information, please visit benchmade.com/adamas.

375 Fixed Blade

NSN: 1095-01-609-1271 (375BK)

- D2 tool steel (60-62HRC)
- Drop-point blade style with serrations on spine
- Injection-molded sheath with secondary locking strap and tension screw
- Eight-position carry sheath with Tek-Lok



375SN

375BKSN
Includes Sand Sheath



Tek-Lok included

CORD WRAP


(paracord included)

To view video, scan code below or visit: www.benchmade.com/375



CONFIGURATIONS/MSRP


2750BKSN	BLK	\$250
2750SBKSN	SERR BLK	\$250
275BK	BLK	\$195
275SBK	SERR BLK	\$195
275BKSN	BLK	\$195
275SBKSN	SERR BLK	\$195
375SN	SAND	\$160
375BKSN	BLK	\$160
375BK	BLK	\$160
175BK	BLK	\$100
175BKSN	BLK	\$100



375 ADAMAS®

FAILURE IS NOT AN OPTION

There's a reason military personnel the world over carry tools like the 375. No matter what the landscape, the Adamas® promises military-grade utility you can rely on.



INFIDEL® FAMILY
MCHENRY DESIGN • U.S.A.



3300 Infidel®

NSN: 1095-01-598-4471 (3300BK)

The Infidel's® out-the-front mechanism is smooth and rock solid.

- Double-action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb-slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061-T6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port



Sheath with Malice Clip® included

3350 Mini-Infidel®

NSN: 1095-01-598-4471 (3300BK)

Our popular Infidel® out-the-front auto comes in a slightly smaller package.

- Double-action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb-slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061-T6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port



Sheath with Malice Clip® included

	3300	3350
BLADE LENGTH	3.91" (9.93cm)	3.10" (7.87cm)
BLADE THICKNESS	0.118" (2.99mm)	0.104" (2.28mm)
OPEN	8.91" (22.63cm)	7.10" (21.35cm)
CLOSED	5.00" (12.70cm)	4.00" (10.16cm)
WEIGHT	4.90oz (138.91g)	3.40oz (100.55g)
HANDLE THICKNESS	0.59" (14.90mm)	0.54" (13.71mm)

CONFIGURATIONS/MSRP	
3300	\$465
3300BK BLK	\$480
3350	\$395
3350BK BLK	\$410

B L A C K C L A S S



9051/9052 AFO II
BENCHMADE DESIGN • U.S.A.

The AFO II push-button auto has become a proven tool used in all branches of the Armed Forces.

- Push-button automatic with integrated safety
- 9051: drop-point blade style
9052: tanto blade style
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with open backspacer
- Four possible clip positions; reversible, tip-up or tip-down



9052 Tanto

9051SBK Drop-Point

Sheath included

9051/9052	
BLADE LENGTH	3.56" (9.0cm)
BLADE THICKNESS	0.124" (3.175mm)
OPEN	8.51" (21.6cm)
CLOSED	4.95" (12.6cm)
WEIGHT	5.8oz (164.42g)
HANDLE THICKNESS	0.60" (15.23mm)

CONFIGURATIONS/MSRP		
9051		\$240
9051S	SERR	\$240
9051BK	BLK	\$255
9051SBK	SERR BLK	\$255
9052		\$240
9052S	SERR	\$240
9052BK	BLK	\$255
9052SBK	SERR BLK	\$255

9101 **AUTO STRYKER®**
 9500 **MINI-AUTO STRYKER®**
 BENCHMADE DESIGN • U.S.A.



NSN: 1095-01-577-1801 (9101SBK)

The 9101 next generation Auto-Stryker® incorporates a larger, stronger locking button, open backspacer design for easy maintenance and increased spring force.

- Push-button automatic with integrated safety
- 154CM stainless steel tanto blade (58-61HRC)
- Machined 6061-T6 black anodized aluminum handle
- 9101: Four possible clip positions; reversible, tip-up or tip-down



9101BK

9500SBK

	9101	9500
BLADE LENGTH	3.60" (9.10 cm)	2.95" (7.49cm)
BLADE THICKNESS	0.124" (3.15mm)	0.098" (2.54mm)
OPEN	8.30" (21.08cm)	7.21" (18.31cm)
CLOSED	4.70" (11.94cm)	4.26" (10.82cm)
WEIGHT	4.20oz (110.56g)	2.90oz (82.21g)
HANDLE THICKNESS	0.50" (12.70mm)	0.47" (11.90mm)

CONFIGURATIONS/MSRP

9101BK	BLK	\$255
9101SBK	SERR BLK	\$255
9500SBK	SERR BLK	\$210

B
L
A
C
K

C
L
A
S
S

2550 **MINI-REFLEX**
 BENCHMADE DESIGN • U.S.A.



Test your reflexes with this small, push-button auto.

- Push-button automatic with integrated safety
- 154CM stainless steel utility drop-point blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with tip-up pocket clip

2550	
BLADE LENGTH	3.16" (8.03cm)
BLADE THICKNESS	0.098" (2.54mm)
OPEN	7.32" (18.59cm)
CLOSED	4.16" (10.57cm)
WEIGHT	2.70oz (76.54g)
HANDLE THICKNESS	0.47" (11.90mm)

CONFIGURATIONS/MSRP

2550	\$195
2550SBK	SERR BLK \$210

3550
 PARDUE DESIGN • U.S.A.



The spear-point blade shape of this small auto offers enhanced tip qualities.

- Push-button automatic with integrated safety
- 154CM stainless steel spear-point blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with tip-down pocket clip

3550	
BLADE LENGTH	2.98" (7.57cm)
BLADE THICKNESS	0.088" (2.29mm)
OPEN	7.10" (18.03cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.80oz (79.38g)
HANDLE THICKNESS	0.47" (11.90mm)

CONFIGURATIONS/MSRP

3550	\$195
3550SBK	SERR BLK \$210

3150 **IMPEL**[®]
LERCH DESIGN • U.S.A.

The perfect small, gentleman's auto.

- Push-button auto with integrated safety
- Modified drop-point blade style
- S30V premium stainless steel (58-60HRC)
- Machined 6061-T6 aluminum handle with textured G10 inlay and tip-down pocket clip



3150	
BLADE LENGTH	1.98" (5.02cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	5.03" (12.77cm)
CLOSED	3.06" (18.03cm)
WEIGHT	2.10oz (62.10g)
HANDLE THICKNESS	0.35" (8.88mm)

CONFIGURATIONS/MSRP	
3150	\$160
3150BK	BLK \$175

B L A C K C L A S S



810 **CONTEGO**[™]
OSBORNE DESIGN • U.S.A.

Latin for "protect" or "shield," the Contego tactical folder is built with toughness and durability for any occasion.

- AXIS[®] locking mechanism
- Reverse tanto blade with ambidextrous dual thumb-stud opener
- CPM-M4 steel blade with gray or black Cerakote[™] (62-64HRC)
- Textured G10 handle scales with stainless steel backspacer, full liners and reversible deep-carry tip-up pocket clip
- Carbide glass breaker



Carbide glass breaker

810	
BLADE LENGTH	3.98" (10.11cm)
BLADE THICKNESS	0.156" (3.96mm)
OPEN	9.28" (23.57cm)
CLOSED	5.30" (13.46cm)
WEIGHT	5.92oz (167.7g)
HANDLE THICKNESS	0.55" (13.91mm)

CONFIGURATIONS/MSRP		
810	GRAY	\$210
810S	SERR GRAY	\$210
810BK	BLK	\$210
810SBK	SERR BLK	\$210

9170 **AUTO TRIAGE®** &
9160 **AUTO TRIAGE®** NEW
BENCHMADE DESIGN • U.S.A.



The dynamic Triage® packaged in high-strength aluminum with the speed and efficiency of AXIS® auto and an automatic opening hook.

- AXIS® pull release with integrated safety
- 9170: Modified drop-point blade style
9160: Opposing bevel blade style
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C automatic opening hook-shaped safety cutter (58-60HRC)
- Anodized black aluminum handles with textured G10 inlays available in black or safety orange
- Carbide glass breaker



Carbide glass breaker



9170SBK

9160BK-ORG
Opposing Bevel

	9170	9160
BLADE LENGTH	3.58" (9.09cm)	3.35" (8.51cm)
BLADE THICKNESS	0.124" (3.15mm)	0.124" (3.15mm)
OPEN	8.31" (21.11cm)	8.31" (21.11cm)
CLOSED	4.73" (12.01cm)	4.73" (12.01cm)
WEIGHT	5.75oz (163.0g)	5.58oz (158.3g)
HANDLE THICKNESS	0.58" (14.73mm)	0.58" (14.73mm)

CONFIGURATIONS/MSRP		
9170		\$270
9170S	SERR	\$270
9170BK	BLK	\$285
9170SBK	SERR BLK	\$285
9170-ORG		\$270
9170S-ORG	SERR	\$270
9170BK-ORG	BLK	\$285
9170SBK-ORG	SERR BLK	\$285
9160BK	BLK	\$285
9160SBK	SERR BLK	\$285
9160BK-ORG	BLK	\$285
9160SBK-ORG	SERR BLK	\$285

Sheath optional, see page 70.
984094F and 984093F

B L A C K C L A S S



915 **TRIAGE®** & 916 **TRIAGE®**
BENCHMADE DESIGN • U.S.A.

NSN: 4240-01-598-4341 (916SBK)

This dynamic triple utility tool includes a knife, safety hook and carbide glass breaker.

- AXIS® locking mechanism
- 915: Modified sheepsfoot blade style
916: Opposing bevel blade style
- Ambidextrous dual thumb-stud opener
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C hook-shaped safety cutter (58-60HRC)
- Textured G10 handles (available in black or safety orange) with full stainless steel liners and a reversible deep-carry tip-up pocket clip
- Carbide glass breaker



Carbide glass breaker



916BK-ORG
Opposing Bevel

915 Sheepsfoot



CONFIGURATIONS/MSRP		
915		\$170
915S	SERR	\$170
915BK	BLK	\$185
915SBK	SERR BLK	\$185
915-ORG		\$170
915S-ORG	SERR	\$170
915BK-ORG	BLK	\$185
915SBK-ORG	SERR BLK	\$185
916		\$170
916S	SERR	\$170
916BK	BLK	\$185
916SBK	SERR BLK	\$185
916-ORG		\$170
916S-ORG	SERR	\$170
916BK-ORG	BLK	\$185
916SBK-ORG	SERR BLK	\$185

915/916	
BLADE LENGTH	3.50" (8.89cm)
HOOK LENGTH	2.00" (5.08cm)
BLADE THICKNESS	0.130" (3.02mm)
OPEN	8.20" (20.82cm)
CLOSED	4.70" (11.93cm)
WEIGHT	5.10oz (144.58g)
HANDLE THICKNESS	0.45" (11.43mm)

Sheath optional, see page 70.
984094F and 984093F



AUTO TRIAGE®



THE WORST MOMENTS THE BEST EQUIPMENT

Whether it's leather boots, triple-paned glass or a layer of fire-retardant camo, whatever stands between you and the rescue won't with the Triage.®

8600 **AUTO BEDLAM**® &
860 **MANUAL BEDLAM**®
BENCHMADE DESIGN • U.S.A.



The scimitar-like blade on this big folder offers great functionality and a unique look and feel.

- 8600: AXIS® auto with integrated safety
- 860: AXIS® locking mechanism and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 handle scales with reversible tip-up deep-carry pocket clip



8600/860	
BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.121" (3.175mm)
OPEN	9.76" (24.79cm)
CLOSED	5.76" (14.64cm)
WEIGHT	7.30oz (207.83g)
HANDLE THICKNESS	0.60" (15.18mm)

CONFIGURATIONS/MSRP			
8600BK	BLK		\$280
8600SBK	SERR	BLK	\$280
860			\$225
860SBK	SERR	BLK	\$240

B
L
A
C
K
C
L
A
S
S

9555 **AUTO RIFT**® &
950/950-1 **MANUAL RIFT**®
OSBORNE DESIGN • U.S.A.



Reverse tanto for toughness, large-bellied blade for utility cutting, and textured G10 handle scales help you get a firm grip on any situation.

- 9555: AXIS® auto with integrated safety
- 950/950-1: AXIS® locking mechanism with ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- G10 handle scales with reversible tip-up pocket clip



9555SBK (Automatic)

950-1 Black Handles
950 Layered Black & Gray Handles
(Manual only)

9555/950/950-1	
BLADE LENGTH	3.67" (9.32cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	8.27" (21.00cm)
CLOSED	4.60" (11.68cm)
WEIGHT	4.80oz (136.08g)
HANDLE THICKNESS	0.56" (14.28mm)

CONFIGURATIONS/MSRP			
9555			\$245
9555S	SERR		\$245
9555BK		BLK	\$260
9555SBK	SERR	BLK	\$260
950			\$190
950SBK	SERR	BLK	\$205
950-1			\$190
950SBK-1	SERR	BLK	\$205

PRESIDIO® FAMILY

PARDUE DESIGN • U.S.A.



NSN: 4220-01-546-0478 (5000SBK)

A multi-directional positive grip defines these tough, reliable folders.

- Auto features AXIS® pull release with integrated safety
- Manual features AXIS® locking mechanism and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with double stainless steel liners and a reversible tip-up pocket clip
- MOLLE® soft sheath (5000 only)



Presidio Tanto
5300SBK (Automatic)

Presidio Drop-Point
5000SBK (Automatic)
520 (Manual)



5000 includes sheath with Malice Clip®



Mini-Presidio
5500SBK (Automatic)
525SBK (Manual)



520T - Manual Trainer



5000T - Auto Trainer

CONFIGURATIONS/MSRP AUTOMATICS

5000			\$245
5000SBK	SERR	BLK	\$260
5000T			\$155
5300SBK	SERR	BLK	\$260
5500			\$220
5500S	SERR		\$220
5500BK		BLK	\$235
5500SBK	SERR	BLK	\$235

CONFIGURATIONS/MSRP MANUAL

520			\$190
520SBK	SERR	BLK	\$205
520T			\$130
525SBK	SERR	BLK	\$190
525BK		BLK	\$190

	5000/520/5300	5500/525
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.175mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	5.60oz (158.76g)	3.70oz (104.89g)
HANDLE THICKNESS	0.64" (16.30mm)	0.50" (12.60mm)

B L A C K C L A S S



PRESIDIO ULTRA® FAMILY

PARDUE DESIGN • U.S.A.

These tactical, lightweight autos deliver strength and speed in any situation.

- Auto features AXIS® pull release with integrated safety
- Manual features AXIS® locking mechanism and ambidextrous dual thumb-stud opener
- 440C stainless steel drop-point blade (58-60HRC)
- Noryl GTX® handle with reversible tip-up pocket clip



Presidio Ultra
522SBK (Manual)
5220SBK (Automatic)

Mini-Presidio Ultra
527 (Manual)
5270 BK (Automatic)



Benchmade is pleased to partner with USA Shooting to help in their mission of preparing American athletes to win Olympic medals and promote shooting sports throughout the United States. A portion of the proceeds from every unit sold will be donated to the USA Shooting Team.

For more info, please visit www.usashooting.org.
527BK-USA \$115 527SBK-USA \$115



CONFIGURATIONS/MSRP AUTOMATICS

5220			\$210
5220S	SERR		\$210
5220BK		BLK	\$225
5220SBK	SERR	BLK	\$225
5270			\$190
5270S	SERR		\$190
5270BK		BLK	\$205
5270SBK	SERR	BLK	\$205

CONFIGURATIONS/MSRP MANUAL

522			\$110
522S	SERR		\$110
522BK		BLK	\$125
522SBK	SERR	BLK	\$125
527			\$100
527S	SERR		\$100
527BK		BLK	\$115

	522/5220	527/5270
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.175mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	4.80oz (136.07g)	3.10oz (87.88g)
HANDLE THICKNESS	0.64" (16.30mm)	0.50" (12.60mm)

140/141 NIMRAVUS®

BENCHMADE DESIGN • U.S.A.

MOLLE®
 COMPATIBLE

NSN: 1095-01-466-8569 (140SBK)

Our all-time best-selling combat fixed blade.

- 140: Drop-point blade style
141: Modified tanto blade style
- 154CM stainless steel blade (58-61HRC)
- Full-tang anodized, machined 6061-T6 aluminum handle
- Includes multifunction MOLLE® compatible nylon sheath



141SBK

140BK

Black

Coyote (SN)

ADC

140T Trainer

 Other sheath options
 available separately.

CONFIGURATIONS/MSRP

140BK	BLK	\$180
140SBK	SERR BLK	\$180
140SBKSN	SERR BLK	\$195
140SBK-ADC	SERR BLK	\$195
140T (440C STEEL)		\$140
141BK	BLK	\$180
141SBK	SERR BLK	\$180
141SBKSN	SERR BLK	\$195
141SBK-ADC	SERR BLK	\$195

	140	141
BLADE LENGTH	4.50" (11.43cm)	4.50" (11.43cm)
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)
OVERALL LENGTH	9.45" (24.00cm)	9.45" (24.00cm)
WEIGHT	6.20oz (174.95g)	5.86oz (161.13g)
HANDLE THICKNESS	0.58" (14.79mm)	0.58" (14.79mm)
SHEATH WEIGHT	5.00oz (141.75g)	5.00oz (141.75g)

MOLLE®
 COMPATIBLE

NEW 172BKF TOMAHAWK

KILLIAN DESIGN • U.S.A.

NSN: 4240-01-598-4253 (172BKF)

Differentially heat treated, the forged 4140 steel and textured G10 handles make this tomahawk a very dynamic tool.

- 4140 chromoly blade steel
- Full-tang handle with textured G10 cross-hatched pattern for ultimate grip
- Contoured wedged end for prying
- Differentially heat treated for increased durability
- Includes MOLLE® compatible sheath



Sheath

	172BKF
HEAD LENGTH	7.50" with 3.50" edge face
SPIKE LENGTH	3.50" (8.90cm)
BLADE THICKNESS	0.360" (9.14mm)
OVERALL LENGTH	16.25" (41.27cm)
WEIGHT	36.8oz (1.04kg)
HANDLE THICKNESS	0.96" (24.38mm)
SHEATH WEIGHT	5.50oz (155.92g)

CONFIGURATION/MSRP

172BKF	BLK	\$380
--------	-----	-------

BLACK CLASS

176 SOCP DAGGERTHOMPSON DESIGN • U.S.A.
NSN: 1095-01-609-1266 (176BKS COMBO)**MOLLE**
COMPATIBLE**This 176 SOCP skeletonized dagger is the optimal tool for self-defense.**

- Skeletonized fixed blade dagger or trainer; features premium blade steel
- Finger loop for ease of deployment and use
- Injection-molded sheath in black or sand with clip and lanyard cord



176T

176BKS

	176 DAGGER	176 TRAINER
DAGGER LENGTH	7.25" (18.42cm)	6.81" (17.30cm)
BLADE LENGTH	3.22" (8.18cm)	2.78" (7.06cm)
HANDLE LENGTH	4.03" (10.24cm)	4.03" (10.24cm)
DAGGER THICKNESS	0.175" (4.70mm)	0.175" (4.70mm)
WEIGHT	2.20oz (62.37g)	2.31oz (65.49g)
SHEATH WEIGHT	1.00oz (28.35g)	1.00oz (28.35g)

CONFIGURATIONS/MSRP

176BK Black dagger & black sheath	BLK	\$100
176BK-COMBO Black dagger & sheath with trainer	BLK	\$140
176BKS Black dagger & sand sheath	BLK	\$100
176BKS-COMBO Black dagger & sand sheath with trainer	BLK	\$140
176T Trainer with sheath		\$60

175 CBK
BENCHMADE DESIGN • U.S.A.**A versatile push dagger designed for durability and strength.**

- 440C stainless steel double-edge spear-point with chisel-ground edge (58-60HRC)
- Rubber-dipped coated handle, full-tang
- PIM sheath with reversible belt clip to fit up to a 2-inch duty belt (available in black or sand)



175BK

175BKS

	175
BLADE LENGTH	2.50" (6.35cm)
BLADE THICKNESS	0.125" (3.175mm)
OVERALL LENGTH	5.47" (13.893cm)
WEIGHT	2.32oz (65.77g)
HANDLE THICKNESS	0.25" (6.35mm)
SHEATH WEIGHT	1.70oz (48.19g)

CONFIGURATIONS/MSRP

175BK	BLK	\$100
175BKS	BLK	\$100

BLACK CLASS

SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.

MOLLE
COMPATIBLE



Cut quickly and reliably in an emergency situation. All of our safety cutters are made alongside our knives in the U.S.A.

- 440C premium stainless steel used in 5, 7 and 8 hooks (58-60HRC)
- Sheath color options are black, coyote and foliage green for all hooks (see p. 70 for details)
- Blade opening: 0.50" (12.67mm)

8 Hook

NSN: 4240-01-568-3219 (8BLKW)

The longer handle provides greater reach and leverage.



8 BLKW MED

NSN: 4240-01-599-4970 (8BLKW MED)

This hook is ideal for cutting bandages, medical tubing, casts and uniforms. O₂ wrench laser cut in blade.



	8 BLKW
OVERALL LENGTH	6.50" (16.51cm)
WEIGHT	1.50oz (42.97g)

CONFIGURATIONS/MSRP		
8 BLKW	BLK	\$35
8 BLKW MED	BLK	\$35

B L A C K C L A S S

MOLLE
COMPATIBLE

SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.

7 Hook

NSN: 4240-01-543-9618 (7BLKW)

The larger handle design works well with gloved hands and the coated handle allows for better grip.



5 Hook

This small, compact design is great for lightweight carry.

	7 Hook	5 Hook
OVERALL LENGTH	4.30" (10.92cm)	2.90" (7.37cm)
WEIGHT	1.50oz (42.97g)	1.20oz (33.97g)

CONFIGURATIONS/MSRP		
7 BLKW	BLK	\$35
5 BLKW	BLK	\$35

SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.



9 CB-YEL

retractable
blade cover

9 CB-BLK

9 CB Hook®

Cuts up to 1/2"-diameter rope and features a retractable safety blade cover. A carabiner clip and bottle opener complete the package.



30210

30200

Houdini Pro

Professional rescue tool featuring a window breaker, seatbelt cutter and LED flashlight. Made in China.

9 CB Hook	
LENGTH	5.19" (13.18cm)
WEIGHT	0.80oz (22.77g)

CONFIGURATIONS/MSRP	
9 CB-BLK	\$30
9 CB-YEL	\$30
30200 yellow	\$40
30210 black	\$40


B L A C K C L A S S

NARCOTICS PROBES & INTERDICTION KIT

BENCHMADE DESIGN • U.S.A.

Safely inspect suspicious packages, cargo, seat upholstery, tires and more with these high-grade aluminum probes.

- Our probes come in a variety of lengths and diameters, ranging in size from 64" for the model 164 to 18" for models 118 and 124
- Each probe has a pointed, perforated tip for sample extraction and retention
- Threaded construction allows for easy assembly
- Combo kit includes 118 probe, 8 Hook safety cutter and model 916 Triage® knife



164

124

118

164, 124, 118
Sheaths
(included)

	118	124	164
LENGTH	18.34" (46.58cm)	18.55" (47.12cm)	64.55" (163.96cm)
DIAMETER	0.188" (4.76mm)	0.375" (9.59mm)	0.375" (9.59mm)
WEIGHT	1.49oz (42.2g)	13.61oz (385.7g)	20.77oz (589g)
SHEATH WEIGHT	0.99oz (28.0g)	1.34oz (38.0g)	2.91oz (82.6g)

Kit Includes:

124/8 BLKH-COMBO



124

118

916SBK

8 BLKW

CONFIGURATIONS/MSRP	
118	\$65
124	\$120
124/8-BLKH	\$140
124/8-COMBO	\$350
164	\$160



**5000SBK
AUTO-PRESIDIO**
4220-01-546-0478
PAGE 54



**3350BK
MINI-INFIDEL**
1095-01-598-4343
PAGE 42



**583SBK
BARRAGE**
1095-01-598-4472
PAGE 12



**3300BK
INFIDEL**
1095-01-598-4471
PAGE 42



**916SBK
TRIAGE**
4240-01-598-4341
PAGE 49



**172BKF
TOMAHAWK**
4240-01-598-4253
PAGE 57



7 BLKW HOOK
4240-01-543-9618
PAGE 61



8 BLKW MED HOOK
4240-01-599-4970
PAGE 60



8 BLKW HOOK
4240-01-568-3219
PAGE 60



NSN/GSA PROCUREMENT INSTRUCTIONS

- Visit our Dealer Locator at BENCHMADE.COM and enter your zip code to find your nearest dealer.
- Purchase certain Benchmade knives through the National Stocking System.
- Benchmade knives are offered by General Services Administration Federal Supply Service. Visit GSAADVANTAGE.GOV. Our contract number is: GS-07F-0537T.
- Register as a new Benchmade Public Safety customer at benchmade.com. Make sure to submit an online "Auto Knife Opening Acknowledgement" agreement if you ever plan to purchase restricted products.
- Email us at military@benchmade.com and you will be in direct contact with Benchmade's Fed/Gov Sales Department.



**ADAMAS
375BK**
1095-01-609-1271
PAGE 39



**ADAMAS
375SN**
1095-01-609-1274
PAGE 39



**176BK-COMBO
SOCP**
1095-01-609-1246
PAGE 58




**176BKS-COMBO
SOCP**
1095-01-609-1266
PAGE 58

Our precision crafted writing tools are proudly made in the U.S.A.

- Ergonomic knurling patterns
- Anodized aluminum bodies, with the addition of titanium, stainless steel or damascus in the 1100
- Caps securely snap open or closed
- Fisher ink cartridges - refills available at benchmade.com

1100 Series

ALUMINUM



	1100
PEN DIAMETER	0.50" (1.27cm)
OPEN W/OUT CAP	5.10" (12.97cm)
CLOSED W/ CAP	5.33" (13.54cm)
ALUMINUM WEIGHT	1.30oz (36.85g)
TITANIUM WEIGHT	1.89oz (53.80g)
STAINLESS WEIGHT	3.20oz (90.72g)
DAMASCUS WEIGHT	3.20oz (90.72g)

CONFIGURATIONS/MSRP	
Aluminum	\$120
Aluminum with Carbide Tip	\$130
Stainless Steel	\$180
Titanium	\$210
Damascus	\$250

APPAREL

CHECK OUT BENCHMADE'S NEW ACCESSORIES AND CLOTHING ITEMS!



Blue Classic
Short-Sleeve Tee, Blue
M, L, XL, 2XL \$20.00



Failure is Not an Option
Short-Sleeve Tee, Black
M, L, XL, 2XL \$20.00



Men's OGIO® Jacket
• 100% poly stretch shell bonded to poly mesh with a laminated film insert for wind and water resistance
• 3,000MM waterproof rating
• 3,000G/M breathability rating
S, M, L, XL, 2XL; Black \$115.00



Ladies' OGIO® Polyfleece
• 100% poly interlock bonded to 12-ounce 100% poly microfleece
• Zip-through cadet collar with rib knit detail
XS, S, M, L, XL, 2XL; Blue \$75.00



Tribal Band
Slimmer Fit Short-Sleeve Tee, Asphalt Gray
MENS - M, L, XL, 2XL \$20.00
LADIES - S, M, L, XL \$20.00



No Time for Maybe
Short-Sleeve Tee, Sand
M, L, XL, 2XL \$20.00



Full-zip Fleece
Extra soft fleece with stylish microfiber overlays at the shoulders, sleeves and hips. Embroidered logo on left chest. Available in brown or black.
XS, S, M, L, XL, 2XL \$65.00



Benchmade Pint Glass
988053F \$10.00



Logo Beanie
983793F - Gray \$12.00
988051F - Black \$12.00



Sting Like a Butterfly
Long-Sleeve Hoodie, Black
M, L, XL, 2XL \$40.00



Full-zip Hoodie
Full-zip Hoodie, Black
S, M, L, XL, 2XL \$50.00



Black Flexfit® Hat
983881F - S-M \$20.00
983798F - L-XL \$20.00



Tactical Hat
987908F; Coyote Tan \$20.00



Trucker "Solid Steel"
988162F \$20.00



X-Marks the Spot
988163F \$20.00

SHEATHS

Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the Malice Clip® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

MOLLE® Folder Pouch..... \$25.00

- A. 984818F – Black for models 3300 and 9051/9052
- B. 984094F – Black for models 5000, 915/916 and 9170
- C. 984093F – Coyote for models 5000, 915/916 and 9170



140/141 Fixed Sheath (MOLLE® Compatible)

Sheaths come standard with Malice Clip® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

MOLLE® Fixed Soft Sheath\$50.00

- D. 983468F – Black
- E. 983854F – ADC
- F. 983469F – Coyote



Tek-Lok®

Multiple position options with compatible sheath.

G. 981609F – Tek-Lok®, large size \$15.00



Malice Clips®

Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt loop style carry. Clips securely close with a snap-lock.

- H. 983551F – Large Malice Clip® (4.75" size)..... \$2.00
- I. 983550F – Small Malice Clip® (3" size)..... \$1.50




5 Hook/7 Hook/8 Hook Pouch (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the Malice Clip® (sold separately). Made in USA.

MOLLE® 5 Hook Pouch\$8.00

- J. 981494F – Black
 - K. 983856F – Foliage Green
 - L. 983855F – Coyote
- MOLLE® 7 Hook Pouch\$10.00
- M. 984166F – Black
 - N. 984205F – Foliage Green
 - O. 984204F – Coyote
- MOLLE® 8 Hook Pouch\$12.00
- P. 985398F – Black
 - Q. 985570F – Foliage Green
 - R. 985569F – Coyote



Soft Sheaths

All soft sheaths are 1680 denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

- S. 981086F – Soft Sheath, Small (1.625" W x 5" D), black.....\$10.00
- 981087F – Soft Sheath, Large (2" W x 5.25" D), black.....\$10.00
- 981717F – Soft Sheath, 4" Bali-Song® Series, black.....\$10.00



BRAG BAGS

Brag-Bag Base Shell

Tri-fold folio with 10 individual knife slot areas (6" D x 3" W). Full-width zippered flat files behind knife slots. (17.75" W x 10.50" H folded x 33" flat H)
983445F Brag-bag shell \$60.00



Brag-Bag Pages

Folder page holds 10 individual knife slots. (16.25" W X 20" L)
Fixed blade page holds 4 individual knife slots. (3.5" W x 14" L)

983446F – Brag-Bag folder page \$20.00

983447F – Brag-Bag fixed blade page ... \$20.00



Benchmade Knife Attaché

Soft carry case holds 11 folders. Shell constructed of heavyweight denier with deep plush interior lining and Velcro® flap closure.

981456F – Knife Attaché \$35.00



EXTRAS




Folding Tool Kit

Keep your Benchmade knife in tune with this 12-piece folding tool kit plus sharpener. Carry case included.
985995F – Folding Tool\$35.00



Blue Box

Various bit sizes with a bit holder/extension; molded plastic case, which doubles as the handle.
981084F – Blue Box.....\$20.00



Benchmade Knife Sharpeners

A. The Tactical Pro Sharpener
Easy everyday carry with a ceramic honing surface. Length 3.00"
983902F – Tactical Pro Sharpener\$25.00
B. The Mini-Tactical Pro
Smaller version of the Tactical Pro. Length 2.00"
983903F – Mini-Tactical Pro Sharpener\$20.00
C. Combo Sharpener
Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt carry. Length 5.75"
985547F – ComboEdge Sharpener.....\$30.00



Benchmade Foam Pad

Perfect for presenting products on retail countertops. 11 5/8" x 7 3/4"
983326F – Foam Pad\$10.00



Bluelube™ Bluelube™ Cleaner

Clean, lubricate and protect your Benchmade.
983901F – Bluelube Cleaner (4oz bottle)\$10.00
983900F – Bluelube (1.25oz bottle w/ nozzle)\$8.00



Plexiglass Knife Racks

In Benchmade blue or Bone Collector gray. Each rack holds 7 knives. 10" D x 3 3/4" W x 3" H
985567F – Knife Rack.....\$25.00
986698F – Bone Collector....\$30.00



Single Knife Holder

Transparent plastic, each one holds a single knife in the open position.
1000005 – Knife Holder\$2.50



Benchmade Product Display

Sturdy, industrial-style construction with a lockable top and bottom; no assembly required.
985581F – Base\$500.00
985580F – Counter.....\$500.00

THE BENCHMADE DIFFERENCE


For over two decades, Benchmade has been committed to designing and manufacturing world-class sports cutlery and edged tools.

We continually strive to manufacture high quality products that will deliver superior performance and provide great value for our customers.

Whether you are using a Griptilian® as a basic cutting tool or one of our professional-grade rescue hooks to perform a quick cut in an emergency situation, you can count on your Benchmade to get the job done.

It's not just a knife...

We believe that when a customer chooses to purchase a Benchmade, they don't do so just to be different, they do so because they want the best. This mindset of innovating for improvement is alive and well throughout Benchmade. It goes into every design and comes out of every product. Admittedly, it's not the easiest way to make knives, but it's the only way we know how.



MODEL FEATURE CODES

These codes appear after the Benchmade model numbers. They identify particular feature variations within each model. (Example: Model 140SBK is a Model 140 knife, which features partially serrated ComboEdge and corrosion resistant coating on the blade). We may do a limited edition of a model where the model number does not change but does get an addition to the ending, such as 470-131.

(NO CODE)	Plain edge/no blade coating
S	ComboEdge (partially serrated) no blade coating
BK	Plain edge black corrosion resistant coated blade
SBK	ComboEdge (partially serrated) black corrosion resistant coated blade
OD	Olive Drab color handle
SN	Coyote color handle or sheath
-BLU	Blue color handle
-YEL	Yellow color handle
-ORG	Orange color handle
-BLK	Black color handle
-PNK	Pink color handle
W	Soft sheath for safety cutter
ADC	Army digital camouflage color sheath
D2	D2 tool steel blade
DM	Damascus blade
CP	Clam pack



DESIGNER COLLABORATION

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passions into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



Mel Pardue The senior team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the everyday knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

McHenry & Williams

Bill McHenry & Jason Williams It runs in the family... Bill and son-in-law, Jason, spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents complement one another very well, and have led to several noteworthy innovations in the knifemaking world. Benchmade was fortunate to be involved with one such innovation, the AXIS® mechanism. The rest is history in the making.



Warren Osborne Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.



Seiichi Nakamura Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



Shane Sibert Since 1994, Shane Sibert's goal has been to design and create unique knives that will evoke pride of ownership, while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Sibert draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts, and enjoys scuba diving in Oregon's chilly waters.



Ken Steigerwalt In 1978 at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knifemaking was going to be his full-time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style and describes his work as a passion and a journey to build a better knife than the last. Benchmade has been fortunate to be involved with one such innovation, the Nitrous® Assist mechanism.



Eddie Killian Born with a love of knives, Eddie has carried a knife in his pocket since the second grade, and started to make his own knives in his garage in 2003. A volunteer search and rescue team leader, Eddie is also a certified technical rigging instructor specializing in technical/tactical rope rescue rigging for search and rescue teams, fire agencies, law enforcement and military personnel. He is the founder of Durango, CO-based K5 Tactical. He works as an industrial two-way radio system designer and consultant, as well as military and law enforcement equipment designer. Eddie has worked with countless local, state and federal agencies including the California Highway Patrol, U.S. Secret Service, Department of Justice, and the Department of the Treasury.

LERCH

Matthew Lerch Co-developer of the Nitrous® Assist mechanism, Matthew has his finger on the pulse of industry-leading innovations and will continue to be a valuable contributor to Benchmade's genuine passion for that next, better design.



Bob Lum Growing up in the Pacific Northwest gave him an opportunity to develop an appreciation for the importance of a fine knife, which comes through in his elegant and utilitarian designs. Thanks, Bob.



Charles Marlowe Charles began making knives when he was 15 years old in his father's workshop. His passion developed throughout his college career and he has been designing knives ever since. Known for his unique butterfly knife designs, Charles and Benchmade share a mutual commitment to precision and quality.



Greg Thompson Greg is the creator of Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 12 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the 18 ABN CORPS at Fort Bragg, NC.



Butch Ball Butch Ball developed a passion for knives at a very early age. After building a few fixed blades in the early '90s, he decided in 2000 to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, recreates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanical or ergonomic. The results of this process are designs that are as robust as they are innovative.

LOCKING MECHANISMS

Seems simple enough. You open the knife, you close the knife. But it's the mechanics of motion that happens in the process of opening and closing, which can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

AXIS®

A patented Benchmade exclusive, AXIS® has been turning heads and winning fans ever since its introduction. A 100 percent ambidextrous design, AXIS® gets its function from a small, hardened steel bar that rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners, and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS® bar itself. Available in manual, AXIS®-Assist or AXIS®-Auto configurations.

MODIFIED LOCKING-LINER

The basic principle is an integral locking bar within the knife liner being stress-bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right- or left-hand specific). And with a modified locking-liner you get a patented feature that helps to enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made and also the quality of the materials used. With Benchmade, you get both.

MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one in the same as the knife handle, and thus it is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle, and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

NAK-LOK®

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok®, the possibility of personal injury is greatly reduced with the opening finger never crossing the blade's path.

NITROUS®

Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed, the two torsion arms that run the length of the handle liners are secured in place and make contact with the blade tang. As tensioned against the blade tang, the user rotates the blade open to a 30-degree angle, the torsion arms take over and continue the blade opening process on its own. The huge advantage to the Nitrous® design over other similar concepts is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

AUTOMATICS

Restricted to Active Duty Military, Law Enforcement and Public Safety, these automatic knives utilize either push-button, slide-release, or dual-action mechanisms. The push-button auto deploys the blade from the side of the handle with a simple actuation of the button. OTF, or out-the-front, utilizes a slide release and spring system to deploy the blade from the front of the handle. The blade will lock in both the opened and closed positions. Our dual-action knives offer both manual and automatic functionality using a sliding bolster system to deploy the blade from the side of the handle. Benchmade autos take full advantage of powerful springs coupled with our precisely machined lock mechanisms, providing the most reliable automatic systems available in the industry. Our patented integrated safety mechanism, located on the handle spine in all push-button automatics, ensures that the blade will not inadvertently deploy or close once it is locked open.

BALI-SONG®

As much an art form as it is the ultimate example of form following function. The Bali-Song, or butterfly knife, is of Filipino ancestry dating back to nearly AD 800. Its basic form consists of a pin-hinged, two-piece handle, which when closed encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility capable.



BLADE STEELS AND FINISHES

Benchmade uses a variety of modern materials specially selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a custom quality cutting tool, then it only makes sense to build it with materials that complement its form and enhance its function.

M390

A high performance blade steel with superior cutting ability and wear resistance due to its high concentration of vanadium and chromium carbides. Its unique powder metallurgical process also promotes a uniform carbide distribution and clean steel properties, making M390 a popular steel used in surgical cutting instruments and in applications requiring a high finish. As a blade material it offers excellent corrosion resistance due to its high concentration of chromium.

CPM-M4

Special purpose, high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. A powder-metal, non-stainless steel.

S30V

An American-made and developed premium grade stainless steel created especially for knives. It is a powder-made steel with a uniform carbide distribution and clean steel properties. As a blade material, it offers excellent corrosion resistance and superb edge qualities.

154CM

An American-made premium grade stainless steel originally developed for tough industrial applications. Known for its best all-around qualities, it offers great corrosion resistance with good toughness and edge quality.

D2

An air-hardened tool steel that offers excellent wear resistance. A good choice for hard-use applications.

N680

A chromium-molybdenum conventionally produced stainless steel with the addition of vanadium and nitrogen. Excellent corrosion resistance properties, especially in saltwater. Good hardenability and high obtainable hardness. High wear resistance and ability to preserve keenness.

440C

A high-chromium stainless steel with a terrific balance of good hardness and corrosion resistance. 440C takes a nice edge and is fairly easy to resharpen. An excellent value-priced steel for its performance.

DAMASCUS

A specially forged, layered steel made of a variety of steels. It offers remarkable toughness and edge quality. For finishing, the surface layers or lines are exposed through an acid etch which creates a very unique visual effect. Used in special applications due to its inherent high cost and artistic nature.

CERAKOTE™

Designed and manufactured by NIC Industries, Cerakote™ has a unique ceramic structure that outperforms competitive coatings and improves performance in both laboratory and real-world settings.

COMBOEDGE

It denotes our partial serration on the plain edge blade configuration. Benchmade's serration pattern offers ideal cutting ability for fibrous materials such as webbing, straps, netting, or rope.

HEAT TREATMENT

Over the years we have developed a "special recipe" for heat treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and Benchmade superior performance. All steels may be created equally, but that is where it stops when it comes to Benchmade.

STEEL	CARBON	CHROMIUM	COBALT	NITROGEN	MANGANESE	MOLYBDENUM	NICKEL	PHOSPHOROUS	SILICON	SULPH	TUNGSTEN	VANADIUM	HRC
154CM	1.05	14.00	-	-	0.50	4.00	-	-	0.30	-	-	-	58-61
S30V	1.45	14.00	-	-	0.50	2.00	-	-	0.50	-	-	4.00	58-60
M2	0.85	4.15	-	0.30	0.30	5.00	0.30	-	0.30	-	5.50-6.75	1.95	58-60
D2	1.50	12.00	-	0.30	0.60	1.00	0.30	-	0.60	-	-	1.00	60-62
M390	1.90	20.00	-	-	0.30	1.00	-	-	0.60	-	0.60	4.00	60-62
N680	0.54	17.30	-	+N	0.40	1.10	-	-	0.45	-	-	0.10	57-59
440C	1.00	17.50	-	-	0.50	0.50	-	0.04	0.30	0.03	-	-	58-60
8CR14MOV	0.75	14.50	-	-	1.00	0.20	-	0.03	1.00	0.03	-	0.20	57-58
AUS-8	0.75	14.00	-	0.49	0.50	0.10	0.49	0.04	1.00	0.03	-	0.20	58-59
1095	1.00	-	-	-	0.40	-	-	0.04	-	0.05	-	-	57-60
9CR13COMOV	0.85	13.50	1.00	-	1.00	0.20	-	-	-	-	-	0.20	58-60
CPM-M4	1.42	4.0	-	-	-	5.25	-	-	-	-	5.5	4.0	62-64

HANDLES AND LINERS

HANDLES

CARBON FIBER

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin, which is most commonly clear but can be color tinted. It offers great looks and is exceptionally strong for its minimal weight.

COCOBOLO

A tropical hardwood from Central America known for being hard and dense. Its coloring ranges from orange to reddish-brown.

MICARTA

Layers of linen cloths soaked in resin and pressured together. Most commonly used on more stylish knives due to its rich color finish qualities.

6061-T6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft-grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

NORYL GTX®

A modern engineered plastic offering high-strength, low-flex, and lightweight properties. Molded to form.

G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under climate change. Most commonly black, but is also available in various colors.

ZYTEL®

A lightweight, glass-filled nylon engineered for strength and durability. Widely used throughout the auto industry in engine-related components. Molded to form.

KYDEX®

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

DELTRIN®

A lightweight and durable engineered polymer with low-wear properties. Used throughout the auto industry. Molded to form.

VALOX®

A reinforced resin with excellent stiffness, strength, and dimensional stability. Molded to form.

GRIVORY®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

SANTOPRENE®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistance to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

LINERS

6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

410SS STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel that offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well. Also used in handles.

SHEATHS

BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

LEATHER

A natural material dating back to man's earliest beginnings in the knife world. It can be easily dyed and tooled for desired visual effect. Offers traditionally accepted levels of performance and design capability.



The following are registered trademarks of their respective companies: Delrin®, E.I. du Pont de Nemours & Company; Zytel®, E.I. du Pont de Nemours & Company; Kydex®, Kleerdex Company; Noryl GTX® and Valox®, General Electric Company; Xylan®, Whitford Worldwide Corporation; Kraton®, Kraton Polymers Company; Santoprene®, Advanced Elastomer Systems, Grivory®, EMS-Grivory.

SPECIAL SERVICES



PERSONALIZED LASER MARKING

Make any Benchmade your Benchmade. Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed either on the blade or, in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit www.benchmade.com/lasermark.



LIFESHARPSERVICE

BENCHMADE LIFESHARP We will gladly sharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for any warranted repairs and "tune" the knife for optimum performance. Ship the knife to Benchmade, postage-paid and insured. Please enclose your return shipping address with \$5.00 to help cover return shipping charges. www.benchmade.com/lifesharp

WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will not be returned to you. To obtain an AKOA form, please visit www.benchmade.com NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory re-sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool); or the failure to perform normal or necessary maintenance.

The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

ARE Benchmade ASSIST-OPEN KNIVES LEGAL?

Because of the way that the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide

variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade from, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit www.benchmade.com for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help to protect your knife freedoms. Join AKTI today!

877.752.8770 Or www.akti.org

The following are trademarks or registered trademarks of Mentor Group, L.L.C., used under license: Adamas, Axial, Benchmade (wordmark logo), Conspiracy, Emisary, Epidemic, Fieldsharp, Fugitive, Hardtail, Houdini, Mangus, Megumi, Mountainside, Nightshift, Nonconformist, NTK Pro (bullseye logo), Ridge Top, Scorch, Shori, Soldat, Swale, T-Rod, Tailout, Ti-Fender, Trask, Triage, Venom. • The following are trademarks or registered trademarks of Benchmade Knife Company, Inc.: Ally, Ambush, Aphid, Ares, Ascender, AXIS, Backroad, Bali-Song, Bali-Song (butterfly logo), Barrage, Bedlam, Benchmade, Benchmade (butterfly logo), Benchmite, Blitz, BlueLube, Break. Cut. Escape, Dejavoo, ERT-1, Genuine AXIS Mechanics, Glory, Gravitator, Griptilian, Hell's Kitchen, InDraft, Impel, Infidel, Instigator, Kulgera, Levitator, LFTi, Mayhem, MonoChrome, Morpho, MPR, Nagara, Nak-Lok, Nimravus, NimCub II, Nitrous, Onslaught, Optimiser, Pika, Presidio, Presidio Ultra, Rant, Rift, Rolling Lock, Rukus, Sequel, Shoki, Skirmish, Stryker, Subrosa, Torrent, Tumult, Venom, Vex. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the following patents: U.S. Patent Nos. 5,685,079 (Rolling Lock), 5,737,841 (AXIS, Auto AXIS, AXIS Assist), 5,755,035 (Liner Lock), 5,822,866 (Automatic), 6,122,829 (AXIS), 6,438,848 (Auto AXIS), 6,550,832 (Levitor), US RE 41,259 E (AXIS, Auto AXIS, AXIS Assist), 6,675,484 (Levitor), 6,732,436 (Rolling Lock), 6,789,323 (Rolling Lock), 7,278,213 (Automatic, Liner Lock), 7,293,360 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback), 7,305,768 (Monolock), 7,305,769 (Out The Front), 7,409,766 (Lockback), 7,533,466 (Sliding Taillock), 7,562,454 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback), 7,562,455 (Out The Front), 7,748,122 (AXIS Assist), 7,905,023 (Adjustable pivot diameter), 7,987,601 (NakLok), 8,171,645 (AXIS Assist), 8,261,633 (Adjustable pivot diameter), D422,476 (710 Blade), D422,477 (Sentinel, Dark Star Knife), D422,478 (Sentinel, Dark Star Handle), D422,479 (720), D422,480 (710 Handle), D422,669 (Nimravus), D422,873 (710), D422,877 (Nimravus Handle), D425,389 (Nimravus Blade), D426,132 (720 Blade), D428,789 (710 Handle), D431,991 (Ares Handle), D432,386 (Ares), D433,913 (720 Handle), D438,442 (940 Blade), D447,925 (940 Handle), D549,561 (Rescue Hook), D553,482 (Rescue Hook), Chinese Patent Nos. ZL 98813962.6 (AXIS), ZL 03106473.6 (AXIS), ZL 02815077.5 (Levitor), ZL 200680042105.7 (Nak-Lock), ZL 200680020710.4 (Auto Assist), ZL 02828500.X (Moizis Assist), French Patent Nos. 1552088 (Levitor), 1071546 (AXIS), 97452 (Stryker), 8795104.2 (AXIS Assist), 602008012517.3 (AXIS Assist), German Patent Nos. 60236820.0-08 (Levitor), 1071546 / 69821034.4-08 (AXIS), 602008012517.3 (AXIS Assist), M9711869.9 (Stryker), M711870.2 (Stryker), Hong Kong Patent No. HK1037344 (AXIS), HK1123255 (Nak-Lock), Italian Patent Nos. 1552088 (Levitor), 1071546 (AXIS), 73990 (Stryker), Japanese Patent Nos. 3639990 (AXIS), 4225896, Spanish Patent No. 1552088 (Levitor), Taiwanese Patent Nos. 187158 (Levitor), 247653 (Assist), 1325362 (BILT), 1351343 (OTF). Other Patents Pending.