

HK[®]
KNIVES



2014 CATALOG
SECOND EDITION



NO COMPROMISE

For more than a half century, Heckler and Koch has been a leading designer and manufacturer of military, law enforcement and civilian firearms. HK's commitment to quality, innovation and safety makes them an industry leader in reliability and technology.

This dedication continues with HK Knives, where superior edged tools combine leading technology with practical design. These advancements are deployed throughout the product line with technologies like Nitrous[®] Assist and out-the-front (OTF). In addition, aerospace industry tolerance standards provide a complementary fit and finish.

Our customers live the HK motto - No Compromise - and for this reason you have our commitment that we will continuously pursue innovation and performance in all of the products we offer.

HK[®]
KNIVES



HK[®] AXIS[®]

AXIS[®] returns to HK in a package that brings new levels of performance.

- AXIS[®] locking mechanism with ambidextrous dual thumb-stud opener
- Clip point D2 steel blade (60-62HRC)
- Textured black G10 handle scales with full stainless steel liners and reversible tip-up pocket clip



14715BK
14715SBK

\$155
\$155

BLK
SERR/BLK

BLADE LENGTH
HANDLE THICKNESS
OPEN
CLOSED
WEIGHT

3.69" (9.37cm)
0.51" (12.95mm)
8.34" (21.18cm)
4.64" (11.79cm)
4.96oz (140.61g)

AUTOMATIC



Tanto



Drop-Point

ENTOURAGE

Drop-Point 14702
Tanto 14701/14751

- Enlarged push-button and integrated safety
- Drop-point or tanto 440C stainless steel blade (58-60HRC)
- Enhanced spring design for improved response time
- Black anodized 6061-T6 aluminum handle with tip-up pocket clip



	14701	14751	14702
14701BK	\$175	BLK	
14701SBK	\$175	SERR/BLK	
14751BK	\$160	BLK	
14751SBK	\$160	SERR/BLK	
14702BK	\$175	BLK	
14702SBK	\$175	SERR/BLK	
BLADE LENGTH	3.74" (9.50cm)	2.87" (7.29cm)	3.78" (9.59cm)
HANDLE THICKNESS	0.53" (13.46mm)	0.49" (12.45mm)	0.53" (13.46mm)
OPEN	8.44" (21.44cm)	6.78" (17.22cm)	8.48" (21.54cm)
CLOSED	4.70" (11.94cm)	3.91" (9.93cm)	4.70" (11.94cm)
WEIGHT	4.50oz (127.57g)	3.70oz (104.90g)	4.50oz (127.57g)



Tanto

Drop-Point

MP5

Drop-Point 6000010
Tanto 6000012

- Enlarged push-button and integrated safety
- Drop-point or tanto 154CM stainless steel blade (58-61HRC)
- Black anodized 6061-T6 aluminum handle and extended steel back spacer with reversible tip-up pocket clip



6000010BK	\$230	BLK	
6000010SBK	\$230	SERR/BLK	
6000012BK	\$230	BLK	
6000012SBK	\$230	SERR/BLK	
BLADE LENGTH	3.40" (8.64cm)		
HANDLE THICKNESS	0.62" (15.75mm)		
OPEN	8.50" (21.59cm)		
CLOSED	5.00" (12.70cm)		
WEIGHT	3.90oz (110.56g)		

ASSIST




NITROUS® BLITZ®

- Modified locking-liner with Nitrous® Assist mechanism; single thumb-stud opener
- Modified clip-point 154CM stainless steel blade (58-61HRC)
- Textured black G10 handle scales with dual titanium liners and tip-down pocket clip



14460	\$145	
14460BT	\$160	BLK
14460SBT	\$160	SERR/BLK

BLADE LENGTH	3.40" (8.64cm)
HANDLE THICKNESS	0.43" (10.92mm)
OPEN	8.00" (20.32cm)
CLOSED	4.60" (11.68cm)
WEIGHT	2.70oz (76.54g)



Tan
14652SBT

OD Green
14651SBT

P30 ASSIST

- Locking-liner assisted opening mechanism with thumb-stud opener
- Modified drop-point 8CR13 stainless steel blade (57-59HRC)
- OD green, tan or black molded thermoplastic handles with P30 texture and tip-down pocket clip

600008BT	\$65	BLK
600008SBT	\$65	SERR/BLK
14651SBT	\$65	SERR/BLK
14652SBT	\$65	SERR/BLK

BLADE LENGTH	2.95" (7.49cm)
HANDLE THICKNESS	0.48" (12.19mm)
OPEN	6.75" (17.15cm)
CLOSED	3.88" (9.86cm)
WEIGHT	2.60oz (73.71g)

MANUAL



CONSPIRACY® FOLDER

- Drop-point 9CR13 stainless steel blade (58-60HRC)
- Heavy-duty 0.18" thick blade
- High traction G10 handle with titanium monolock and tip-down pocket clip

14201BT	\$105	BLK	BLADE LENGTH	3.60" (9.14cm)
			HANDLE THICKNESS	0.63" (16.00mm)
			OPEN	7.55" (19.18cm)
			CLOSED	4.07" (10.34cm)
			WEIGHT	6.35oz (180.01g)



ALLY®

- Monolock mechanism with ambidextrous thumb-hole opener
- Modified clip-point AUS-8 stainless steel blade (58-60HRC)
- One-piece 420J stainless steel handle assembly with tip-up pocket clip and glass breaker

14440SB	\$45	SERR/BLK	BLADE LENGTH	2.80" (7.11cm)
			HANDLE THICKNESS	0.30" (7.62mm)
			OPEN	6.87" (17.45cm)
			CLOSED	4.10" (10.41cm)
			WEIGHT	2.92oz (82.78g)

MANUAL



Drop-Point

Tanto



PIKA®

Drop-Point 14412/14402SBK

Tanto 14452SBK

- Lock-back mechanism with ambidextrous thumb-stud or thumb-hole opener
- Drop-point or tanto 8CR13 stainless steel blade (58-60HRC)
- Glass-filled nylon handle with 420J stainless steel liners and reversible, tip-up/down deep carry pocket clip

			14402/14452	14412
14402	\$50			
14402SBK	\$50	SERR/BLK		
14412	\$45			
14452SBK	\$50	SERR/BLK		
			BLADE LENGTH	
			3.50" (8.89cm)	2.90" (7.37cm)
			HANDLE THICKNESS	
			0.45" (11.43mm)	0.44" (11.18mm)
			OPEN	
			8.32" (21.13cm)	6.97" (17.70cm)
			CLOSED	
			4.82" (12.24cm)	4.07" (10.33cm)
			WEIGHT	
			3.74oz (106.03g)	2.75oz (77.96g)



SOLDAT®

- Manual push-button locking mechanism with ambidextrous thumb-hole opener
- Tanto N680 ultra-stainless steel blade (57-59HRC)
- Molded Grivory® handle with reversible tip-up pocket clip



with Austrian Steel

14410BK	\$75	BLK	BLADE LENGTH	3.30" (8.38cm)
14410SBK	\$75	SERR/BLK	HANDLE THICKNESS	0.76" (19.30mm)
			OPEN	7.70" (19.56cm)
			CLOSED	4.40" (11.17cm)
			WEIGHT	2.80oz (79.38g)



NO COMPROMISE

“To Protect and To Serve” is more than just a motto to some of us. When your job description includes putting your life on the line daily, you know the importance of tools you can depend on. HK knives are crafted to the highest standard because we take your safety as seriously as you do.



NEW 14808 TURMOIL™

- Double action out-the-front (OTF) auto with ambidextrous, asymmetrical, gray anodized thumb-button opener
- Drop-point D2 tool steel blade (60-62HRC)
- Black anodized 6061-T6 aluminum handle with reversible pocket clip



14808
14808BK

\$300
\$315

BLK

BLADE LENGTH
HANDLE THICKNESS
OPEN
CLOSED
WEIGHT

3.47" (8.81cm)
0.47" (11.93mm)
8.10" (20.57cm)
4.63" (11.76cm)
3.43oz (97.24g)

OUT-THE-FRONT (OTF)



EPIDEMIC®

- Double action out-the-front (OTF) auto with ambidextrous red anodized thumb-button opener
- Spear-point D2 tool steel blade (60-62HRC)
- Black anodized 6061-T6 aluminum handle with reversible tip-down pocket clip



14850	\$290	
14850BK	\$305	BLK

BLADE LENGTH	3.50" (8.89cm)
HANDLE THICKNESS	0.55" (13.97mm)
OPEN	8.29" (20.88cm)
CLOSED	4.79" (12.16cm)
WEIGHT	3.86oz (109.43g)



TUMULT®

- Double action out-the-front (OTF) auto with ambidextrous gray anodized thumb-button opener
- Clip-point D2 tool steel blade (60-62HRC)
- Black anodized 6061-T6 aluminum handle with reversible tip-down pocket clip



14800	\$290	
14800BK	\$305	BLK

BLADE LENGTH	3.50" (8.89cm)
HANDLE THICKNESS	0.44" (11.18mm)
OPEN	8.10" (20.57cm)
CLOSED	4.60" (11.68cm)
WEIGHT	3.00oz (85.05g)

DUAL ACTION (MANUAL AND AUTOMATIC)



Reverse Tanto

Spear-Point

SCORCH® THIN BLUE LINE

6000000 \$180

A portion of the proceeds from these knives are donated to foundations supporting the families of officers who have made the ultimate sacrifice.



SCORCH®

Spear-Point 14975
Reverse Tanto 14925

- 2-in-1 dual action with locking-liner and ambidextrous thumb-stud opener
- Spear-point or reverse tanto N680 ultra-stainless steel blade (57-59HRC)
- Injection molded glass-filled nylon handle with tip-down pocket clip



With Austrian Steel

14925BK	\$165	BLK
14925SBK	\$165	SERR/BLK
14975BK	\$165	BLK
14975SBK	\$165	SERR/BLK
6000000SBK	\$180	SERR/BLK

BLADE LENGTH	3.16" (8.03cm)
HANDLE THICKNESS	0.58" (14.73mm)
OPEN	7.54" (19.15cm)
CLOSED	4.38" (11.13cm)
WEIGHT	3.90oz (110.56g)



SCORCH® CODE 3


- 2-in-1 dual action with locking-liner and ambidextrous thumb-stud opener
- Reverse tanto D2 tool steel blade (60-62HRC)
- Textured black G10 handles with full stainless steel liners and tip-down pocket clip



6000006BK	\$230	BLK
6000006SBK	\$230	SERR/BLK

BLADE LENGTH	3.16" (8.03cm)
HANDLE THICKNESS	0.54" (13.72mm)
OPEN	7.54" (19.15cm)
CLOSED	4.38" (11.13cm)
WEIGHT	4.30oz (121.90g)

FIXED



PLAN D

- Sheath features anti-assailant retention device
- Fixed Wharncliffe-style blade with angled profile
- N680 ultra-stainless steel blade (57-59HRC)
- Contoured Grivory® handle scales with signature HK® texture
- Low profile, molded sheath with ambidextrous clip designed for duty belts



with Austrian Steel

14125BK

\$85

BLK

BLADE LENGTH

2.90" (7.37cm)

HANDLE THICKNESS

0.54" (13.72mm)

OVERALL LENGTH

5.65" (14.35cm)

WEIGHT

2.37oz (67.19g)

FIXED



CONSPIRACY® FIXED

- High traction black G10 handle scales
- Tanto 9CR13 stainless steel blade (58-60HRC)
- Heavy-duty 0.20" thick blade
- Includes nylon-molded sheath

14101BT	\$85	BLK
14101SBT	\$85	SERR/BLK

BLADE LENGTH	4.80" (12.19cm)
HANDLE THICKNESS	0.70" (17.78mm)
OVERALL LENGTH	9.00" (22.86cm)
WEIGHT	11.22oz (318.08g)



INSTIGATOR®

- Modified Wharncliffe AUS-8 stainless steel blade (58-60HRC)
- Full-tang skeletonized handle
- Snap-Fit molded sheath with tether

14536BP	\$55	BLK
---------	------	-----


BLADE LENGTH	3.28" (8.33cm)
HANDLE THICKNESS	0.12" (3.05mm)
OVERALL LENGTH	7.38" (18.75cm)
WEIGHT	2.30oz (65.20g)

TOOLS/MISC.

ALLY® COMBO

Combo packaged in a genuine HK pistol case.

14440SB-COMBO \$115



14441T



14440SB



14442L

MULTITOOLS/LIGHTS



UTILITY

Needle nose pliers, multiple blades, strap cutter, wire cutter and crimper, screwdriver, file and more. Carry pouch and 9-piece bit set included.

14441T.....\$45.00



TACTICAL

Needle nose pliers, knife blade, strap cutter, four-tooth front sight adjustment for AR-15 / M-16, shotgun choke key, cuff key and double-lock tool, file with scraping end, saw blade. Carry pouch and 9-piece bit set included.

14443T.....\$80.00



100-Lumen LED Light

Advanced tactical light with 3 function settings: low / high / strobe. Max Run Time: 10 hours.

Batteries: 2 CR123 Lithium (not included)
14444L.....\$60.00



70-Lumen LED Light

LED flashlight with removable pocket clip. Max Run Time: 10 hours. Batteries: 3 AAA (not included)

14442L.....\$45.00

EXTRAS



Bring It Shirt

"The knife you bring to a gun fight."
Short-Sleeve tee, black. Made in USA

M, L, XL.....\$25.00



HK Knife Rack

984231F.....\$25.00



HK Kubaton

Anodized w/ Carbide Glass Breaker Tip and Key Ring
6000001-BLK.....\$25.00
6000001-PNK.....\$25.00



HK Cap

Adjustable Velcro® strap hat with embroidered red logo on front and embroidered white "Heckler & Koch" writing on back. 100% cotton.

986368F.....\$20.00

WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will not be returned to you. To obtain an AKOA form, please visit www.benchmade.com NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory resharpener of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool); or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. HK or Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. HK knives carry no warranty except as expressly contained herein. HK and Benchmade disclaim all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

ARE HK ASSIST-OPEN KNIVES LEGAL?

Because of the way that the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the HK assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade and HK from, and you expressly agree to indemnify and hold harmless Benchmade and HK from, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade and HK will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade or HK product purchased, either directly from Benchmade or HK or from any retail dealer.

PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit hk-knives.com for the latest information.

SHARPENING SERVICE

We will gladly resharpen your knife to a factory edge (does not apply to serrated portion of the blade). Ship us your knife postage-paid and include a completed LifeSharp form found online:

benchmade.com/lifesharp

Send your knife to: HK Knives, Attn: Service Department, 300 Beaver Creek Rd., Oregon City, OR 97045 USA.

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: Ally; AXIS; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Blitz; Conspiracy; Epidemic; Genuine AXIS Mechanics (logo); Instigator; Nitrous; Pika; Scorch; Soldat; Tumult. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the following patents: 5,737,841 (AXIS, Auto AXIS, AXIS Assist); 5,755,035 (Liner Lock); 5,822,866 (Automatic); 6,122,829 (AXIS); 6,438,848 (Auto AXIS); US RE 41,259 E (AXIS, Auto AXIS, AXIS Assist); 7,278,213 (Automatic, Liner Lock); 7,293,360 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback); 7,305,768 (Monolock); 7,305,769 (Out The Front); 7,409,766 (Lockback); 7,562,454 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback); 7,562,455 (Out The Front); 7,748,122 (AXIS Assist); 8,171,645 (AXIS Assist); 8,375,590 (AXIS Assist); 8,572,851 (AXIS Assist); 8,646,184 (Dual Taper Manual Push Button); Chinese Patent Nos. ZL 98813962.6 (AXIS), ZL 03106473.6 (AXIS), ZL 200680020710.4 (Auto Assist); French Patent Nos. 1071546 (AXIS); German Patent Nos. 1071546 / 69821034.4-08 (AXIS); Hong Kong Patent No. HK1037344 (AXIS); Italian Patent No. 1071546 (AXIS); Japanese Patent No. 3639990 (AXIS), 4225896; Taiwanese Patent Nos. 247653 (Assist). Other Patents Pending.



300 BEAVERCREEK ROAD
OREGON CITY, OR 97045

TELEPHONE

800.800.7427
503.655.6004

EMAIL

info@benchmade.com

WEB

www.hk-knives.com

PRSR STD
US POSTAGE
PAID
OREGON CITY, OR
PERMIT NO. 25

