# BENCH ADE

-



# **30 YEARS AND COUNTING.**

December 1987.

Inside a small shop in Los Angeles, California, something big was happening. A young man was on a personal mission. A hunt for perfection.

Equipped with manufacturing skills from his high school shop class, childhood memories from the Filipino community, and grit,

Les de Asis created one of the world's great tools. A seemingly impossible balance of artistry, science and craftsmanship: the Benchmade Bali-Song®.

It was the knife that started it all.

From the humble garage beginnings to today's state-of-the-art Benchmade factory in Oregon City, Oregon—the hunt for the perfect knife continues. Stronger than ever.

Benchmade takes immense pride in seamlessly blending old-world craftsmanship with advanced manufacturing technologies and ongoing material science research to produce a vast array of limitpushing, genre-bending, precision-crafted knives. Honoring tradition while looking to the future.

The first 30 years have been a fantastic grind.

Here's to 30 more.

## HOW TO CHOOSE YOUR BENCHMADE KNIFE

## Ο ΑCTIVITY

Outdoor, tactical, every day use—there are many uses for a knife, and some knives are better for certain activities than others.

#### HOW WILL YOU USE YOUR KNIFE?



**TACTICAL** Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations where performance is a must.

**RESCUE** For critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.



**EVERY DAY** Not obtrusive or uncomfortable in slacks or shorts; just convenient and well fitted to your general needs.



**OUTDOOR** From water to woods, backpacking trips to car camping, kayaking to fly-fishing, these versatile cutting tools can be used for many tasks.

**HUNTING** Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.

**SURVIVAL** Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.

#### **KEY KNIFE FEATURES**



**AXIS**<sup>®</sup> Exclusive to Benchmade, the AXIS<sup>®</sup> lock is truly ambidextrous and extremely strong.

**DUAL**ACTION **Dual-Action** Works both as an auto and manual-opening mechanism.



X

**Ambidextrous** Can be used equally well with either hand.

**Reversible Clip** The pocket clip can be removed and placed in alternate locations on the handle.



**MOLLE\* Compatible** A versatile attachment system designed for kitting military equipment.



LifeSharp: Service and Warranty Our industry-leading lifetime warranty and product service program. For more detailed information, visit pages 89 and 96.

## **O MECHANISM**

We offer five primary actions: manual-opening, assisted-opening, automatic-opening, fixed blade and Bali-Song<sup>®</sup>. If you're a mountain climber, you may want an assist. If you're a sportsman, a fixed blade may be the right choice. Whatever the case, consider which mechanism type is optimal for your needs. Mechanisms like the AXIS<sup>®</sup> lock deliver manual opening, assisted opening and automatic opening. Others, like the monolock, deliver only manual opening. For detailed information on our mechanisms, visit page 91.

#### ACTIONS

**Manual-opening** "Manuals" must be opened 100%, from the closed position to the open position, by the user.

**Assisted-opening** "Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

Automatic-opening "Autos" have a button or other actuation switch that mechanically

fires the blade open without the user directly manipulating the blade.


**Bali-Song**<sup>\*</sup> "Balis" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.

**Fixed Blade** These knives are permanently open and almost always come with a sheath to protect the edge.

## **OBLADE STYLE**

While the cutting edge does the work, the edge is applied to the cutting surface in different ways depending on the shape of the blade. Blade shapes with larger radiuses may be optimal for hunting while blade shapes with hard angles, like the tanto, may be better for tactical applications.

#### **SHAPES**



**Clip-point** Blade contains a sharp beak, typically forward of the mid-point, as if the tip has been "clipped off".

**Drop-point** Drops off the spine to the top. Tip height is typically below the center line on the blade.

Tanto This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.



**Reverse Tanto** Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.





**Sheepsfoot** The spine of the blade 'rolls' into the tip, creating a more rounded end to discourage puncturing.

Wharncliffe Similar in shape to the sheepsfoot with a spine that 'rolls' into the tip earlier. This blade has a completely straight edge.

**Spear-point** Must be symmetrical considering the blade profile. \*Traditionally, spear-points are doublesided, but those knives are more specifically referred to as daggers.

**Weehawk** Characterized by a sweeping edge and spine radius that tapers to the tip and handle.

#### CONFIGURATION CODES (INSIDE THE MODEL NUMBERS)

#### **BLADE VARIATIONS**

None No coating, no serrations
S Serrations, no coating
BK Black coating, no serrations
SBK Serrations and black coating

## **O BLADE STEEL**

#### HANDLE

ORG Orange OD Olive Drab SN Sand PNK Pink YEL Yellow

BLU Blue

\*-1, -2, etc. typically indicate handle material variations

Steel composition can mean the difference between one sharp cut and 1,000. There are many types of steel and additional factors that play into the right kind of steel for your usage. For instance, the way some steels are heat treated plays a critical role in a knife's performance.

#### PROPERTIES

#### Edge Retention

How long a blade can maintain its sharpened edge.

#### Strength

Maximum stress withstood before a blade breaks or fails.

#### **Corrosion Resistance**


Resistance of a blade to oxidization and chemical attack.

#### Toughness

Resistance of a blade to fracture and chipping.

For more detailed information, visit page 92 or go to benchmade.com.

### **2017 NEW PRODUCTS**





₩ 485-171 P.6

BLUE CLASS PAGES 8-35



#### BLACK CLASS PAGES 46-77



## **GOLD** CLASS

#### PAGES 4-7

Fit for a collector's case, yet purpose-built. An exquisite work of art crafted from the hardworking bones of the world's most reliable knives. This flawless creation isn't just for the safe; it is built to perform at the highest level.

## BLUE CLASS

#### **PAGES 8-35**

The core. The workhorse. The 'EDC'. Highquality blades, effortless function and nearperfect performance. The heart and soul of our 30 years of existence. Precise form meets every day carry function, right in your pocket.

## PAGES 36-45

Hunts are defined by great adventures and by single moments. That's why we put endless hours of R&D, mountains of field research and the highest quality materials into our hunting knives. So you can feel confident when your moment comes.

## BLACK CLASS PAGES 46-77

BENCHT

It's not every day that a knife is called to action. Sometimes it may be weeks, months; some knives may never be used for their intended purpose. In some arenas, a knife is called upon only in the worst of times. And when the time arrives, performance is everything.





## GOLDCLASS

### 485-171 **VALET NEW**

BENCHMADE DESIGN • U.S.A.



The Valet is reborn as a work of art in this exclusive, titanium Gold Class knife.

MECHANISM AXIS® Lock

**BLADE STYLE** Drop-point

BLADE STEEL Ladder pattern Damasteel® (58-60HRC)

HANDLE Blue-violet anodized billet titanium with diamond-like carbon (DLC) coated stainless steel liners

EXTRA Damasteel backspacer, anodized titanium thumbstub, and DLC coated reversible tip-up deep-carry pocket clip

#### 485-171

BLADE LENGTH 2.96" (7.52cm)

BLADE THICKNESS 0.100" (2.54mm) **OPEN** 6.69" (16.99cm) **CLOSED** 3.73" (9.47cm) **WEIGHT** 2.82oz (79.95g) HANDLE THICKNESS 0.47" (11.94mm)

#### CONFIGURATION/MSRP

485-171

\$700

O) NOS

## DON'T TREAT THIS KNIFE SPECIAL.

This is the custom knife-maker's knife. Artisan craftsmanship taken to another level. We seamlessly blend old world techniques with modern technology, and pay extra attention to these few special blades. With exquisite details from pommel to point, it's a knife you'll want to keep in pristine condition, in your collector's case. But that'd be a shame. This knife is built to perform.



BLUECLASS

87 Ti BALI-SONG<sup>®</sup> NEW





The past inspires the future, and while it all started in 1987, nothing about this billet titanium Bali-Song' is old school.

#### MECHANISM Bali-Song®

**BLADE STYLE** Wharncliffe

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE Sandblasted, single piece billet titanium

SHEATH Gray nylon sheath with multiple carry options

EXTRA Thrust bearing washers, custom hardware and magnetic latch



Sheath included

#### 87

BLADE LENGTH 4.50" (11.43cm) BLADE THICKNESS 0.124" (3.145mm) CLOSED WEIGHT HANDLE THICKNESS SHEATH WEIGHT 0.66oz (18.71g)

**OPEN** 10.00" (25.4cm) 5.50" (13.97cm) 5.37oz (152.24g) 0.46" (1.17mm)

#### CONFIGURATION/MSRP \$600 87

## OUR FIRST-BORN TURNS 30.

For many years the butterfly knife was known as a cheaply made self-defense weapon. Quality and precision were an afterthought. That was until Les de Asis set out to create one.

With Les' influence, better materials and painstaking attention to detail, the Benchmade Bali-Song® was born. And it will go down in history as one of the greatest knives we've ever made.

30 years later, the Benchmade Bali-Song is still universally respected in knife-maker and collector circles.

Bali-Song will always have a special place in our hearts and hands. And will always be Benchmade.

## 62/63/67 **BALI-SONG**<sup>®</sup> BENCHMADE DESIGN • U.S.A.

#### Based on the classic Bali—with crafted stainless steel handles.

MECHANISM Bali-Song® with T-latch

BLADE STYLE 62: Weehawk; 63: Bowie; 67: Tanto

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Hand finished, machined stainless steel

SHEATH Nylon





62



62T

6

Sheath included

	62	63	67			
BLADE LENGTH	4.25" (10.80cm)	4.25" (10.80cm)	4.25" (10.80cm)			
BLADE THICKNESS	0.125" (3.18mm)	0.125" (3.18mm)	0.125" (3.18mm)	CONFIG	URATIONS/I	MSRP
OPEN	9.20" (23.37cm)	9.20" (23.37cm)	9.20" (23.37cm)	62	WEEHAWK	\$375
CLOSED	5.27" (13.39cm)	5.27" (13.39cm)	5.27" (13.39cm)	63	BOWIE	\$375
WEIGHT	6.33oz (179.45g)	6.37oz (180.59g)	6.39oz (181.15g)	67	TANTO	\$375
HANDLE THICKNESS	0.48" (12.19mm)	0.48" (12.19mm)	0.48" (12.19mm)	62T	TRAINER	\$300

## **MORPHO**<sup>®</sup> FAMILY

BENCHMADE DESIGN • U.S.A.

#### 51/32



#### A lightweight Bali that brings modern style to a classic.

MECHANISM Bali-Song® with Nitrous® latch-lock

BLADE STYLE Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black skeletonized G10 with blue anodized, jeweled titanium liners

**EXTRA** Blue anodized titanium pocket clip

51

ш

D

\_\_

m

	32	51	
BLADE LENGTH	3.25" (8.26cm)	4.25" (10.80cm)	
BLADE THICKNESS	0.100" (2.54mm)	0.100" (2.54mm)	
OPEN	7.35" (18.67cm)	9.35" (23.75cm)	CONFIGURA
CLOSED	4.39" (11.15cm)	5.40" (13.72cm)	32
WEIGHT	2.70oz (76.54g)	3.30oz (93.55g)	51
HANDLE THICKNESS	0.44" (11.18mm)	0.47" (11.94mm)	51BK

E1

32

70

CONF	IGU	RATI	ONS/	MSRP

32	\$280	
51	\$300	
51BK	BLACK \$315	

#### **BARRAGE**<sup>®</sup> FAMILY OSBORNE DESIGN • U.S.A.





Quick, one-handed opening for righties or lefties.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE 580 & 585: Drop-point; 583: Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black Valox® with stainless steel liners

**EXTRA** Reversible tip-up pocket clip

583SBK



580

CONFIGURATIONS/MSRP

580			\$155
580S	SERR		\$155
580BK		BLACK	\$170
580SBK	SERR	BLACK	\$170
583			\$155
583S	SERR		\$155
583BK		BLACK	\$170
583BK 583SBK	SERR	BLACK BLACK	\$170 \$170
	SERR		
583SBK	SERR		\$170
583SBK 585			\$170 \$145

BLADE LENGTH 3.60" (9.14cm) 3.60" (9.14cm) 2.91" (7.39cm) BLADE THICKNESS 0.121" (3.07mm) 0.121" (3.07mm) 0.100" (2.54mm)

WEIGHT 4.31oz (122.19g) 4.51oz (127.86g) 3.40oz (96.39g) HANDLE THICKNESS 0.65" (16.51mm) 0.65" (16.51mm) 0.57" (14.48mm)

580

583

585 **OPEN** 8.35" (21.21cm) 8.35" (21.21cm) 6.91" (17.55cm) **CLOSED** 4.75" (12.07cm) 4.75" (12.07cm) 4.00" (10.16cm)

585 Mini

O) AXIS)

## G10 BARRAGE<sup>®</sup> FAMILY

580-2/585-2



Gray G10 and upgraded blade steel offer enhanced performance.

**MECHANISM** AXIS<sup>®</sup> Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Gray textured G10 with stainless steel liners

**EXTRA** Black oxide metal backspacer, single barrel spacer and reversible tip-up pocket clip

580SBK-2

## 581 **BARRAGE**°

OSBORNE DESIGN • U.S.A.



The dressed up handle and enhanced steel offer premium performance.

**MECHANISM** AXIS® Assist with integrated safety

BLADE STYLE Drop-point

**BLADE STEEL** M390 super premium stainless steel (58-61HRC)

**HANDLE** Black G10 with aluminum bolsters and stainless steel liners

**EXTRA** Reversible tip-up pocket clip



585-2

Mini

581

580-2 585-2 581 **BLADE LENGTH** 3.60" (9.14cm) 2.91" (7.39cm) 3.60" (9.14cm) BLADE THICKNESS 0.121" (3.07mm) 0.100" (2.54mm) 0.121" (3.07mm) OPEN 8.35" (21.21cm) 6.91" (17.55cm) 8.35" (21.21cm) 4.75" (12.07cm) 4.75" (12.07cm) 4.00" (10.16cm) CLOSED WEIGHT 4.94oz (140.05g) 3.76oz (106.59g) 5.20oz (147.42g) HANDLE THICKNESS 0.62" (15.75mm) 0.57" (14.48mm) 0.65" (16.51mm)

#### CONFIGURATIONS/MSRP

580-2			\$190
580S-2	SERR		\$190
580BK-2		BLACK	\$205
580SBK-2	SERR	BLACK	\$205
585-2			\$180
585S-2	SERR		\$180
585BK-2		BLACK	\$195
585SBK-2	SERR	BLACK	\$195
581			\$235
581 581S	SERR		\$235 \$235
	SERR	BLACK	
581S	SERR	BLACK BLACK	\$235

## **EMISSARY**<sup>®</sup> FAMILY

OSBORNE DESIGN • U.S.A.

#### 477 470-1



#### Strong, versatile and good looking.

MECHANISM AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 477: Black anodized, 6061-T6 billet aluminum; 477-1: Aqua anodized, 6061-T6 billet aluminum; 470-1: Black anodized, 7075-T6 billet aluminum

EXTRA Reversible tip-up deepcarry pocket clip

477S

	477/477-1	470-1			
BLADE LENGTH	3.45" (8.76cm)	3.00" (7.62cm)	CONFIG	URATIO	NS/MSRP
BLADE THICKNESS	0.100" (2.54mm)	0.090" (2.89mm)	470-1		\$215
OPEN	8.00" (20.32cm)	6.90" (17.53cm)	477		\$230
CLOSED	4.55" (11.56cm)	3.90" (9.91cm)	477S	SERR	\$230
WEIGHT	3.95oz (111.98g)	2.20oz (62.37g)	477-1		\$230
HANDLE THICKNESS	0.52" (13.21mm)	0.45" (11.43mm)	477S-1	SERR	\$230

470-1 Mini

477-1

16

## 490 **ARCANE**<sup>™</sup>

BENCHMADE DESIGN • U.S.A.



#### The speed and function of AXIS® Assist, the convenience of a flipper.

MECHANISM AXIS® Assist flipper with integrated safety

**BLADE STYLE** Drop-point

BLADE STEEL CPM-S90V super premium stainless steel (59-61HRC)

HANDLE Black anodized 7075-T6 billet aluminum

**EXTRA** Reversible tip-up deep-carry pocket clip





#### 490

BLADE LENGTH	3.25" (8.26cm)
BLADE THICKNESS	0.090" (2.29mm)
OPEN	7.77" (19.74cm)
CLOSED	4.52" (11.48cm)
WEIGHT	2.88oz (81.65g)
HANDLE THICKNESS	0.48" (12.192mm)

#### CONFIGURATIONS/MSRP

490		\$250
490S	SERR	\$250

1000001 **VOLLI**<sup>®</sup> BENCHMADE DESIGN • U.S.A.



Utilizes the same AXIS® Assist as the Barrage® series but with a broader blade and a slimmer handle with G10 scales.

**MECHANISM** AXIS® Assist with integrated safety

BLADE STYLE Drop-point

**BLADE STEEL CPM-S30V** premium stainless steel (58-60HRC)

HANDLE Black contoured and textured G10 with stainless steel liners

**EXTRA** Reversible tip-up pocket clip



1000001

#### 1000001

BLADE LENGTH 3.26" (8.28cm) BLADE THICKNESS 0.100" (2.54mm) OPEN HANDLE THICKNESS 0.56" (14.22mm)

7.68" (19.51cm) **CLOSED** 4.42" (11.23cm) WEIGHT 4.28oz (121.34g)

#### CONFIGURATIONS/MSRP

1000001			\$180
1000001S	SERR		\$180
1000001BK		BLACK	\$195
1000001SBK	SERR	BLACK	\$195

### 890 **TORRENT**\*

STEIGERWALT DESIGN • U.S.A.



#### Featuring a reliable, patented assist mechanism known as Nitrous®.

**MECHANISM** Liner lock with Nitrous® Assist

**BLADE STYLE** Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black contoured G10 with titanium liners

**EXTRA** Stainless steel backspacer and tip-down deep-carry pocket clip



890

## 890

BLADE THICKNESS

BLADE LENGTH 3.60" (9.14cm) 0.100" (2.54mm) **OPEN** 8.20" (20.83cm) **CLOSED** 4.60" (11.68cm) **WEIGHT** 3.50oz (99.22g) HANDLE THICKNESS 0.60" (15.24mm)

#### CONFIGURATIONS/MSRP

890			\$175
890S	SERR		\$175
890BK		BLACK	\$190
890SBK	SERR	BLACK	\$190



BENCHMADE DESIGN • U.S.A.



Dual durometer handles greatly increase grip performance while maintaining strength on this fastaction assist.

**MECHANISM** AXIS® Assist

**BLADE STYLE** Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Dark gray Grivory® and black overmolded Versaflex®

**EXTRA** Reversible tip-up deep-carry pocket clip



590

#### 590

BLADE LENGTH **BLADE THICKNESS** OPEN CLOSED. WEIGHT HANDLE THICKNESS

3.70" (9.40cm)
0.120" (3.048mm)
8.52" (21.64cm)
4.83" (12.26cm)
4.59oz. (130.12g)
0.70″ (17.78mm)

#### CONFIGURATIONS/MSRP

590			\$165
590S	SERR		\$165
590BK		BLACK	\$180
590SBK	SERR	BLACK	\$180

#### 560 **FREEK**<sup>™</sup> **NEW**



#### Dual durometer handles afford strength, comfort and positive grip to this versatile folder.

MECHANISM AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL CPM-S30V** premium stainless steel (58-60HRC)

HANDLE Warm gray Grivory<sup>®</sup> and black overmolded Versaflex®

**EXTRA** Reversible tip-up pocket clip

560

#### 560

BLADE THICKNESS 0.114" (2.896mm) HANDLE THICKNESS 0.65" (16.51mm)

BLADE LENGTH 3.60" (9.14cm) **OPEN** 8.46" (21.49cm) **CLOSED** 4.86" (12.34cm) WEIGHT 3.72oz (105.46g)

#### CONFIGURATIONS/MSRP

560			\$130
560S	SERR		\$130
560BK		BLACK	\$145
560SBK	SERR	BLACK	\$145



O) AXIS)

## 761 TI MONOLOCK & 765 MINI-TI MONOLOCK

BENCHMADE DESIGN • U.S.A.



Thrust bearing washers provide super smooth action in our flagship Ti folder.

**MECHANISM** Monolock

BLADE STYLE Drop-point

**BLADE STEEL** M390 super premium stainless steel (58-61HRC)

**HANDLE** Machined and sandblasted titanium

**EXTRA** 761: Tip-down titanium pocket clip with thrust bearing washers; 765: Tip-up or tip-down titanium pocket clip with thrust bearing washers

761

765S Mini

	761	765			
BLADE LENGTH	3.73" (9.47cm)	3.24" (8.23cm)			
BLADE THICKNESS	0.120" (3.05mm)	0.115" (2.92mm)	CONFIC	GURATION	S/MSRP
OPEN	8.60" (21.84cm)	7.46" (18.95cm)	761		\$400
CLOSED	4.87" (12.37cm)	4.22" (10.72cm)	761S	SERR	\$400
WEIGHT	4.36oz (123.60g)	3.16oz (89.58g)	765		\$355
HANDLE THICKNESS	0.42" (10.67mm)	0.41" (10.41mm)	765S	SERR	\$355

\_\_\_

m

() NXS) 🛷 🕅



BENCHMADE DESIGN • U.S.A.



#### The first ever single piece, billet titanium AXIS® knife. Cue the music.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-20CV premium stainless steel (59-61HRC)

HANDLE Chevron patterned, weathered bronze anodized, single piece billet titanium

EXTRA Reversible chevron patterned tip-up titanium clip



#### 781

BLADE LENGTH 3.50" (8.89cm) BLADE THICKNESS 0.112" (2.845mm)

**OPEN** 8.06" (20.47cm) **CLOSED** 4.56" (11.58cm) WEIGHT 3.66oz (103.76g) HANDLE THICKNESS 0.43" (10.922mm)

#### CONFIGURATIONS/MSRP

781		\$500
781S	SERR	\$500

### 485 **VALET**

BENCHMADE DESIGN • U.S.A.



#### A stylish, comfortable AXIS® gent knife.

MECHANISM AXIS® lock

**BLADE STYLE** Drop-point

BLADE STEEL M390 super premium stainless steel (58-61HRC)

HANDLE Gray contoured G10 with stainless steel liners

**EXTRA** Machined G10 backspacer and reversible tip-up deep-carry pocket clip



#### 485

BLADE LENGTH 2.96" (7.52cm) BLADE THICKNESS 0,100" (2,54mm) HANDLE THICKNESS 0.45" (11.43mm)

**OPEN** 6.69" (16.99cm) **CLOSED** 3.73" (9.47cm) **WEIGHT** 2.18oz (61.80g)

#### CONFIGURATIONS/MSRP

485		\$200
485S	SERR	\$200

### 482 **MEGUMI**\*

NAKAMURA DESIGN • U.S.A.



#### Another beautiful gent knife from Seiichi Nakamura.

MECHANISM Nak-Lok®

**BLADE STYLE** Drop-point

**BLADE STEEL CPM-S30V** premium stainless steel (58-60HRC)

HANDLE Cocobolo wood and carbon fiber with stainless steel liners

**EXTRA** Stainless steel backspacer and lanyard hole



482

482 BLADE LENGTH 2.48" (6.30cm) BLADE THICKNESS CLOSED

0.104" (2.64mm) **OPEN** 5.76" (14.63cm) 3.28" (8.33cm) WEIGHT 1.85oz (52.45g) HANDLE THICKNESS 0.46" (11.68mm)

#### CONFIGURATION/MSRP

\$245

482

## NAKAMURA AXIS<sup>®</sup> FAMILY

NAKAMURA DESIGN • U.S.A.

#### 484/484-1



Brings together the best of both worlds: detailed design and functional strength.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL 484: M390 super premium stainless steel (58-61HRC); 484-1: CPM-S90V super premium stainless steel (59-61HRC)

HANDLE 484: Black contoured G10 with stainless steel liners; 484-1: Contoured carbon fiber with stainless steel liners

EXTRA 484: Stainless steel pivot bushing and barrel spacers and reversible tip-up pocket clip; 484-1: Blue anodized aluminum pivot bushing and barrel spacers with reversible tip-up pocket clip





484-1

	484	484-1			
BLADE LENGTH	3.08" (7.82cm)	3.08" (7.82cm)			
BLADE THICKNESS	0.114" (2.90mm)	0.114" (2.90mm)	CONFIGURATION		NS/MSRP
OPEN	7.03" (17.86cm)	7.03" (17.86cm)	484		\$225
CLOSED	3.95" (10.03cm)	3.95" (10.03cm)	484S	SERR	\$225
WEIGHT	3.52oz (99.79g)	3.28oz (92.99g)	484-1		\$315
HANDLE THICKNESS	0.57" (14.48mm)	0.57" (14.48mm)	484S-1	SERR	\$315

() AXIS)

698 **FORAY**\*

BENCHMADE DESIGN • U.S.A.



The Foray<sup>®</sup> offers gent-styling in a larger overall profile, translating to improved handling and all-around utility.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

**BLADE STEEL** CPM-20CV premium stainless steel (59-61HRC)

**HANDLE** Black contoured G10 with stainless steel liners

**EXTRA** Reversible tip-up deep-carry pocket clip





050	

BLADE LENGTH	3.22" (8.18cm)
BLADE THICKNESS	0.137" (3.48mm)
OPEN	7.34" (18.64cm)
CLOSED	4.15" (10.54cm)
WEIGHT	3.58oz (101.49g)
HANDLE THICKNESS	0.56" (14.22mm)

CONFIGURATIONS/MSRP	
---------------------	--

698		\$225
698S	SERR	\$225

#### ഗ ഗ 4 C ш m

## 530/531 FAMILY

PARDUE DESIGN • U.S.A.



#### The ultimate lightweight carry.

MECHANISM AXIS® lock

BLADE STYLE 530: Spear-point; 531: Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE 530: Black Grivory®; 531: Gray and black textured G10

**EXTRA** Reversible tip-up pocket clip

530



			530			\$120
	530	531	530S	SERR		\$120
BLADE LENGTH	3.25" (8.26cm)	3.25" (8.26cm)	530BK		BLACK	\$135
BLADE THICKNESS	0.090" (2.29mm)	0.090" (2.29mm)	530SBK	SERR	BLACK	\$135
OPEN	7.42" (18.85cm)	7.42" (18.85cm)	 531			\$160
CLOSED	4.17" (10.59cm)	4.17" (10.59cm)	531S	SERR		\$160
WEIGHT	1.88oz (53.30g)	2.10oz (59.53g)	531BK		BLACK	\$175
HANDLE THICKNESS	0.37" (9.40mm)	0.37" (9.40mm)	531SBK	SERR	BLACK	\$175

#### CONFIGURATIONS/MSRP

\$120 \$120

2	5
~	~

## 940/943 FAMILY OSBORNE DESIGN • U.S.A.

#### 940/943



Highly regarded as one of the most quintessential EDCs of all time.

MECHANISM AXIS® lock

**BLADE STYLE** 940: Reverse tanto; 943: Clip-point

**BLADE STEEL** 940 & 943: CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 940: Green anodized 6061-T6 billet aluminum; 943: Black anodized 6061-T6 billet aluminum

**EXTRA** 940: Purple anodized titanium backspacer and reversible tip-up pocket clip; 943: Blue anodized titanium backspacer and reversible tip-up pocket clip



0



CONFIGURATI	ONS/MSRP
0.40	¢015

				940			\$∠15
	940	943		940S	SERR		\$215
BLADE LENGTH	3.40" (8.64cm)	3.40" (8.64cm)		940BK		BLACK	\$230
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)		940SBK	SERR	BLACK	\$230
OPEN	7.87" (19.99cm)	7.87" (19.99cm)		943			\$215
CLOSED	4.47" (11.35cm)	4.47" (11.35cm)		943S	SERR		\$215
WEIGHT	2.90oz (82.21g)	2.90oz (82.21g)		943BK		BLACK	\$230
HANDLE THICKNESS	0.41" (10.41mm)	0.41" (10.41mm)		943SBK	SERR	BLACK	\$230

#### 940-1/940-2



Highly regarded as one of the most quintessential EDCs of all time.

MECHANISM AXIS® lock

**BLADE STYLE** Reverse tanto

BLADE STEEL 940-1: CPM-S90V super premium stainless steel (59-61HRC); 940-2: CPM-S30V premium stainless steel (58-60HRC)

HANDLE 940-1: Carbon fiber with stainless steel liners; 940-2: Black 3D milled G10 with stainless steel liners

EXTRA 940-1: Blue anodized barrel spacers and reversible tip-up pocket clip; 940-2: Green anodized barrel spacers and reversible tip-up pocket clip



ഗ

ഗ 4

C

ш D

\_\_\_

m



940-1



	940-1	940-2			
BLADE LENGTH	3.40" (8.64cm)	3.40" (8.64cm)			
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)	CONFIG	URATIO	NS/MSRP
OPEN	7.87" (19.99cm)	7.87" (19.99cm)	940-1		\$315
CLOSED	4.47" (11.35cm)	4.47" (11.35cm)	940S-1	SERR	\$315
WEIGHT	2.44oz (69.17g)	2.65oz (75.13g)	940-2		\$200
HANDLE THICKNESS	0.44" (11.18mm)	0.44" (11.18mm)	940S-2	SERR	\$200

## AXIS<sup>®</sup> FLIPPER FAMILY

BUTCH BALL DESIGN • U.S.A.

#### 300/300-1



## The convenience of a flipper — the performance of an AXIS<sup>®</sup>.

MECHANISM AXIS® lock flipper

BLADE STYLE Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** 300SN: Brown and tan textured G10 with stainless steel liners; 300-1: Blue and black contoured and textured G10 with stainless steel liners

**EXTRA** Reversible tip-up deep-carry pocket clip

300-1

	300SN	300-1			
BLADE LENGTH	3.18" (8.08cm)	3.18" (8.08cm)			
BLADE THICKNESS	0.130" (3.30mm)	0.130" (3.30mm)	CONFIG	URATIO	NS/MSRP
OPEN	7.43" (18.87cm)	7.43" (18.87cm)	300SN		\$180
CLOSED	4.25" (10.80cm)	4.25" (10.80cm)	300SSN	SERR	\$180
WEIGHT	4.85oz (137.50g)	4.68oz (132.68g)	300-1		\$180
HANDLE THICKNESS	0.59" (14.99mm)	0.59" (14.99mm)	300S-1	SERR	\$180

## 928 **PROXY**\*

OSBORNE DESIGN • U.S.A.



The Proxy<sup>®</sup> combines G10 and Ti for a highly modern look.

MECHANISM Monolock flipper

BLADE STYLE Drop-point

**BLADE STEEL** CPM-20CV premium stainless steel (59-61HRC)

**HANDLE** Desert tan contoured G10 and sandblasted titanium with thrust bearing washers and an adjustable lock face

**EXTRA** Reversible tip-up pocket clip

X

0	-	~
Э	2	ъ

\*

BLADE LENGTH	3.85" (9.78cm)
BLADE THICKNESS	0.150" (3.81mm)
OPEN	8.94" (22.71cm)
CLOSED	5.09" (12.93cm)
WEIGHT	4.86oz (137.78g)
HANDLE THICKNESS	0.50" (12.70mm)

928

#### CONFIGURATIONS/MSRP

928		\$360
928S	SERR	\$360



#### HELP SUPPORT BREAST CANCER RESEARCH

A portion of the profits from the sale of this knife is donated to the Oregon Health & Science University Knight Cancer Institute for breast health. Available in 555HG and 556 versions. MSRP: \$110



#### CONFIGURATIONS/MSRP

551			\$120
551S	SERR		\$120
551BK		BLACK	\$135
551SBK	SERR	BLACK	\$135
551BKOD		BLACK	\$135
551SBKOD	SERR	BLACK	\$135
551BKSN		BLACK	\$140
551SBKSN	SERR	BLACK	\$140
551-ORG			\$120
551S-ORG	SERR		\$120
551BK-ORG		BLACK	\$135
551SBK-ORG	SERR	BLACK	\$135
551T	ТДА	INER	\$100
(440C STEEL)	IRA		φισσ
(440C STEEL) 556	IKA		\$110
	SERR	INER	
556		BLACK	\$110
556 556S			\$110 \$110
556 556S 556BK	SERR	BLACK	\$110 \$110 \$125
556 556S 556BK 556SBK	SERR	BLACK BLACK	\$110 \$110 \$125 \$125
556 556S 556BK 556SBK 556BKOD	SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125
556 556S 556BK 556SBK 556BKOD 556SBKOD	SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125 \$125 \$125
556 556S 556BK 556SBK 556BKOD 556SBKOD 556-YEL	SERR SERR SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125 \$125 \$125 \$125 \$110
556 556S 556BK 556SBK 556SBKOD 556SBKOD 556-YEL 556S-YEL	SERR SERR SERR	BLACK BLACK BLACK	\$110 \$125 \$125 \$125 \$125 \$125 \$125 \$125 \$110 \$110
556 556S 556BK 556SBK 556SBKOD 556SBKOD 556-YEL 556S-YEL 556-BLU	SERR SERR SERR SERR	BLACK BLACK BLACK	\$110 \$1125 \$125 \$125 \$125 \$125 \$110 \$110 \$110
556 556S 556BK 556SBK 556SBKOD 556SBKOD 556-YEL 556S-YEL 556-BLU 556S-BLU	SERR SERR SERR SERR	BLACK BLACK BLACK	\$110 \$1125 \$125 \$125 \$125 \$125 \$110 \$110 \$110 \$110

\$120

\$120

\$135

\$110

BLACK \$135

BLACK \$135

BLACK \$135

BLACK \$135

SERR BLACK \$135

SERR BLACK

#### **GRIPTILIAN**<sup>®</sup> FAMILY PARDUE DESIGN • U.S.A.



CONFIGURATIONS/MSRP

SERR

SERR

550HG

550SHG

550BKHG

550SBKHG

550BKHGOD

550SBKHGOD

550BKHGSN 550SBKHGSN

555HG

#### 550HG/555HG Griptilian®

BLADE STYLE Sheepsfoot, hollow grind

550HG

555SHG Mini

			555SHG	SERR		\$110
			555BKHG		BLACK	\$125
	550	555	555SBKHG	SERR	BLACK	\$125
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.39cm)	555BKHGOD		BLACK	\$125
BLADE THICKNESS	0.115" (2.92mm)	0.100" (2.54mm)	555SBKHGOD	SERR	BLACK	\$125
OPEN	8.07" (20.50cm)	6.78" (17.22cm)	555BKHGSN		BLACK	\$125
CLOSED	4.62" (11.73cm)	3.87" (9.83cm)	555HG-YEL			\$110
WEIGHT	3.79oz (107.44g)	2.68oz (75.98g)	555HG-BLU			\$110
HANDLE THICKNESS	0.64" (16.26mm)	0.51" (12.95mm)	555HG-PNK			\$110





557

**BLADE STYLE** Tanto

553SBK

557

_	_	_	
5	5	3	
-	-	-	

BLADE LENGTH	3.45" (8.76cm)	2.91" (7.39cm)
BLADE THICKNESS	0.115" (2.92mm)	0.100" (2.54mm)
OPEN	8.07" (20.50cm)	6.78" (17.22cm)
CLOSED	4.62" (11.73cm)	3.87" (9.83cm)
WEIGHT	3.89oz (110.28g)	2.79oz (79.10g)
HANDLE THICKNESS	0.64" (16.26mm)	0.51" (12.95mm)

## Mini

557

Ę	553BK		BLACK	\$135
5	53SBK	SERR	BLACK	\$135
553	3SBKOD	SERR	BLACK	\$135
55	3SBKSN	SERR	BLACK	\$135
	557			\$110
	557S	SERR		\$110
Ę	557BK		BLACK	\$125
5	57SBK	SERR	BLACK	\$125
55	7BKOD		BLACK	\$125
55	7SBKOD	SERR	BLACK	\$125
55	7BKSN		BLACK	\$125
55	7SBKSN	SERR	BLACK	\$125

CONFIGURATIONS/MSRP

SERR

\$120

\$120

553

553S



551-1			\$210
551S-1	SERR		\$210
551BK-1		BLACK	\$225
551SBK-1	SERR	BLACK	\$225
556-1			\$195
556S-1	SERR		\$195
556BK-1		BLACK	\$210
556SBK-1	SERR	BLACK	\$210
550-1			\$210
550-1 550S-1	SERR		\$210 \$210
	SERR	BLACK	
550S-1	SERR	BLACK BLACK	\$210
550S-1 550BK-1			\$210 \$225
550S-1 550BK-1 550SBK-1			\$210 \$225 \$225
550S-1 550BK-1 550SBK-1 555-1	SERR		\$210 \$225 \$225 \$195

551-1 556-1 550-1 555-1 BLADE LENGTH 3.45" (8.76cm) 2.91" (7.39cm) 3.45" (8.76cm) 2.91" (7.39cm) BLADE THICKNESS 0.100" (2.54mm) 0.115" (2.92mm) 0.100" (2.54mm) 0.115" (2.92mm) 8.07" (20.50cm) OPEN 8.07" (20.50cm) 6.78" (17.22cm) 6.78" (17.22cm) 3.87" (9.83cm) 4.62" (11.73cm) 4.62" (11.73cm) 3.87" (9.83cm) CLOSED WEIGHT 4.17oz (118.22g) 2.90oz (82.21g) 4.13oz (117.08g) 2.88oz (81.65g) HANDLE THICKNESS 0.61" (15.49mm) 0.55" (13.97mm) 0.61" (15.49mm) 0.55" (13.97mm)

555-1 Mini

# 551H2O GRIPTILIAN<sup>®</sup>

PARDUE DESIGN • U.S.A.

# 

Designed specifically for marine environments.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

HANDLE Safety orange Grivory® with stainless steel liners

EXTRA Full satin hardware and reversible tip-up pocket clip



551H2O

BLADE LENGTH 3.45" (8.76cm) BLADE THICKNESS 0.115" (2.92mm) CLOSED WEIGHT HANDLE THICKNESS 0.64" (16.26mm)

# 551 H2O

**OPEN** 8.07" (20.50cm) 4.62" (11.73cm) 3.88oz (110.00g)

CONFIG	URATIONS	S/MSRP
551H20		\$140
551SH20	SERR	\$140

112 H20 FIXED BENCHMADE DESIGN • U.S.A.



# This dive knife was originally developed for an elite military program.

**MECHANISM** Fixed blade

**BLADE STYLE** Opposing bevel with blunt tip and integrated rescue hook

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

HANDLE 112S-YEL: High-vis yellow textured Santoprene®; 112S-BLK: Black textured Santoprene®

**SHEATH** Molded thermoplastic with thumb release

112S-BLK



112

BLADE THICKNESS OVERALL LENGTH 8.07" (20.50cm) WEIGHT HANDLE THICKNESS 0.59" (14.99mm) SHEATH WEIGHT 1.04oz (29.48g)

BLADE LENGTH 3.50" (8.90cm) 0.124" (3.15mm) 3.20oz (90.72g) 112S-YEL

### CONFIGURATIONS/MSRP

112S-BLK	SERR	\$120
112S-YEL	SERR	\$120

# 153 JUNGLE BOLO & 154 JUNGLE CLIP-POINT

BENCHMADE DESIGN • U.S.A.



# Designed for brush clearing in jungle warfare situations.

MECHANISM Fixed blade

**BLADE STYLE** 153: Bolo; 154: Clip-point

**BLADE STEEL** 1095 spring steel (57-59HRC)

HANDLE Orange textured Santoprene®

**SHEATH** Leather with belt loop

153BK

154BK

Sheath included

154BK

153BK

	153	154			
BLADE LENGTH	9.69" (24.61cm)	9.69" (24.61cm)			
BLADE THICKNESS	0.195" (4.95mm)	0.195" (4.95mm)			
OVERALL LENGTH	14.29" (36.30cm)	14.29" (36.30cm)			
WEIGHT	11.82oz (335.09g)	10.90oz (309.01g)	CONFIG	URATIONS/M	ISRP
HANDLE THICKNESS	0.89" (22.61mm)	0.89" (22.61mm)	153BK	BOLO	\$130
SHEATH WEIGHT	3.47oz (98.37g)	3.50oz (99.22g)	154BK	CLIP-POINT	\$130

# BLUE CLASS

# 162 BUSHCRAFTER & 162-1 BUSHCRAFTER EOD

SIBERT DESIGN • U.S.A.





Unsurpassed reliability for planned (or unplanned) adventures.

MECHANISM Fixed blade

BLADE STYLE Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 162: Hand-blended green and red, contoured G10; 162-1: Hand-blended sand, contoured G10

**SHEATH** 162: Full-grain leather with belt loop and D-ring; 162-1: Molded Kydex® with reversible belt loop

**EXTRA** Pressed titanium handle tubing

162



**162-1**: A survival knife designed in partnership with the world's foremost explosive ordnance technicians. Start a signal fire or cut some C4. It's your call.



Sheath included

	162	162-1					
BLADE LENGTH	4.40" (11.18cm)	4.40" (11.18cm)					
BLADE THICKNESS	0.164" (4.17mm)	0.164" (4.17mm)					
OVERALL LENGTH	9.15" (23.24cm)	9.15" (23.24cm)					
WEIGHT	7.72oz (218.86g)	7.72oz (218.86g)		CONFIG	CONFIGURATIONS	CONFIGURATIONS/MSF	CONFIGURATIONS/MSRP
HANDLE THICKNESS	0.92" (23.37mm)	0.92" (23.37mm)		162	162 CREEN	162 CDEEN \$	162 CDEEN \$215

162-1

**SHEATH WEIGHT** 2.70oz (76.54g) 1.86oz (52.73g)

162	GREEN	\$215
162-1	TAN	\$215





# 15001 **SADDLE MOUNTAIN SKINNER** & 15003 **SADDLE MOUNTAIN SKINNER** W/ HOOK

BENCHMADE DESIGN • U.S.A.



"With the Saddle Mountain Skinner I feel like I can breakdown game or fight off a bear." -Benchmade Pro, Nate Simmons

MECHANISM Fixed blade

**BLADE STYLE** 15001: Skinner; 15003: Skinner with hook

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15001-1 and 15003-1: Gray and black contoured and textured G10; 15001-2 and 15003-2: Contoured stabilized wood

**SHEATH** 15001-1 and 15003-1: Molded Kydex<sup>®</sup> with reversible belt loop; 15001-2 and 15003-2: Pressure fit, rich leather with integrated guard

15003-2

15001-1

.

15001-2 15003-2 Sheath included

15003-1

### 15001

BLADE LENGTH BLADE THICKNESS HOOK OPENING OVERALL LENGTH WEIGHT

HANDLE THICKNESS SHEATH WEIGHT 4.17" (10.59cm) 0.140" (3.56mm)

8.73" (22.17cm) 5.13oz (145.43g) G10 4.65oz (131.83g) Wood 0.58" (14.73mm) 1.85oz (52.45g) Kydex\* 1.42oz (40.26g) Leather **15003** 4.17" (10.59cm) 0.140" (3.56mm) 0.375" (9.52mm) 8.73" (22.17cm) 5.18oz (146.85g) G10 4.70oz (133.24g) Wood 0.58" (14.73mm) 1.85oz (52.45g) Kydex' 1.42oz (40.26g) Leather

### CONFIGURATIONS/MSRP

15001-1	G10	\$155
15001-2	Wood	\$155
15003-1	G10	\$165
15003-2	Wood	\$165

# YOU DON'T KNOW A GOOD KNIFE UNTIL YOU NEED A GOOD KNIFE.

Preparation, pain, grit, frustration, excitement, anxiety and the overwhelming sense of accomplishment when you arrive at your quarry, knowing you are selfreliant and fully understand the meaning of the word "meat." And when the celebration turns to work for the last time, a great knife can't pack meat, but it sure makes it easier to get.

# 15007 SADDLE MOUNTAIN HUNTER

BENCHMADE DESIGN • U.S.A.

# $\oplus$

# The same great handle design as the Skinner, but with a more traditional hunting blade style.

MECHANISM Fixed blade

BLADE STYLE Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15007-1: Gray and black, contoured and textured G10; 15007-2: Contoured stabilized wood

SHEATH 15007-1: Molded Kydex® with reversible belt loop; 15007-2: Pressure fit, rich leather with integrated guard

15007-2

BLADE LENGTH BLADE THICKNESS OVERALL LENGTH WEIGHT

HANDLE THICKNESS SHEATH WEIGHT

4.05" (10.29cm) 0.120" (3.05mm) 8.59" (21.82cm) 4.08oz (115.67g) G10 3.58oz (101.49g) Wood 0.56" (14.22mm) 1.85oz (52.45g) Kydex\* 1.42oz (40.26g) Leather

15007-2

Sheath included

CONFIGURATIONS/MSRP					
15007-1	G10	\$150			
15007-2	Wood	\$150			

15007-1

# 15016 HIDDEN CANYON HUNTER

15007

BENCHMADE DESIGN • U.S.A.



A compact knife for those who are looking to save space, it's truly about as much knife as you'll ever need.

MECHANISM Fixed blade

BLADE STYLE Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15016-1: Gray and black, contoured and textured G10; 15016-2: Contoured stabilized wood

**SHEATH** 15016-1: Molded Kydex<sup>®</sup> with ambidextrous, horizontal carry, leather belt loop; 15016-2: Pressure fit, rich leather with ambidextrous, horizontal carry, belt loop

> BLADE LENGTH BLADE THICKNESS OVERALL LENGTH WEIGHT

HANDLE THICKNESS SHEATH WEIGHT

# 15016

2.67" (6.78cm) 0.140" (3.56mm) 6.32" (16.05cm) 3.5302 (100.07g) G10 3.190z (90.43g) Wood 0.58" (14.73mm) 1.380z (39.12g) Kydex\* 1.060z (30.05g) Leather



15016-2 15016-1 Sheath included

# CONFIGURATIONS/MSRP

15016-1	G10	\$135
15016-2	Wood	\$135

# 15008 **STEEP COUNTRY** & 15009 **STEEP COUNTRY** W/ HOOK

BENCHMADE DESIGN • U.S.A.

# $\oplus$

Designed to hit a hunter's preferences for shape and feel dead center.

MECHANISM Fixed blade

**BLADE STYLE** 15008: Drop-point; 15009: Drop-point with hook

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15008-ORG and 15009-ORG: Orange textured high-vis Santoprene®; 15008-BLK and 15009-BLK: Black textured Santoprene®

**SHEATH** Molded Kydex® with multiple carry positions

15009-BLK

ь

15008-ORG



15008 15009 Sheath included

	15008	15009	
BLADE LENGTH	3.50" (8.89cm)	3.50" (8.89cm)	
BLADE THICKNESS	0.140" (3.56mm)	0.140" (3.56mm)	
HOOK OPENING	-	0.375" (9.52mm)	CONFIGU
OVERALL LENGTH	7.65" (19.43cm)	7.65" (19.43cm)	15008-BLk
WEIGHT	3.71oz (105.18g)	3.85oz (109.15g)	15008-OR0
HANDLE THICKNESS	0.62" (15.75mm)	0.62" (15.75mm)	15009-BLk
SHEATH WEIGHT	1.88oz (53.30g)	1.88oz (53.30g)	15009-OR0

CONFI	GURAT	IONS/	MSRP

15008-BLK	BLACK	\$115
15008-ORG	ORANGE	\$115
15009-BLK	BLACK	\$125

# 15100 NESTUCCA CLEAVER

BENCHMADE DESIGN • U.S.A.

# $\oplus$

Based on the Alaskan ulu, this unique cleaver makes short work of big game.

**MECHANISM** Fixed blade

**BLADE STYLE** Cleaver

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Orange contoured and textured G10

SHEATH Brown leather sheath



### 15100

BLADE THICKNESS 0.140" (3.56mm) **OVERALL LENGTH** 6.58" (16.71cm) HANDLE THICKNESS 0.57" (14.48mm)

BLADE LENGTH 4.41" (11.20cm) **WEIGHT** 4.95oz (140.33g) **SHEATH WEIGHT** 1.25oz (35.44g)

### CONFIGURATION/MSRP \$150

15100-1

# 15080 CROOKED RIVER

BENCHMADE DESIGN • U.S.A.



A traditional profile with modern technology and style that pushes the preconceived notions of what a hunting knife should be.

MECHANISM AXIS® lock

**BLADE STYLE** Clip-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15080-1: Gray contoured G10 with anodized aluminum bolsters and stainless steel liners; 15080-2: Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners

EXTRA Orange G10 backspacer, orange anodized aluminum pivot ring and reversible tip-up pocket clip

15080-1

15080-2

### 15080

BLADE LENGTH 4.00" (10.16cm) BLADE THICKNESS 0.124" (3.15mm) WEIGHT

**OPEN** 9.30" (23.62cm) **CLOSED** 5.33" (13.54cm) 5.41oz (153.37g) HANDLE THICKNESS 0.60" (15.24mm)

### CONFIGURATIONS/MSRP

15080-1	G10	\$230
15080-2	Wood	\$230

# 15060-2 GRIZZLY CREEK

BENCHMADE DESIGN • U.S.A.

The total package for a hunting folder: the AXIS® lock, the perfect blade size and shape, and a folding gut hook that's there when you need it.

MECHANISM AXIS® lock with folding gut hook

BLADE STYLE Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE Stabilized wood

EXTRA Tip-up pocket clip

### 15060-2

BLADE LENGTH	3.50" (8.89cm)
<b>BLADE THICKNESS</b>	0.124" (3.145mm
HOOK OPENING	0.50" (12.70mm)
OPEN	7.84" (19.91cm)
CLOSED	4.34" (11.02cm)
WEIGHT	4.76oz (134.94g
HANDLE THICKNESS	0.56" (14.22mm)

0.124" (3.145mm) 0.50" (12.70mm) 7.84" (19.91cm) 4.34" (11.02cm) 4.76oz (134.94g) HANDLE THICKNESS 0.56" (14.22mm)

# CONFIGURATION/MSRP

15060-2

\$195

O) NAS

# 15031 NORTH FORK BENCHMADE DESIGN • U.S.A.

# A compact folding AXIS<sup>®</sup> hunting knife with a recurved blade to assist with processing duties.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

HANDLE 15031-1: Gray and black textured G10; 15031-2: Contoured stabilized wood

**EXTRA** Reversible tip-up pocket clip



O) AXIS)

### 15031

BLADE LENGTH 2.97" (7.54cm) BLADE THICKNESS 0.114" (2.90mm) WEIGHT

- **OPEN** 6.87" (17.45cm) **CLOSED** 3.90" (9.91cm) 3.41oz (96.67g) G10 3.16oz (89.58g) Wood HANDLE THICKNESS 0.53" (13.46mm)

### CONFIGURATIONS/MSRP

15031-1	G10	\$165
15031-2	Wood	\$165

# 15051 **BIG SUMMIT LAKE** & 15056 SMALL SUMMIT LAKE

BENCHMADE DESIGN • U.S.A.



### Recalls the day you were taught how to skin a buck...but with better blade steel.

**MECHANISM** Lock-back

BLADE STYLE Drop-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

HANDLE Contoured stabilized wood with stainless steel liners

EXTRA Tip-up pocket clip



BLADE LENGTH 3.77" (9.58cm) BLADE THICKNESS WEIGHT HANDLE THICKNESS 0.57" (14.48mm)

15051 0.124" (3.15mm) **OPEN** 8.34" (21,18cm) **CLOSED** 4.57" (11.61cm) 4.59oz (130.12g)

### 15056

2.89" (7.34cm) 0.114" (2.90mm) 6.54" (16.61cm) 3.65" (9.27cm) 3.04oz (86.18g) 0.45" (11.43mm)

# CONFIGURATIONS/MSRP

15051-2	Wood	\$150
15056-2	Wood	\$140



BLACKCLASS

E.

# 3300BK-1701 INFIDEL® NEW **10-YEAR ANNIVERSARY**

MCHENRY & WILLIAMS DESIGN • U.S.A.

# $\langle \boldsymbol{\widehat{\gamma}} \rangle$

# Celebrating 10 years of high-speed performance...that we can't tell you about.

MECHANISM Double-action out-thefront automatic

BLADE STYLE Double-edge dagger

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Silver bright dip, 6061-T6 billet aluminum

**EXTRA** Commemorative Challenge Coin and deep-carry tip-down pocket clip



Infidel® Challenge Coin Included



Back

### 3300BK-1701

8.91" (22.63cm)

BLADE LENGTH 3.91" (9.93cm) BLADE THICKNESS 0.118" (2.997mm) OPEN **CLOSED** 5.00" (12.7cm) **WEIGHT** 4.90oz (138.91g) HANDLE THICKNESS 0.59" (14.99mm)

### CONFIGURATION/MSRP

3300BK-1701 BLACK \$550



# YOU'LL NEVER SEE PERFECTION.

If something works perfectly...it just works, perfectly. Perfection is invisible. Perfection works in secret. Perfection is automatic.

It's an extension of your instincts. It allows you to operate without another thought about it, even when lives are on the line.

Perfection has no ego. Perfection doesn't need a pat on the back. Perfection is perfectly happy not existing.

It's been an honor to provide automatic, flawless performance—the closest to perfection that we've created so far. So you can do your job.

No, you'll never see perfection. But that's the way we like it.

Here's to another 10 years of equipping the invisible.

# INFIDEL<sup>®</sup> FAMILY mchenry & williams design • U.S.A.



# 3300/3350



An incredibly fast, reliable tactical out-the-front, the Infidel has a cool factor that's hard to describe without experiencing it.

**MECHANISM** Double-action out-the-front automatic

BLADE STYLE Double-edge dagger

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**SHEATH** Cordura® with snap retention and MALICE CLIP®

**EXTRA** Deep-carry pocket clip

3350



Sheath with MALICE CLIP® included

	3300	3350			
BLADE LENGTH	3.91" (9.93cm)	3.96" (10.06cm)			
BLADE THICKNESS	0.118" (2.99mm)	0.100" (2.54mm)	CONFIGUR	ATIONS/	MSRP
OPEN	8.91" (22.63cm)	8.96" (22.76cm)	3300		\$480
CLOSED	5.00" (12.70cm)	5.00" (12.70cm)	3300BK	BLACK	\$495
WEIGHT	4.90oz (138.91g)	5.11oz (144.87g)	3350		\$410
HANDLE THICKNESS	0.59" (14.99mm)	0.60" (15.24mm)	3350BK	BLACK	\$425

# 3320 **PAGAN**<sup>®</sup> & 3321 **PAGAN**<sup>®</sup> SINGLE-EDGE

BENCHMADE DESIGN • U.S.A.

# $\bigcirc$

# The same incredible mechanism of the Infidel<sup>®</sup> with smooth handles and a chisel-ground blade.

**MECHANISM** Double-action out-the-front automatic

**BLADE STYLE** 3320: Chisel-ground, double-edge dagger; 3321: Chisel-ground, single-edge spear-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**SHEATH** Cordura® with snap retention and MALICE CLIP®

**EXTRA** Deep-carry pocket clip



S S LACK CLA

m

MOLLE COMPATIBLE

3321



Sheath with MALICE CLIP® included

	3320	3321
BLADE LENGTH	3.96" (10.06cm)	3.96" (10.06cm)
BLADE THICKNESS	0.100" (2.54mm)	0.100" (2.54mm)
OPEN	8.96" (22.76cm)	8.96" (22.76cm)
CLOSED	5.00" (12.70cm)	5.00" (12.70cm)
WEIGHT	5.11oz (144.87g)	5.11oz (144.87g)
HANDLE THICKNESS	0.60" (15.24mm)	0.60" (15.24mm)

33

3320		\$430	
320BK	BLACK	\$445	
3321		\$430	
321BK	BLACK	\$445	

4600/4600-1 **PHAETON<sup>™</sup> NEW** 

BENCHMADE DESIGN • U.S.A.



# $\langle \mathbf{x} \rangle$

# The new spine-fire OTF combines speed and style in a semi-tactical every day carry.

MECHANISM Double-action out-thefront automatic

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 4600: Black anodized, 6061-T6 billet aluminum; 4600-1: Dark Earth anodized 6061-T6 billet aluminum

**EXTRA** Reversible deep-carry pocket clip

4600

# 4600/4600-1

BLADE LENGTH 3.45" (8.76cm) BLADE THICKNESS 0.112" (2.845mm) HANDLE THICKNESS 0.47" (11.938mm)

**OPEN** 8.08" (20.52cm) **CLOSED** 4.63" (11.76cm) WEIGHT 3.01oz (85.33g)

### CONFIGURATIONS/MSRP

No.

4600DLC-1

4600		\$350
4600DLC BLACK		\$370
4600-1	DARK EARTH	\$350
4600DLC-1 BLACK	DARK EARTH	\$370

4700 **PRECIPICE**<sup>™</sup> **NEW** 

BENCHMADE DESIGN • U.S.A.



# The new, sleek, spine-fire OTF. Stealth-like handles and rock-solid performance.

MECHANISM Double-action out-the-front automatic

BLADE STYLE Spear-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

**EXTRA** Reversible deep-carry pocket clip



### 4700

BLADE LENGTH 3.45" (8.76cm) BLADE THICKNESS 0.124" (3.149mm)

**OPEN** 8.23" (20.9cm) **CLOSED** 4.78" (12.14cm) WEIGHT 3.31oz (93.84g) HANDLE THICKNESS 0.47" (11.938mm)

### CONFIGURATIONS/MSRP

4700		\$355
4700DLC	BLACK	\$375

# 275/2750 ADAMAS

SIBERT DESIGN • U.S.A.

# $\otimes$

# The strongest AXIS® knives ever made.

MECHANISM 275: AXIS® lock; 2750: Auto AXIS® lock with integrated safety

**BLADE STYLE** Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Sand or black G10 with stainless steel liners

SHEATH Cordura® with snap retention and MALICE CLIP®

**EXTRA** Reversible tip-up deep-carry pocket clip

275BK



Sheath with MALICE CLIP® included

175BK

Sheath

OUNDATION

275SBKSN

175 CBK

BENCHMADE DESIGN • U.S.A.

# A tool designed for combattype applications.

### **MECHANISM** Fixed blade

**BLADE STYLE** Chisel-ground, double-edge dagger

**BLADE STEEL** 440C (58-60HRC)

**HANDLE** Rubber-dipped SHEATH Injection molded EXTRA Multi-position carry

175

175BKSN

BLADE LENGTH 2.50" (6.35cm) BLADE THICKNESS 0.125" (3.18mm) OVERALL LENGTH 5.47" (13.89cm) CLOSED WEIGHT 2.32oz (65.77g) HANDLE THICKNESS

0.25" (6.35mm) SHEATH WEIGHT 1.70oz (48.19g)

# 275/2750

3.82" (9.70cm) 0.160" (4.06mm) 8.70" (22.10cm) 4.88" (12.40cm) 7.68oz (217.72g) 275 7.54oz (213.76g) 2750 0.73" (18.54mm)

375 4.20" (10.67cm)

0.170" (4.32mm) 9.03" (22.94cm) 175BK

5.60oz (158.76g)

0.17" (4.32mm) 1.11oz (31.47g)



A portion of the proceeds from the 175BKSN benefit the Three Rangers and Navy SEAL Foundations.



# 375 ADAMAS<sup>®</sup> FIXED BLADE

SIBERT DESIGN • U.S.A.





# Includes a paracord handle wrap, molded jump-rated sheath and Tek-Lok™ attachment system.

MECHANISM Fixed blade

**BLADE STYLE** Drop-point with serrations on spine

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black or sand coated and skeletonized with optional paracord wrap included

**SHEATH** Injection molded with tension screw, removable locking strap and eight position Tek-Lok<sup>™</sup>





Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.

375SN

375BK



Tek-Lok<sup>™</sup> included

### CONFIGURATIONS/MSRP

275BK		BLACK	\$230
275SBK 3	SERR	BLACK	\$230
275BKSN		BLACK	\$230
275SBKSN	SERR	BLACK	\$230
2750BK		BLACK	\$275
2750SBK 3	SERR	BLACK	\$275
2750BKSN		BLACK	\$275
2750SBKSN	SERR	BLACK	\$275
375SN		SAND	\$180
375BKSN		BLACK	\$180
375BK		BLACK	\$180
175BK		BLACK	\$105
175BKSN		BLACK	\$105



CORD WRAP To view video, scan code below or visit: www.benchmade.com/375

# TRIAGE\*/AUTO TRIAGE\* FAMILY

BENCHMADE DESIGN • U.S.A.

# 915/916

# 9170/9160



A triple utility tool that includes a knife, safety hook and glass breaker.

**MECHANISM** 915 & 916: AXIS® lock; 9170 & 9160: Auto AXIS® lock with integrated safety

**BLADE STYLE** 915: Sheepsfoot; 916 & 9160: Opposing bevel; 9170: Drop-point

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

**HANDLE** 915 & 916: Textured G10 (available in black or safety orange) with stainless steel liners; 9170 & 9160: Black anodized, 6061-T6 billet aluminum with textured G10 inlays (available in black or safety orange)

**EXTRA** 915 & 916: 440C rescue hook (58-60HRC), carbide glass breaker and reversible tip-up deep-carry pocket clip; 9170 & 9160: 440C automatic-opening rescue hook (58-60HRC), carbide glass breaker and tip-up deep-carry pocket clip

CONFIGURATIONS/MSRP

915			\$180
915S	SERR		\$180
915BK		BLACK	\$195
915SBK	SERR	BLACK	\$195
915-ORG			\$180
915S-ORG	SERR		\$180
915BK-ORG		BLACK	\$195
915SBK-ORG	SERR	BLACK	\$195
916SBK	SERR	BLACK	\$195
916SBK-ORG	SERR	BLACK	\$195
9170BK		BLACK	\$300
9170SBK	SERR	BLACK	\$300
9170BK-ORG		BLACK	\$300
9170SBK-ORG	SERR	BLACK	\$300
9160SBK	SERR	BLACK	\$300

9170SBK-ORG

916.SBK



915-ORG

O) ANS)





Carbide glass breaker

	915	916	9170	9160
BLADE LENGTH	3.50" (8.89cm)	3.40" (8.64cm)	3.58" (9.09cm)	3.35" (8.51cm)
HOOK OPENING	0.50" (12.70mm)	0.50" (12.70mm)	0.50" (12.70mm)	0.50" (12.70mm)
BLADE THICKNESS	0.124" (3.15mm)	0.124" (3.15mm)	0.124" (3.15mm)	0.124" (3.15mm)
OPEN	8.35" (21.21cm)	8.25" (20.96cm)	8.31" (21.11cm)	8.08" (20.52cm)
CLOSED	4.85" (12.32cm)	4.85" (12.32cm)	4.73" (12.01cm)	4.73" (12.01cm)
WEIGHT	5.10oz (144.58g)	5.24oz (148.55g)	5.75oz (163.01g)	5.58oz (158.19g)
HANDLE THICKNESS	0.45" (11.43mm)	0.45" (11.43mm)	0.58" (14.73mm)	0.58" (14.73mm)

 $\bullet \textcircled{} \textcircled{}$ 



# 570 MANUAL PRESIDIO" II & NEW () INSS IN COMPATIBLE 5700 AUTO PRESIDIO° II

BENCHMADE DESIGN • U.S.A.

# 570



5700  $\langle \mathbf{s} \rangle$ 

A combat legend receives significant ergonomic and performance upgrades. Faster. Better. Stronger.

MECHANISM 570: AXIS® Lock; 5700: Auto AXIS® lock with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH 5700: Codura® with snap retention and MALICE CLIP®

EXTRA Reversible tip-up deepcarry pocket clip

5700SBK

### 5700

570

BLADE LENGTH	3.72" (9.45cm)	3.72" (9.45cm)				
BLADE THICKNESS	0.124" (3.149mm)	0.124" (3.149mm)	CONFIG	URATI	ONS/M	SRP
OPEN	8.72" (22.15cm)	8.72" (22.15cm)	570			\$205
CLOSED	5.00" (12.70cm)	5.00" (12.70cm)	570SBK	SERR	BLACK	\$220
WEIGHT	6.10oz (173.20g)	6.32oz (179.20g)	5700			\$270
HANDLE THICKNESS	0.63" (16.00mm)	0.63" (16.00mm)	5700SBK	SERR	BLACK	\$285

570

# 860 MANUAL BEDLAM<sup>®</sup> & 8600 AUTO BEDLAM®

BENCHMADE DESIGN • U.S.A.

# $\langle \widehat{\boldsymbol{\mathbf{a}}} \rangle$

Looks like a scimitar because it was originally designed for the security forces of a king.

MECHANISM 860: AXIS® lock; 8600: Auto AXIS® with integrated safety

# **BLADE STYLE** Scimitar

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black contoured and textured G10 with stainless steel liners

**EXTRA** Reversible tip-up deep-carry pocket clip



8600SBK

	860	8600				
BLADE LENGTH	4.00" (10.16cm)	4.00" (10.16cm)				
<b>BLADE THICKNESS</b>	0.121" (3.07mm)	0.121" (3.07mm)	CONFIG	URATI	ONS/MS	SRP
OPEN	9.76" (24.79cm)	9.76" (24.79cm)	860			\$230
CLOSED	5.76" (14.63cm)	5.76" (14.63cm)	860SBK	SERR	BLACK	\$245
WEIGHT	7.20oz (204.12g)	7.30oz (206.95g)	8600BK		BLACK	\$290
HANDLE THICKNESS	0.60" (15.24mm)	0.60" (15.24mm)	8600SBK	SERR	BLACK	\$290



# 6800 AUTO APB

BENCHMADE DESIGN • U.S.A.



The first-ever ambidextrous pushbutton automatic allows for access from almost any carry position.

**MECHANISM** Ambidextrous push-button automatic

BLADE STYLE Clip-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum with stainless steel liners

EXTRA Carbide glass breaker and reversible tip-up deepcarry pocket clip

6800SBK



Carbide glass breaker

### 6800

BLADE THICKNESS 0.124" (3.15mm)

BLADE LENGTH 3.52" (8.94cm) **OPEN** 8.64" (21.95cm) **CLOSED** 5.12" (13.00cm) WEIGHT 6.28oz (178.04g) HANDLE THICKNESS 0.63" (16.00mm)

### CONFIGURATIONS/MSRP

6800			\$285
6800BK		BLACK	\$300
6800SBK	SERR	BLACK	\$300

m



### The AFO II push-button auto has become a proven tool used in all branches of the Armed Forces.

**MECHANISM** Push-button automatic with integrated safety

BLADE STYLE 9051: Drop-point; 9052: Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

**EXTRA** Multi-positions reversible, tip-up or tip-down pocket clip

SHEATH Cordura® with snap retention and MALICE CLIP®



Sheath included

### CONFIGURATIONS/MSRP

9051SBK

051	9052
5.56" (9.04cm)	3.56" (9.04cm)
).124″ (3.15mm)	0.124" (3.15mm)
3.51" (21.62cm)	8.51" (21.62cm)
l.95" (12.57cm)	4.95" (12.57cm)
.80oz (164.43g)	5.71oz (161.88g)
).60" (15.24mm)	0.60" (15.24mm)
	.56" (9.04cm) 0.124" (3.15mm) 0.51" (21.62cm) 0.95" (12.57cm) 0.80oz (164.43g)

9051 \$255 9051S SERR \$255 9051BK BLACK \$270 9051SBK SERR BLACK \$270 9052 \$255 SERR \$255 9052S 9052BK BLACK \$270 SERR 9052SBK BLACK \$270

# 9101 **AUTO STRYKER**<sup>®</sup> & 9501 MINI-AUTO STRYKER\*

BENCHMADE DESIGN • U.S.A.



The next generation Auto Strykers' are upgraded for increased function and reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA 9101: Multi-position tip-up or tip-down pocket clip; 9501: Tip-up pocket clip

BLADE LENGTH
BLADE THICKNESS
OPEN
CLOSED
WEIGHT

9101 3.60" (9.14 cm) 0.124" (3.15mm) 8.30" (21.08cm) 4.70" (11.94cm) 4.20oz (119.07g) HANDLE THICKNESS 0.50" (12.70mm)

# 9501

2.95″ (7.49cm)
0.098″ (2.49mm)
7.21" (18.31cm)
4.26" (10.82cm)
2.91oz (82.50g)
0.47" (11.94mm)

9101BK

### CONFIGURATIONS/MSRP

9501SBK

Mini

9101BK		BLACK	\$270
9101SBK	SERR	BLACK	\$270
9501BK		BLACK	\$230
9501SBK			



# 2551 MINI REFLEX II

BENCHMADE DESIGN • U.S.A.



# The Reflex gets an upgrade with an enlarged button and increased reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

**EXTRA** Tip-up pocket clip



### 2551

BLADE LENGTH 3.17" (8.05cm) BLADE THICKNESS 0.097" (2.46mm) HANDLE THICKNESS 0.48" (12.19mm)

**OPEN** 7.34" (18.64cm) **CLOSED** 4.17" (10.59cm) **WEIGHT** 2.58oz (73.14g)

CONFIGURATIONS/MSRP							
2551			\$215				
2551S	SERR		\$215				
2551BK		BLACK	\$230				
2551SBK	SERR	BLACK	\$230				

# 3551 **STIMULUS**

PARDUE DESIGN • U.S.A.



### The 3550 gets an upgrade with an enlarged button and increased reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Spear-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA Tip-up or tip-down pocket clip



# 3551

BLADE THICKNESS 0.088" (2.24mm) HANDLE THICKNESS 0.46" (11.68mm)

# BLADE LENGTH 2.99" (7.59cm) **OPEN** 7.09" (18.00cm) **CLOSED** 4.10" (10.41cm) **WEIGHT** 2.71oz (76.83g)

### CONFIGURATIONS/MSRP

3551			\$215
3551S	SERR		\$215
3551BK		BLACK	\$230
3551SBK	SERR	BLACK	\$230

# 4300/4300-1**CLA** benchmade design • U.S.A.



# A classy, all-purpose G10 auto for any occasion; formal to tactical.

**MECHANISM** Push-button automatic with integrated safety

BLADE STYLE Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE 4300: Black contoured G10; 4300-1: Green and black contoured and textured G10

**EXTRA** Reversible tip-up deep-carry pocket clip



4300-1

	4300	4300-1	CONFIG	URATI	ONS/MS	RP
BLADE LENGTH	3.40" (8.64cm)	3.40" (8.64cm)	4300			\$240
BLADE THICKNESS	0.114" (2.90mm)	0.114" (2.90mm)	4300S	SERR		\$240
OPEN	7.85" (19.94cm)	7.85" (19.94cm)	4300BK		BLACK	\$255
CLOSED	4.45" (11.30cm)	4.45" (11.30cm)	4300SBK	SERR	BLACK	\$255
WEIGHT	3.47oz (98.37g)	3.60oz (102.06g)	4300-1			\$240
HANDLE THICKNESS	0.49" (12.45mm)	0.49" (12.45mm)	4300SBK-1	SERR	BLACK	\$255

# 4400/4400-1 **CASBAH**<sup>™</sup> **NEW**

BENCHMADE DESIGN • U.S.A.



# Quick auto-action in a high traction, lightweight, composite handle.

**MECHANISM** Push-button automatic with integrated safety

BLADE STYLE Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE 4400: Black textured Grivory® with stainless steel liners 4400-1: Blue textured Grivory® with stainless steel liners

**EXTRA** Reversible tip-up deep-carry pocket clip

4400-1

### CONFIGURATIONS/MSRP

4400/4400-1

 BLADE LENGTH
 3.40" (8.64cm)

 BLADE THICKNESS
 0.114" (2.90mm)

 OPEN
 7.80" (19.81cm)

 CLOSED
 4.40" (11.18cm)

 WEIGHT
 3.43oz (97.24g)

 HANDLE THICKNESS
 0.59" (14.99mm)

4400SBK

4400			\$175
4400S	SERR		\$175
4400BK		BLACK	\$190
4400SBK	SERR	BLACK	\$190
4400-1			\$175
4400SBK-1	SERR	BLACK	\$190

# LACK CLASS

m

X

# 3150 IMPEL® LERCH DESIGN • U.S.A.



# This small automatic gent knife is packed with premium features.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 6061-T6 billet aluminum with black textured G10 inlays

EXTRA Tip-down pocket clip



# 3150

BLADE LENGTH 1.98" (5.03cm) BLADE THICKNESS OPEN CLOSED WEIGHT HANDLE THICKNESS 0.35" (8.89mm)

0.100" (2.54mm) 5.04" (12.80cm) 3.06" (7.77cm) 1.39oz (39.41g)

### CONFIGURATIONS/MSRP

3150		\$175
3150BK	BLACK	\$190

# **320 PRECINCT**

BUTCH BALL DESIGN • U.S.A.



A compact Butch Ball-designed flipper with textured G10 and finger relief for exceptional grip.

**MECHANISM** Liner lock flipper

BLADE STYLE Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black textured G10 with stainless steel liner

**EXTRA** Thrust bearing washers and reversible tip-up deep-carry pocket clip



BLADE LENGTH 3.30" (8.38cm) BLADE THICKNESS CLOSED WEIGHT HANDLE THICKNESS 0.48" (12.07mm)

### 320

0.124" (3.15mm) **OPEN** 7.78" (19.76cm) 4.48" (11.38cm) 3.42oz (96.96g)

### CONFIGURATIONS/MSRP

320			\$145
320S	SERR		\$145
320BK		BLACK	\$160
320SBK	SERR	BLACK	\$160

# 808 LOCO

BENCHMADE DESIGN • U.S.A.



# A truly robust tactical knife with refined, custom-styled hardware.

MECHANISM AXIS® lock

**BLADE STYLE** Reverse tanto

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black G10 with stainless steel liners

**EXTRA** Custom-styled hardware and reversible tip-up deep-carry pocket clip

S

S

LACK CLA

m





65

BLADE LENGTH	13
BLADE THICKNESS	C
OPEN	8
CLOSED	4
WEIGHT	e
HANDLE THICKNESS	C

### 3.68" (9.35cm) 0.160" (4.06mm) 8.62" (21.89cm) 4.94" (12.55cm) 6.56oz (185.97g) 0.67" (17.02mm)

808SBK

### CONFIGURATIONS/MSRP

808			\$240
808BK		BLACK	\$255
808SBK	SERR	BLACK	\$255

# 950 **MANUAL RIFT**<sup>®</sup> & 9555 AUTO RIFT<sup>®</sup> OSBORNE DESIGN • U.S.A.

• ANS

950





A reverse tanto, large-bellied blade for strength and utility, and textured G10 handle scales for a secure grip.

MECHANISM 950: AXIS® lock; 9555: Auto AXIS® with integrated safety

**BLADE STYLE** Reverse tanto

**BLADE STEEL** 154CM stainless steel blade (58-61HRC)

HANDLE 950: Gray and black textured G10 with stainless steel liners; 9555: Black textured G10 with stainless steel liners

**EXTRA** Reversible tip-up pocket clip

9555SBK

950

BLADE LENGTH	3.67" (9.32cm)	3.67" (9.32cm)	CONFIGURATIONS/MSRP				
BLADE THICKNESS	0.114" (2.90mm)	0.114" (2.90mm)		950			\$200
OPEN	8.27" (21.01cm)	8.27" (21.01cm)		950BK		BLACK	\$215
CLOSED	4.60" (11.68cm)	4.60" (11.68cm)		950SBK	SERR	BLACK	\$215
WEIGHT	4.80oz (136.08g)	4.95oz (140.33g)		9555			\$260
HANDLE THICKNESS	0.56" (14.22mm)	0.56" (14.22mm)		9555SBK	SERR	BLACK	\$275

950

810 **CONTEGO** 

OSBORNE DESIGN • U.S.A.



# A large, agressively styled tactical knife with a glass breaker on the pommel.

MECHANISM AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL** CPM-M4 super steel (62-64HRC)

**HANDLE** Black textured G10 with stainless steel liners

**EXTRA** Carbide glass breaker and reversible tip-up deep-carry pocket clip



Carbide glass breaker

### 810

810SBK

BLADE LENGTH	
BLADE THICKNESS	(
OPEN	ç
CLOSED	ţ
WEIGHT	ţ
HANDLE THICKNESS	(

3.98" (10.11cm) 0.156" (3.96mm) 9.28" (23.57cm) 5.30" (13.46cm) 5.92oz (167.83g) 0.55" (13.97mm)

.....

### CONFIGURATIONS/MSRP

810		GRAY	\$230
810BK		BLACK	\$230
810SBK	SERR	BLACK	\$230

# 183 FIXED CONTEGO

OSBORNE DESIGN • U.S.A.



# Thick steel and a reverse tanto blade make for great tip strength and good all-around performance.

MECHANISM Fixed blade

**BLADE STYLE** Reverse tanto

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black contoured G10

**SHEATH** Injection molded with tension screw and MALICE CLIP®





Sheath included

### CONFIGURATIONS/MSRP

183			\$200
183BK		BLACK	\$215
183SBK	SERR	BLACK	\$215

### 183

 BLADE LENGTH
 4.97" (12.62cm)

 BLADE THICKNESS
 0.166" (4.22mm)

 OVERALL LENGTH
 10.18" (25.86cm)

 WEIGHT
 7.14oz (202.42g)

 HANDLE THICKNESS
 0.62" (15.75mm)

 SHEATH WEIGHT
 2.32oz (65.77g)

119 ARVENSIS

SIBERT DESIGN • U.S.A.



A big, heavy-duty tactical knife that Shane Sibert designed to be well balanced with a "light hand feel."

**MECHANISM** Fixed blade

BLADE STYLE Clip-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Black contoured G10

SHEATH Black Boltaron®

**EXTRA** Pressed titanium handle tubing

Sheath included

#### CONFIGURATIONS/MSRP

119

119			\$220
119S	SERR		\$220
119BK		BLACK	\$235
119SBK	SERR	BLACK	\$235

119SBK

BLADE THICKNESS HANDLE THICKNESS 0.75" (19.05mm) **SHEATH WEIGHT** 4.25oz (120.49g)

0.193" (4.90mm)

BLADE LENGTH 6.42" (16.31cm) **OVERALL LENGTH** 11.70" (29.72cm) **WEIGHT** 11.74oz (332.82g)



## 140/141 **NIMRAVUS**\*

BENCHMADE DESIGN • U.S.A.

## $\bigcirc$

Our all-time best-selling combat fixed blade.

MECHANISM Fixed blade

**BLADE STYLE** 140: Drop-point; 141: Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**SHEATH** Multifunctional, nylon, and MOLLE® compatible with MALICE CLIP®

141SBK



CONFIGURATIONS/MSRP 140 141 140BK BLACK \$190 BLADE LENGTH 4.50" (11.43cm) 4.50" (11.43cm) SERR BLACK \$190 140SBK BLADE THICKNESS 0.115" (2.92mm) 0.115" (2.92mm) 140BKSN BLACK \$205 OVERALL LENGTH 9.45" (24.00cm) 9.45" (24.00cm) 140SBKSN SERR BLACK \$205 6.20oz (175.77g) 5.86oz (166.13g) WEIGHT 141BK BLACK \$190 HANDLE THICKNESS 0.58" (14.73mm) 0.58" (14.73mm) 141SBK SERR BLACK \$190 **SHEATH WEIGHT** 5.00oz (141.75g) 5.00oz (141.75g) 141SBKSN SERR BLACK \$205

140BK



## 167/169 **PROTAGONIST**

BENCHMADE DESIGN • U.S.A.



Designed for military and law enforcement, the Protagonist is easily integrated into a kit.

#### MECHANISM Fixed blade

**BLADE STYLE** 167: Tanto; 169: Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Grivory<sup>®</sup> with black Versaflex<sup>®</sup> over-mold and olive drab accent

**SHEATH** Black injection molded with tension screw, ballistic nylon removable belt loop and removable locking strap. MOLLE® compatible with MALICE CLIP®. Also compatible with Tek-Lok™ (not included)

169BK

167SBK



Sheath included

	167	169				
BLADE LENGTH	4.54" (11.53cm)	4.54" (11.53cm)	CONFIG	GURATI	ONS/MS	RP
BLADE THICKNESS	0.124" (3.15mm)	0.124" (3.15mm)	167BK		BLACK	\$160
OVERALL LENGTH	9.12" (23.16cm)	9.12" (23.16cm)	167SBK	SERR	BLACK	\$160
WEIGHT	4.23oz (119.92g)	4.20oz (119.07g)	169BK		BLACK	\$160
HANDLE THICKNESS	0.54" (13.72mm)	0.54" (13.72mm)	169SBK	SERR	BLACK	\$160

MOLLE COMPATIBLE

#### **SOCP** FAMILY THOMPSON DESIGN • U.S.A.

#### 176/178 179



(+)

#### Designed for the Special Operations Combatives Program, it's the optimal tool for self-defense.

#### **MECHANISM** Fixed blade

BLADE STYLE 176: Dagger; 178: Spear-point; 179: Rescue hook with carbide glass breaker and oxygen wrench

**BLADE STEEL** 440C stainless steel (58-60HRC)

HANDLE Coated single-piece tool with finger ring

SHEATH MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and dip-coated clip

**EXTRA** Combo kits with trainer available

176BK

		/	
176BK Dagger & black sheath		BLACK	\$110
176BKSN Dagger & sand sheath		BLACK	\$110
176BK-COMBO Dagger & black sheath with trainer		BLACK	\$150
176BKSN-COMBO Dagger & sand sheath with trainer		BLACK	\$150
176T Trainer with sheath		RED	\$70
178SBK Spear-point & black sheath	SERR	BLACK	\$120
178SBKSN Spear-point & sand sheath	SERR	BLACK	\$120
178SBK-COMBO Spear-point & black sheath with trainer	SERR	BLACK	\$150
178SBKSN-COMBO Spear-point & sand sheath with trainer	SERR	BLACK	\$150
179GRY Hook & black sheath		GRAY	\$95
179GRYSN Hook & sand sheath		GRAY	\$95
179GRY-COMBO Hook & black sheath with trainer		GRAY	\$135
179GRYSN-COMBO Hook & sand sheath with trainer		GRAY	\$135

#### CONFIGURATIONS/MSRP

176 DAGGER

- BLADE LENGTH 3.22" (8.18cm) THICKNESS WEIGHT
- **HANDLE LENGTH** 4.03" (10.24cm) 4.03" (10.24cm) **OVERALL LENGTH** 7.25" (18.42cm) 7.25" (18.42cm) 0.175" (4.45mm) 0.175" (4.45mm) 2.12oz (60.10g) **SHEATH WEIGHT** 1.04oz (29.48g) 1.04oz (29.48g)

3.22" (8.18cm) 2.04oz (57.83g)

178 SPEAR-POINT 176 TRAINER

6.81" (17.30cm) 2.58oz (73.14g) 1.04oz (29.48g) 1.04oz (29.48g)

Carbide glass breaker

#### 179 HOOK

2.78" (7.06cm) 0.375" (9.52mm) 4.03" (10.24cm) 4.03" (10.24cm) 6.75" (17.15cm) 0.175" (4.45mm) 0.175" (4.45mm) 1.88oz (53.30g)

I FT T	

Sheath included

178SBK



176T

179GRY





## 125 AZERIA<sup>™</sup> NEW

BENCHMADE DESIGN • U.S.A.

## $\langle \mathbf{r} \rangle$

#### When bad days get worse, it's good to have back-up plans.

#### **MECHANISM** Fixed blade

BLADE STYLE Wharncliffe with angled profile

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

HANDLE Black Grivory®

SHEATH Low-profile, molded with ambidextrous clip designed for duty belts; features anti-assailant retention device

m



Sheath reverse

#### 125BK

BLADE THICKNESS 0.114" (2.89mm) OVERALL LENGTH 5.64" (14.33cm) HANDLE THICKNESS 0.55" (13.97cm)

125BK

BLADE LENGTH 2.90" (7.37cm) **WEIGHT** 2.37oz (67.19g) SHEATH WEIGHT 1.81oz (51.30g)

#### CONFIGURATION/MSRP

125BK	BLACK	\$90

73

#### **RESCUE HOOK** FAMILY BENCHMADE DESIGN • U.S.A.



#### Cut quickly in an emergency situation.

A recent performance study found hooked cutting devices to be as much as 363% faster than scissors in clothing removal. (Use of a Hooked Cutting Device Compared With Scissors for the Emergency Exposure of Critically III and Injured Patients Nelson Tanga\, Matthew J. Levy, Jeffrey Harrow and Nina Bingham Prehospital and Disaster Medicine, FirstView Article, pp. 1-4 Copyright © 2013 World Association for Disaster and Emergency Medicine)

#### 8 BLKW/8 BLKWMED



**MECHANISM** Rescue hook BLADE STYLE Opening: 0.50" (12.70mm) **BLADE STEEL** 440C stainless steel (58-60HRC) HANDLE Coated skeletonized SHEATH Black nylon with MALICE CLIP® Alternative sheath colors are available separately (see page 88)

8 BLKW

BENCHMADE

8 BLKWMED

BENCHMADE

HOOK OPENING 0.50" (12.70cm) OVERALL LENGTH WEIGHT SHEATH WEIGHT 0.88oz (24.95g)

6.50" (16.51cm) 1.43oz (40.54g)

8 BLKW

#### **8 BLKWMED**

0.50" (12.70cm) 6.50" (16.51cm) 1.86oz (52.73g) 0.88oz (24.95g)

#### CONFIGURATIONS/MSRP

Sheath Included

8 BLKW	BLACK	\$45
8 BLKWMED	BLACK	\$45

10 BLK RESCUE HOOK NEW

BENCHMADE DESIGN • U.S.A.



A versatile rescue instrument designed originally for corrections officers, the enlarged hook gap allows cutting of rope up to 1" thick and other larger diameter woven materials. The sheath provides ambidextrous carry in both vertical and horizontal positions.

**MECHANISM** Rescue hook

**BLADE STYLE** Hook

**BLADE STEEL** 440C stainless steel (58-60HRC)

HANDLE Coated skeletonized

SHEATH Boltaron® with MOLLE® compatible clip

**EXTRA** Hook fits in sheath from both sides and has removable retention strap

RENCHTADE



Sheath reverse

#### 10 BLK

**HOOK OPENING** 1.00" (2.54cm) **OVERALL LENGTH** 6.05" (15.37cm)

**WEIGHT** 2.05oz (58.12g) **SHEATH WEIGHT** 2.37oz (67.19g)

#### CONFIGURATION/MSRP

10 BLK BLACK \$75

## **RESCUE HOOK** FAMILY

BENCHMADE DESIGN • U.S.A.



#### 7 BLKW/5 BLKW



Whether treating serious injury, locating contraband or extracting someone from a vehicle, these compact rescue hooks are an essential tool for the armed professional.

**MECHANISM** Rescue hook

**BLADE STYLE** Hook

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE 5 BLKW: Single piece handle; 7 BLKW: Single piece dip coated handle

SHEATH Nylon MOLLE® compatible with included MALICE CLIP®



HOOK OPENING 0.50" (12.70cm) OVERALL LENGTH 2.90" (7.37cm) **SHEATH WEIGHT** 0.74oz (20.98g)

WEIGHT 1.20oz (34.02g)

0.50" (12.70cm) 4.30" (10.92cm) 1.50oz (42.52g) 0.95oz (26.93g)

CONFIGURATIONS/MSRP

5 BLKW	BLACK	\$40
7 BLKW	BLACK	\$45

## 9 CB RESCUE HOOK

BENCHMADE DESIGN • U.S.A.



Cuts up to 1/2"-diameter rope and features a retractable safety blade cover. A carabiner clip and bottle opener complete the package.

MECHANISM Rescue hook

BLADE STYLE Hook

**BLADE STEEL** 440C stainless steel (58-60HRC)

HANDLE Injection molded handle with carabiner clip and bottle opener

EXTRA Retractable blade cover



S

S

LACK CLA

m

9 СВ НООК

5.19" (13.18cm)

HOOK OPENING 0.50" (12.70cm) OVERALL LENGTH WEIGHT 0.80oz (22.68g)

#### CONFIGURATIONS/MSRP 9 9

CB-BLK	BLACK	\$40
CB-YEL	YELLOW	\$40

## **BENCHMADE 1100 SERIES PENS**

BENCHMADE DESIGN • U.S.A.



#### Precision crafted writing tools.

- Ergonomic knurling patterns
- · Anodized aluminum, titanium, stainless steel or Damascus bodies
- Caps securely snap open and closed
- Fisher Space Pen® ink cartridges

#### ALUMINUM



984864F Black Ink Refill 984865F Blue Ink Refill

OPEN WITH

CLOSED W

ALUMINUM

TITANIUM STAINLESS

DAMASCUS

PEN DIAMETER	0.50" (12.
WITHOUT CAP	5.10" (12.9
OSED WITH CAP	5.33" (13.
MINUM WEIGHT	1.30oz (30
ANIUM WEIGHT	1.89oz (53
INLESS WEIGHT	3.20oz (9
ASCUS WEIGHT	3.20oz (9

1100

#### .70mm) 95cm) 54cm) 6.85g) 3.58a) 0.72g) 0.72g)

#### CONFIGURATIONS/MSRP


\$125
\$140
\$185
\$215
\$300
\$5.50
\$5.50

## HATS





Tan Tactical Hat





Solid Steel Trucker Hat STYLE Classic weathered-style patch logo COLOR Black MATERIAL 55% Cotton, 45% Polyester FIT Structured with snapback closure SIZE One size fits most - 988162F PRICE \$20.00



Black Flexfit® Hat STYLE Raised embroidered Benchmade logo COLOR Black MATERIAL 83% Acrylic, 15% Wool, 2% Spandex FIT Structured FlexFit SIZE S/M - 983881F L/XL - 983798F PRICE \$20.00





Reverse

#### Bali-Song® Legend Fitted Hat

STYLE Bali-Song shield logo on front COLOR Black MATERIAL 15% Wool, 85% Acrylic

FIT Fitted cap

SIZE 7-1/8 - 100087F 7-1/4 - 100088F 7-3/8 - 100089F 7-1/2 - 100090F

PRICE \$30.00

#### Bali-Song® Legend Cadet Hat

STYLE Bali-Song shield patch on front COLOR Gray MATERIAL 97% Cotton, 3% Spandex FIT Elastic SIZES One size fits most - 100091F PRICE \$20.00

Reverse



## APPAREL



HUNT. Shirt Go. Now. STYLE T-Shirt COLOR Burnt Orange MATERIAL 100% Premium Cotton ORIGIN Made in the USA SIZES S, M, L, XL, 2X, 3X PRICE \$22.00



Oregon Shirt Where Benchmade's are born. STYLE T-Shirt COLOR Green Triblend MATERIAL 50% Poly, 25% Cotton, 25% Rayon ORIGIN Printed in the USA with imported fabric SIZES S, M, L, XL, 2X, 3X PRICE \$22.00



#### FOOD. WATER. KNIVES. Shirt

Don't forget your essentials. STYLE T-Shirt COLOR Steel Blue Triblend MATERIAL 50% Poly, 25% Cotton, 25% Rayon ORIGIN Printed in the USA with imported fabric SIZES S, M, L, XL, 2X, 3X PRICE \$22.00

## APPAREL



The Infidel® Shirt

We could tell you, but... STYLE T-Shirt COLOR Dark Heather Gray MATERIAL 100% Premium Cotton ORIGIN Made in the USA SIZES S, M, L, XL, 2X, 3X, 4X PRICE \$22.00



True Blue Shirt Our classic butterfly logo. STYLE T-Shirt COLOR Benchmade Blue MATERIAL 100% Premium Cotton ORIGIN Made in the USA SIZES Men's - S, M, L, XL, 2X, 3X, 4X Women's - S, M, L, XL, 2X, 3X PRICE \$22.00





Bali-Song® Legend Shirt The best in Bali-Song since 1987. STYLE T-Shirt COLOR Navy MATERIAL 100% Premium Cotton ORIGIN Made in the USA SIZES Men's - S, M, L, XL, 2X, 3X, 4X Women's - S, M, L, XL, 2X, 3X

PRICE \$22.00



## APPAREL



### OD Patriot Shirt

Proudly made in the USA. STYLE T-Shirt COLOR Olive Drab MATERIAL 100% Premium Cotton ORIGIN Made in the USA SIZES S, M, L, XL, 2X, 3X, 4X PRICE \$22.00



#### Pinwheel Blades Shirt

Ladies exclusive. STYLE T-Shirt COLOR Ice Gray MATERIAL 100% Premium Cotton ORIGIN Made in the USA SIZES Women's - S, M, L, XL, 2X, 3X PRICE \$22.00



#### HQ Hoodie

Stay warm in this comfortable hoodie. STYLE Pull-over hoodie COLOR Gray MATERIAL 50% Cotton, 50% Poly ORIGIN Printed in the USA with imported fabric SIZES M, L, XL, 2X PRICE \$40.00

## ACCESSORIES



#### Benchmade Coffee Mug

Black on black on black. STYLE Coffee Mug COLOR Matte Black with Gloss Black logo, handle, rim MATERIAL Ceramic SKU 989133F PRICE \$12.00



#### Benchmade Pint Glass

For when the time comes to pocket the knife and raise a pint. STYLE Pint Glass

 $\ensuremath{\mathsf{COLOR}}$  Clear with Blue Benchmade butterfly logo

MATERIAL Glass

SKU 988053F

PRICE \$10.00



#### Pro-Model Bottle Opener

High-speed beverage entry tool. STYLE Bottle Opener COLOR Gray Steel MATERIAL Stainless Steel with wordmark cutout SKU 1000000 PRICE \$15.00

NEW



#### Benchmade Water Bottle

Stanley and Benchmade team up to bring you this exclusive water bottle.

STYLE Double-walled vacuum-sealed water bottle

COLOR Blue with White Bali-Song\* design

MATERIAL 18/8 Stainless Steel

SPECS 18 oz., keeps drinks cold for 28 hours SKU 100725F PRICE \$22.00



## SHARPENERS



#### Guided Field Sharpener

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads and more.

STYLE Field Sharpener

ABRASIVES Ceramic, Diamond, Leather SERRATIONS Dual ceramic rods fit most sizes SKU 100604F PRICE \$40.00



#### Tactical and Mini-Tactical Pro Sharpener

Easy every day carry with a ceramic honing surface.

STYLE Field Sharpener

MATERIAL Ceramitized coating and Duromite<sup>®</sup> cutters

SKU 983902F - Tactical Pro

983903F - Mini-Tactical Pro

PRICE \$25.00 - Tactical Pro

\$20.00 - Mini-Tactical Pro



#### Combo Sharpener

Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt carry. Length 5.75".

STYLE Field Sharpener

MATERIAL Ceramitized coating and Duromite<sup>®</sup> cutters

SKU 985547F

PRICE \$30.00

## MAINTENANCE



#### Folding Tool Kit

Keep your Benchmade knife in tune with this 14-piece folding tool kit plus sharpener. Carry case included.

SKU 985995F PRICE \$35.00



#### Blue Box Tool Kit

T6, T8, and T10 Torx bits with a bit holder/extension all in a molded plastic case that doubles as the handle.

SKU 981084F

PRICE \$20.00



#### Bluelube<sup>™</sup> Lubricant Bluelube<sup>™</sup> Cleaner

Clean, lubricate and protect your Benchmade.

SKU 983901F - Bluelube™ Cleaner

983900F - Bluelube™ Lubricant

PRICE \$10.00 - Bluelube™ Cleaner (4oz bottle)

> \$8.00 - Bluelube™ Lubricant (1.25oz bottle w/nozzle)

## DISPLAYS



Magnetic Knife Display Hinged magnetic display, holds up to nine open knives. 24"W x 18"D x 8"H 989797F......\$250.00

## NEW



Benchmade Counter Mat

Transparent flexible counter mat with Benchmade 30th Anniversary logo. 10"x12"

100724F.....\$10.00



**Blue Acrylic Knife Rack** Holds seven knives. 10"D x 3 3/4"W x 3"H 985567F.....\$25.00



Large Display Case Rotatable shelf, multi-drawer, 6' tall floor display. Holds 50+ knives. 989136F......\$2,000.00 Call for shipping.



Single Knife Holder Transparent plastic; each one holds a single knife in the open position. 1000005 ......\$2.50



2-Piece Display Case 2-piece, 4' tall floor display. Holds 24+ knives. (Base features exchangeable side panels.)

989605F - Top.....\$500.00 989604F - Base.....\$500.00 Call for shipping.

## SHEATHS

#### Folder Pouch (MOLLE<sup>®</sup> Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP" (included), and are MOLLE" system enabled too. Heavy stitch and elasticized true fit. Made in USA.

MOLLE" Folder Pouch.....\$25.00 A.984818F - Black for models 3300, 3320 and 9051/9052 B. 984094F - Black for models 5000, 915/916 and 9170 C. 984093F - Coyote for models 5000, 915/916 and 9170



#### 140/141 Fixed Sheath (MOLLE<sup>®</sup> Compatible)

Sheaths come standard with MALICE CLIP<sup>®</sup> and Velcro<sup>®</sup> adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

MOLLE" Fixed Soft Sheath ..... ......\$50.00 D. 983468F - Black

E. 983469F - Coyote



#### Tek-Lok™

Multiple position options with compatible sheath F. 981609F - Tek-Lok™, large size.....\$15.00



#### MALICE CLIPS®

ection-molded connecting clip to attach sheaths to MOLLE" systems, or to use as a belt loop-style carry. Clips securely closed with a snap-lock. G.983551F - Large MALICE CLIP\* (4.75" size)...... \$2.00

H. 983550F - Small MALICE CLIP" (3" size) ......\$1.50



#### 5 Hook/7 Hook/8 Hook Pouch (MOLLE<sup>®</sup> Compatible)

These Velcro" hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE" system enabled with the MALICE CLIP" (sold separately). Made in USA.

- MOLLE<sup>®</sup> 5 Hook Pouch......\$8.00 I. 981494F - Black J. 983856F - Foliage Green



MOLLE <sup>®</sup> 7 Hook Pouch\$10.00
K. 984166F - Black
L. 984205F – Foliage Green
M.984204F - Coyote





#### Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro" closures. Made in USA.

Q. 981086F - Soft Sheath, small (1.625" W x 5" D), black .....\$10.00

981087F - Soft Sheath, large (2" W x 5.25" D), black .....\$10.00

981717F - Soft Sheath, 4" Bali-Song' Series, black .....\$10.00



## SPECIAL SERVICES



## LIFESHARP SERVICE

BENCHMADE® LIFESHARP Service and Warranty We will gladly resharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for

any warrantied repairs and "tune" the knife for optimum performance. Ship the knife to Benchmade, postage-paid and insured. Please enclose your return shipping address. www.benchmade.com/lifesharp



## PERSONALIZED LASER MARKING

Make any Benchmade *your* Benchmade. Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed on the blade or, for some models, on the handle. If you're interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit *www.benchmade.com/lasermark*.



## **COMMITTED TO EXCELLENCE**

For over 30 years, Benchmade has been designing and manufacturing world-class products for world-class customers.

When Benchmade was founded, the mission was to create something better; something exceptional. Today, we continue to innovate with the goal of taking performance and reliability to the next level. To exceed what is expected.

Whether you're using a Griptilian<sup>®</sup> for every day duties or taking the fight to the enemy with the Infidel<sup>®</sup>, our knives are built to perform. When you choose to purchase a Benchmade, you do so because you want the best. You demand it. And programs like our LifeSharp Lifetime Service and Warranty are the foundation of our commitment to excellence.



## **DESIGNER COLLABORATION**

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passion into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



**Mel Pardue** The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

#### McHenry & Williams

**Bill McHenry & Jason Williams** It runs in the family... Bill and son-in-law Jason spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents complement one another very well and have led to several noteworthy innovations in the knife-making world. Benchmade was fortunate to be involved with one such innovation, the AXIS® mechanism. The rest is history in the making.



Warren Osborne Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.



Seiichi Nakamura Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



**Shane Sibert** Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.

#### Steigerwalt

Ken Steigerwalt In 1978, at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knife-making was going to be his full-time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style. He describes his work as a passion and a journey to build a better knife than the last. Benchmade has been fortunate to be involved with one of his innovations, the Nitrous<sup>®</sup> Assist mechanism.

#### LERCH

Matthew Lerch Co-developer of the Nitrous® Assist mechanism, Matthew has his finger on the pulse of industry-leading innovations.

**Bob Lum** Growing up in the Pacific Northwest with a passion for Eastern cultures gave him an opportunity to develop an appreciation for the importance of a fine knife, which comes through in his elegant and utilitarian designs. Thanks, Bob.



**Greg Thompson** Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC.



**Butch Ball** Butch developed a passion for knives at a very early age. After building a few fixed blades in the early '90s, he decided in 2000 to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, re-creates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanically or ergonomically. The results of this process are designs that are as robust as they are innovative.



## LOCKING MECHANISMS

It seems simple enough: you open the knife, you close the knife. But it's the mechanics of motion that happen in the process of opening and closing that can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

#### AXIS<sup>®</sup>

A patented Benchmade exclusive, AXIS® has been turning heads and winning fans ever since its introduction. A 100 percent ambidextrous design, AXIS® gets its function from a small, hardened steel bar that rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS® bar itself. Available in manual, AXIS® Assist or Auto AXIS® configurations.

#### AXIS<sup>®</sup> ASSIST

Easily opened, quickly and with one hand, this evolution of the AXIS® includes a spring that helps fire the blade into the open position once the user pushes it beyond a certain point manually. The AXIS® lock also has the added benefit of "suck-back," which encourages the blade to stay in the closed position. AXIS® Assist knives also feature integrated safety lock systems.

#### LINER LOCK

The basic principle is an integral locking bar, resulting from the knife liner being stress-bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right- or left-hand-specific). And with a modified locking-liner you get a patented feature that helps enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made, and also the quality of the materials used. With Benchmade, you get the best of both.

#### MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one and the same as the knife handle, and thus the handle is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

#### NAK-LOK®

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok<sup>®</sup>, the possibility of personal injury is greatly reduced, with the opening finger never crossing the blade's path.

#### NITROUS<sup>®</sup>

Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed, the two torsion arms that run the length of the handle liners are secured in place and make contact with the blade tang. When opening, the user rotates

the blade open to a 30-degree angle, where the torsion arms take over and continue the blade-opening process on their own. The huge advantage of the Nitrous® design over other similar concepts is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

#### BALI-SONG<sup>®</sup>

As much an art form as it is the ultimate example of form following function. The Bali-Song®, or butterfly knife, is of Filipino ancestry, dating back to nearly AD 800. Its basic form consists of a pin-hinged, two-piece handle which, when closed, encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility-capable.

#### AUTOMATICS

Sometimes restricted to Active-Duty Military, Law Enforcement and Public Safety, these automatic knives utilize either pushbutton, slide-release or dual-action mechanisms. Benchmade autos take full advantage of powerful springs coupled with our precisely machined lock mechanisms, providing the most reliable automatic systems available in the industry. Our patented integrated safety mechanism, located on the handle spine in all push-button automatics, can also ensures that the blade will not inadvertently deploy, or close once it is locked open.

#### AXIS<sup>®</sup> AUTOMATIC

Auto AXIS<sup>®</sup> — strong, reliable, fast and an AXIS<sup>®</sup> lock through and through, this locking mechanism fires the blade open 100% mechanically when the AXIS<sup>®</sup> bar is pulled downward. Auto AXIS<sup>®</sup> also features integrated safety mechanisms and the added safety of "suck-back."

#### AXIS<sup>®</sup> DUAL-ACTION AUTOMATIC

Dual-action knives come in multiple forms, but only one group features the strength and ambidextrous versatility of the AXIS<sup>®</sup> lock. The AXIS<sup>®</sup> Dual Action automatic mechanism allows the user to open the knife like a regular AXIS<sup>®</sup>, but there's a secret: pull the AXIS<sup>®</sup> bar farther down in its stroke and a spring takes over and fires the blade automatically.

#### PUSH-BUTTON AUTOMATIC

Push the button and the blade fires into the open position. Our push-button mechanisms are not only fast and convenient, they're also extremely strong. Most also feature integrated safety mechanisms.

#### AMBIDEXTROUS PUSH-BUTTON AUTOMATIC

While push-button automatics have traditionally been singlesided, Benchmade also has pioneered the first-ever ambidextrous push-button autos that feature push-buttons on both sides.

#### OUT-THE-FRONT (OTF) AUTOMATIC

Our OTF mechanisms are mechanical masterpieces. Slide the lock button towards the top and the blade fires straight out. Pull the button back to the bottom and the blade returns into the handle.

## **BLADE STEELS**

Benchmade uses a variety of modern materials selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a premium-quality performance cutting tool, then it only makes sense to build it with premium-materials.

How long a blade can maintain its sharpened edge

HRC: 62-64

Resistance of a blade to fracture and chipping

Maximum stress withstood before a blade breaks or fails

Resistance of a blade to oxidization and chemical attack

#### KEY

- E Edge Retention
- Strength
- **C** Corrosion Resistance
- Toughness

#### STEELS

## E S C T CPM-S3OV

HRC: 58-60

A premium steel created especially for knives, it is a powder steel creating uniform carbide distribution and clean steel properties. As a blade material it offers excellent corrosion resistance and superb edge qualities. This stainless steels is extremely well balanced, making it one of the best all-around choices for daily tasks.

## E S C T CPM-S90V

**HRC:** 59-61

A true super steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2. Extremely high carbon and vanadium content gives this premium stainless powder-metal alloy the ultimate in edge retention while maintaining great strength and toughness properties.

#### 

HRC: 60-62

A high carbon, high chrome tool steel provides better edge retention than 440C and 154CM, however, it has less toughness and corrosion resistance than either of these alloys. The original "go-to" tool steel for knife blades, D2 provides great edge retention but requires a little extra care to keep the rust off.



A special application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel, with edge retention between 420HC and 440C.

## E S C T CPM-M4

A powder-metal, non-stainless, special purpose high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. Due to its lower level of chrome content it may require additional care to avoid corrosion.

## Е S C T 440C HRC: 58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry. A high-chromium stainless steel with balanced hardness and corrosion resistance, 440C takes a fine edge and is fairly easy to re-sharpen. An excellent value-priced steel for its performance.

## E S C T M390

HRC: 58-61

A super-performance blade steel with exceptional cutting ability and wear resistance. Given its uniform microstructure, M390 is often used in surgical cutting instruments and other applications that require a high finish. Extremely high carbon and chrome content also give this premium stainless powder-metal alloy the best corrosion resistance of any martensitic stainless alloy.

### E S C T 154CM HRC: 58-61

A premium grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.

## ESCI CPM-20CV

#### HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel, however, they meet here in CPM-20CV. A powder metal steel that takes a fine edge and maintains it, 20CV is a great choice for someone looking for low maintenance and superior cutting performance.

## ē sē t 1095 Hr

HRC: 55-58

A high carbon steel that has been used for knife blades for over a century. Excellent strength and toughness allow this steel to take a beating that would leave other blades in pieces. Poor corrosion resistance and edge retention means you have to take a little extra care to keep the blade clean and sharp.

## E S C T Damasteel

#### HRC: 58-60

With alternating layers of RWL34 and RPMC27, this powder metal 'Damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness while affording edge retention comparable to that of 440C. Used in special applications due to its high cost and artistic nature.

#### HEAT TREATMENT

Over the years we have developed a "special recipe" for heat treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and superior performance. All steels may be created equal, but when it comes to Benchmade, that's where it stops.

## COATINGS, HANDLES, LINERS, SHEATHS

## COATINGS

#### CERAKOTE\*

A spray-on ceramic coating with excellent wear and corrosion resistance. Used frequently in the firearms industry and available in a wide variety of colors.

#### DLC

'Diamond-like Carbon,' is a thin layer of carbon atoms that is slowly built up on the surface, providing a sleek black look, a hardness similar to natural diamond and excellent abrasion resistance. DLC is also used as a coating in machining, stamping and molding tools as well as engine components.

#### ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

#### HANDLES

#### CARBON FIBER

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin which is most commonly clear but can be colortinted. It offers great looks and is exceptionally strong for its minimal weight.

#### STABILIZED WOOD

A composite material backfilled with resin, stabilized wood is much more resistant to environmental hardships than natural wood.

#### 6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

#### MICARTA

Layers of linen cloths soaked in resin and compressed together. Most commonly used on more stylish knives due to its rich color and finish qualities.

#### 6061-T6 ALUMINUM

A nonferrous metal originally developed as a premium aircraftgrade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

#### G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.

#### **GRIVORY**\*

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

#### SANTOPRENE\*

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistant to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

#### LINERS

#### 6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

#### 410SS STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel that offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well.

#### SHEATHS

#### BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

#### LEATHER

A natural material dating back to humans' earliest beginnings in the knife world. It can be easily dyed and tooled for a desired visual effect. Offers traditionally accepted levels of performance and design capability.

#### KYDEX\*

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

#### BOLTARON\*

A proprietary, fire retardant PVC/acrylic alloy sheet, black in color, offering a UL Standard 94 V-0 fire rating, excellent impact strength, abrasion resistance, chemical resistance and thermoformability. Manufactured using recycled resin, it is a cost-effective alternative to other general-purpose flame retardant materials.

The following are registered trademarks of their respective companies: Zytel', E.I. du Pont de Nemours & Company; Kydex', Kleerdex Company; Noryl GTX' and Valox', General Electric Company; Santoprene', Advanced Elastomer Systems; Grivory\*, EMS-Grivory; Boltaron', Boltaron Performance Products, LLC.







## WARRANTY

#### LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will. without charge, repair or replace, at Benchmade's option. any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife (button or slide activated spring-opening) returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will not be returned to you. To obtain an AKOA form, please visit www.benchmade.com. NO EXCEPTIONS WILL BE MADE.

"The Benchmade Lifetime Warranty only applies to genuine Benchmade products from authorized Benchmade dealers. Knives purchased on the internet through discount websites, mail order outlets, or through any other unauthorized source, and knives which are determined by Benchmade to be counterfeit are not entitled to our warranty coverage."

#### WHAT IS COVERED?

This Warranty covers replacement parts and labor.

#### WHAT IS NOT COVERED?

This Warranty does not cover normal wear: non-factory re-sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/ or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool) or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

#### ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

#### The Benchmade AKOA form can be found at: www.benchmade.com/media/forms/ako\_acknowledgment.pdf

#### SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

## ARE BENCHMADE ASSIST-OPEN KNIVES LEGAL?

Because of the way the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

#### COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

#### We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OF FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

#### PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit www.benchmade.com for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help protect your knife freedoms. Join AKTI today!

The Time 877.752.8770 or www.akti.org

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: 87; Adamas; Anthem; Arcane; AXIS; Azeria; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Benchmade (butterfly logo); Benchmade (wordmark logo); Benchmade HUNT. (wordmark logo); Coalition; Casbah; Custom Knife Builder (wordmark logo); Coalition; Casbah; Custom Knife Builder (wordmark logo); Griptilian; Houdini; Impel; Infidel; Megumi; Morpho; Nak-Lok; Nimravus; Nitrous; Pagan; Phaeton; Precipice; Presidio; Pro (bullseye logo); Rift; Rukus; Stryker; Torrent; Triage. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the patents found at www.benchmade.com/patents

# Millions of options to create your perfect knife.

.....

· \* ·

# BENCHUSADE

CUSTOMKNIFE.BENCHMADE.COM



300 BEAVERCREEK ROAD OREGON CITY, OR 97045

TELEPHONE 800.800.7427 503.655.6004 CUSTOMER SERVICE FAX 503.496.1896

EMAIL INFO@BENCHMADE.COM

WEB BENCHMADE.COI



MYBENCHMADE

2017 BENCHMADE KNIEF CO INC . Drinted in L

